CONTRACTOR OF AND TECHNOLOGY REQUEST FOR QUOTATIONS

Sealed quotations, in Pak rupees on D.D.P basis, are invited from registered suppliers/authorized dealers/distributors and manufacturers for supply of the following items:

S#	Item Description	Annexures			
1.	Lab Equipment (NRPU Project # 20-15290)	Details attached at Annexure- A & B			
Intere	Interested parties are requested to consider the following points before submitting their quotations.				
•	Your sealed quotations must be delivered to the office of the undersigned on or before Monday				
	March 18, 2024, at 14:00 pm. Any quotation received later than the scheduled date and time will				
	be rejected and returned unopened.				
•	All quotations must be valid for a period of Thirty (30) days from the closing date of the Reques				
	for Quotation.				
٠	• The quotation shall be submitted Annexure-wise. (Separate quotation for each mentioned				
	Annexure with separate envelope, otherwise quotation will be rejected).				
٠	• The quotation shall be completed and signed by an authorized representative of the supplier.				
٠	• The quoted price should include sales tax or any other taxes as per Govt. Rules (if applicable).				
٠	Delivery will be made to GIK Institute, Topi, Swabi.				
•	• Payment will be made within 2 weeks after acceptance of the items subject to deduction of taxes as per law.				
٠	• In the case of any arithmetical discrepancy between the unit rate and the total amount quoted,				
	then the unit rate shall prevail both for the e purchase order.	valuation of quotations and for the subsequent			
Assistant Director, Procurement Department, GIK Institute, Topi, Swabi (KP)					
Ph: 0938-281026 Ext. 2444, Email: taufeeq@giki.edu.pk					

ANNEXURE-A

S#	Lab Equipment	Qty	Unit
	Teflon Chemical Resistant Digital Centrifuge Machine		
	Speed Range 300-5000rpm, increment: 10 rpm Glass/Plastic Door		
	Automatic Shutdown Max.RCF 2350xg, increment: 10g Speed		
01	Accuracy ±20rpm Rotor capacity 6x15ml/10ml/7ml/1.5-5ml Run Time	01	Nos
	30sec-99min, HD (Continuous running) Display LCD, Safety Devices		
	Door interlock, Overspeed detector; Automatic internal diagnosis,		
	Brushless DC motor,		

ANNEXURE-B

S#	Lab Equipment	Qty	Unit
	Analytical Balance with External Calibration readability (0.1 mg)		
01	Maximum Capacity: 220g		
	Readability: 0.0001g		
	Calibration: External	01	Nos
	Stabilization Time: 2.5 Sec		
	Display Type: LCD Backlit Display		
	Brand Made: Europe/UK or equivalent.		