EVALUATION REPORT (As Per Rule 35 of PP Rules, 2004)

1.	Name of Procuring Agency:	HQ NADRA Islamabad
2.	Method of Procurement:	Single Stage (02) Envelopes Method
3.	Title of Procurement:	Procurement of UPS, AVR & Upgradation of Allied Infrastructure at DR Site Sargodha
4.	Tender Inquiry No:	NADRA-HQ/RFB-180/2022
5.	PPRA Ref. No. (TSE):	TS492432E
6.	Date & Time of Bid Closing:	14th November, 2022 at 1100 Hrs.
7.	Date & Time of Bid Opening:	14 th November, 2022 at 1130 Hrs.
8.	No of Bids Received:	02 x Bids
9.	Criteria for Bid Evaluation:	Based on Eligibility Criteria and Technical Compliance, as per Tender Documents
10.	Details of Bid(s) Evaluation:	As under:-

	M	arks		Rule/Regulation/SBD*/ Policy/ Basis for
Name of Bidder	Technical (if applicable)	Financial (if applicable)	Evaluated Cost	Rejection / Acceptance as per Rule 35 of PPRA Rules, 2004.
M/s DWP Technologies	Qualified	Only technical qualification was required	Rs.55,402,073/-	Six firms purchase the tender documents, whereas bids of two firms i.e. M/s DWP Technologies (Pvt) Ltd, and M/s CNS Engineering were received. Technical bids were opened on 14 th Nov, 2022. Technical bids were forward to technical evaluation board for technical evaluation. As per technical evaluation report bids of M/s DWP
M/s CNS Engineering	Qualified	Only technical qualification was required	Rs.63,394,338/-	Technologies (Pvt) Ltd and M/s CNS Engineering were technical qualified. Same was communicated to the respective bidder (F/A). Financial bid of technically qualified firms were opened on 1st Dec, 2022. As per financial evaluation M/s DWP Technologies (Pvt) Ltd was found most advantageous.

Most Advantageous Bidder: M/s DWP Technologies (Pvt) Ltd

11. Any other additional / supporting information, the procuring agency may like to share. Nil

Head of Department
NADRA HQ Procurement
(Naveed A. Channa)

Jan, 2023

Inaelsa 1823. (4x541



MOST IMMEDIATE/BY COURIER/BY FAX
GOVERNMENT OF PAKISTAN
MINISTRY OF INTERIOR
HEADQUARTERS NATIONAL
DATABASE & REGISTRATION
AUTHORITY (NADRA)
PROCUREMENT DEPARTMENT (HQ)
(RHO ISLAMABAD BUILDING) MAUVE
AREA G-10/4, ISLAMABAD
PHONE NO- 90391854 FAX NO- 9108188
NADRA/PROC/TENDER/180/2022

November, 2022

To:

M/s DWP Technologies,

Plot # 18, Street # 39, G-10/4, Islamabad 1ele # 051-111-005-006, Fax # 051-2355982

Cell # 0300-8522948

Subject:

Technical Evaluation Report against Tender # 180/2022

- 1. With reference to your above subject, it is to inform that your firm has been technically qualified, detail is attached as Annex-A. Furthermore, financial bid opening of the subject tender will be on 1st December, 2022 at 11:30 hours in Procurement Department (Conference Room) at G-10/4, Regional Head Office Islamabad.
- 2. Submitted for your information, please.

Head of Department NADRA HQ Procurement (Naveed A. Channa)

0/



MOST IMMEDIATE/BY COURIER/BY FAX GOVERNMENT OF PAKISTAN MINISTRY OF INTERIOR HEADQUARTERS NATIONAL DATABASE & REGISTRATION AUTHORITY (NADRA) PROCUREMENT DEPARTMENT (HQ) (RHO ISLAMABAD BUILDING) MAUVE AREA G-10/4, ISLAMABAD PHONE NO- 90391854 FAX NO- 9108188 NADRA/PROC/TENDER/180/2022

November, 2022

To:

M/s CNS Engineering,

Building # 40, Northern Strip, Commercial Area,

Sector E-11/2, Islamabad

Tele # 051-2706630-1, Fax # 051-2706632

Cell # 0310-3164537

Subject:

Technical Evaluation Report against Tender # 180/2022

- 1. With reference to your above subject, it is to inform that your firm has been technically qualified, detail is attached as Annex-A. Furthermore, financial bid opening of the subject tender will be on 1st December, 2022 at 11:30 hours in Procurement Department (Conference Room) at G-10/4, Regional Head Office Islamabad.
- 2. Submitted for your information, please.

Head of Department NADRA HQ Procurement (Naveed A. Channa)

1

		Bid Evaluation (Tender# NADRA-HQ/R	Charles Wash and	M/s CNS Engineering	M/s DWP Technologies	
S No	Area	Evaluation Matrix	Max Marks	W/S CNS Engineering	11,13 2 111	
1		I abide by all the terms and conditions as mentioned in the RFP. I also 100 % comply with technical specifications as stated in this document along with scope of work/parts required mentioned in para 1, 3 & 20.	Yes □	Yes	Yes	
		(Attach Confirmation letter and line by line compliance of technical specs on Company letter head as Annex "A")	No 🗆			
		Firm has a Valid NTN Registration Annex "B"	Yes 🗆	Yes	Yes	
2	Compliance / Not Compliance	Firm has a valid NTN Registration Aimex B	No 🗆			
_		Firm has a Valid GST Registration Annex "C"	Yes 🗆	Yes	Yes	
3			No 🗆			
4		Firm is active on ATL list of FBR Annex "D"	Yes □ No □	Yes	Yes	
		Firm is registered with Pakistan Engineering Council (PEC) with at least C4 category.	Yes 🗆	Yes	Yes	
5		Annex "E"	No 🗆			
6		Firm must has its registered office in Islamabad and Lahore with technical support team and warehouse containing spare parts. (Both cities presence is mandatory)	Yes 🗆	Yes	Yes	
		Annex "F"	No □			
				Qualified for Evaluation	Qualified for Evaluation	

Mr. Nauman Ali Electrical Engineer NDW Dte. President

Mr. Kashif Ahmed Khan Assistant Director NDW Dte. Member Mr.Muhammad Umar Munir
Dy. Director Technology Dte.
Member

Bid Evaluation (Tender# NADRA-HQ/RFB-180/2022)

No.	Area	Bid Evaluation (Tender# NA Evaluation Matrix	Max Marks	Marks/Weightage distribution criteria	Ws CNS Engineering	M/s DWP Technologies
_						
	Relevant Experience	During the past three (3) years (2019, 20, 21), the Bidder must have successful similar nature Projects of comparable scale, preferably in Pakistan. During the past three (3) years (2019, 20, 21), the Bidder must have successful on the part of the Bidder must have successful on the part of the Bidder must have successful on the		15	10	
					T	
	GOP/General Client Satisfaction	How good are their references regarding their experience with GOP, Defense and General client with their specific SLA and relevant project experience (Attach document Proof as Annex "J")	15	If all Three = 15 Marks If any Two = 10 Marks If anyone = 05 Marks If none = Not Qualified	15	15
3						
	Relationship with Principal	Type of Affiliation with Principal/OEM related to Data Center products (UPS ,PDPM) (Authorized Partner/OEM Authorization)	15	Authorized Partner/OEM Authorization = 15 Marks Reseller/JV = Not Qualified for Technical evaluation	15	15
_		(Attach document Proof as Annex "K")				
4	Technical Team Qualification	Technical Team must be certified with Principal/Manufacturer of proposed major Equipment. Firm must have at least 02 qualified persons from TIA/UPTIME institute.	10	5x Certified Personals = 10 Marks 2x Certified Personals = 05 Marks Less than 2 x Certified Personals = 00 Marks	10	5
	1	(Attach valid Certificates as Annex "L")				
5	Financial Capability	Firm's turnover according to bank account statement(s) for the period 1-1-2021 to 31-12-2021. (Bidding firms turnover should not be less than 40 Million otherwise bidder would be disqualified. Attach bank statement as Annex "M"	15	Greater than Rs. 120 million = 15 Marks Greater than Rs. 80 million but less than 120 million = 10 Marks Greater than Rs. 40 million but less than 80 million = 05 Marks	15	15
6						
<u> </u>	SLA Experience	How many number of SLA / Maintenance and support work orders have beer acquired for maintenance and services by vendor against Data Center, in last three (03) year time period (2019-2021) including present time period. Attach valid Proof as Annex "N")	15	Total 3 or above PO=15 Marks Total 2 PO = 10 Marks	15	10
		At least 1 work order is mandatory.		Total 1 PO = 5 Marks	85	70
		Total Marks	85			

Mr. Nauman Ali Electrical Engineer NDW Dte.

Mr. Kashif Ahmed Khan Assistant Director NDW Dte. Mr. Muhammad Umar Munir Dy. Director Technology Dte. Member