TECHNICAL EVALUATION REPORT

(As Per Rule 35 of PP Rules, 2004)

Name of Procuring Agency: Pakistan Telecommunication Authority
 Method of Procurement: Tender Notice (Single Stage-Two Envelop)

3. Title of Procurement: Hiring of Preventive Maintenance Services for cooling Units , UPS

Generator installed at DR Site Lahore

Tender Inquiry No: 16/CW/2024
 PPRA Ref. No. (TSE): TS550051E

Date & Time of Bid Closing: 14th November,2024 by 11:00 A.M
 Date & Time of Bid Opening: 14th November,2024 by 11:30 A.M

8. No of Bids Received: One (01)

9. Criteria for Bid Evaluation: <u>Bidding data clause 2 & Annex-B of published bidding document</u>

10. Details of Bid(s) Evaluation: <u>Detail is as under</u>

SR#	Name of Bidder	Technical Marks (Obtained Marks/ Total Marks)	Rule/Regulation/SBD*/Policy Basis for Technical Rejection Acceptance as per Rule 35 or PP Rules, 2004.	
01	M/s Precision Cooling Services (PCS)	64/100	Technically Dis-qualified as per Technical Evaluation Criteria –	
			Clause 2 & Annexure-B to Bid.	

11. Any other additional / supporting information, the procuring agency may like to share. N/A

Muhammad Nadeem Assistant Director (ICT)

Member/Secretary

Muhamamd Salman Zafar Director (ICT)

Member

Engr. Asif Saeed
Director (Civil Works)
Head of Committee

	Lahore				
Mandatory / Technical Evaluation (M/s PRECISION COOLING SERVICE)					
A: Mandatory Criteria:					
i. Registration with income tax department.			Yes		
ii. GST Registration with FBR/ Provincial Revenue Authority.			Yes		
III.	At least 5 years of relevant experience.				
iv. Bidders shall be on Active Tax payer List of FBR for income tax and on ATL of FBR/ Provincial Revenue Authority for sale tax.			Yes		
v.	. Bidders must have Service Contracts of at least 03 Data Centres in last 3 years.				
vi.	Undertaking on non-judicial stamp paper of worth Rs. 100/- duly notarized/attested to the effect that the firm is neither blacklisted by any Public and Private Department nor involved in any litigation anywhere in Pakistan.				
vii. Visit to PTA DR site Lahore before submission of Bids to PTA. Please attach certificate from Zonal office Lahore that firm has visited the DR site and has acquainted with the requirements of PTA					
Techn	ical Evaluation Criteria:				
<u>Sr. #</u>	<u>Criteria</u>	Max Marks	Obtained Marks		
1	Experience: (with documentary evidence)				
	15 years or more (20 marks) 10-15 Years (15 marks) 20		10		
				5-10 Years (10 marks)	
	2	Active Tax Payer Proof: (enclose income tax returns filed with tax department)		10	
2 points for each year maximum up to 10 pts		10	10		
3	Good Performance Certificate of similar nature (completed assignments)		4		
	4 Pts per Certificate max up to 20 pts (Enclose completion certificates/appreciation letters)	20			
4	Copies of similar agreement in hand	30	10		
	Pts per Agreement max up to 20 pts (Provide Copies of the signed agreements)		10		
5	Certified Technical Staff: (Provide certification copies)				
	Certified Engineers from Principal for Power/Cooling	15	15		
	International Trainings. 3 points per resource				
	Existing Support Facility		10		
6	24x7x365 Support Facility for Data Centre/Spare availability in Lahore	10			
	Yes (10 marks)				
	No (0 marks)				
7	Office in Lahore		_		
	Yes (5 marks)	5	5		
	No (Nil)				
	a. Minimum marks for qualifying for financial evaluation will be 80%.				
ote:					

A.

Total

100