

DIAMER BASHA DEVELOPMENT COMPANY (PVT) LTD.

Tel: 05812-920209

Fax:

Email: cedbdo@gmail.com

No. <u>DBDC/ W-10.24/3</u>00-04

Diamer Basha Development Company (Pvt) Limited Chilas

Dated_13/02/ 2024

Director General

Public Procurement Regulatory Authority
1st Floor FBC Building near State Bank of Pakistan

Sector G-5/2, Islamabad Phone: 051-9205728-26 Emil: info@ppra.org.pk

Subject: PROCUREMENT OF CONSULTANCY SERVICES FOR DIGITIZATION OF

SIGNIFICANT ROCK CARVINGS IN DIRECT AREA OF IMPACT OF DIAMER BASHA DAM WITH MODELLING AND PREPARATION OF DATA

FOR 3D PRINTING

ANNOUNCEMENT OF FINAL EVALUATION REPORT

(PPRA RULE-35)

Ref: PPRA Rule - 35

Subsequent upon approval from Competent Authority, kindly find attached duly filled and signed Final Evaluation Report along with Bid Evaluation Criteria (Annex-I) pertaining to the procurement of subject contract in view of above referred PPRA Rule-35 for uploading on PPRA website at the earliest, please.

It is also confirmed that funds are available for the publication of this Evaluation Report.

DA/as above

Mud 13/0424 General Manager/PD

DBDC

C.C

1. Member (Water), WAPDA, Lahore

2. GM(CCC), Water, Wapda House, Lahore

3. Addl. DG (PR), with the request to ensure the publication on PPRA and WAPDA website at the earliest please. (wapdaprap1@gmail.com)

4. Director (Computer), WAPDA, with the request to display on WAPDA website. (webadmin@wapda.gov.pk)

Evaluation Report (As Per Rule 35 of PP Rules, 2004)

1	Name of Procuring Agency	Diamer Basha Dam Development Company (Pvt.) Ltd. (DBDC)
2	Method of Procurement	Single Stage Two Envelope Procedure
3	Title of Procurement	Consultancy Services for Digitization of Significant Rock Carvings in Direct Area of Impact of Diamer Basha Dam with Modelling and Preparation of Data for 3D Printing
4	Tender Inquiry No	PRD(L)/WAPDA/343(2022-23)
5	PPRA Ref. No. (TSE)	TS509720E
6	Date & Time of Bid Closing	June 08, 2023 at 1100 hours
7	Date & Time of Bid Opening	June 08, 2023 at 1130 hours
8	No of Bids Received	Two (02) Proposals
9	Criteria for Bid Evaluation	Criteria of Bid Evaluation is attached as Annex-I
10	Details of Bid(s) Evaluation	As below

	Marks				Rule/Regulation/SB
Name of Bidders	Technical (if applicable)	Financial (if applicable)	Total (out of 100)	Evaluated Cost (EC)* (PKR)	D**/ Policy/ Basis for Rejection / Acceptance as per Rule 35 of PP Rules, 2004.
M/s Quality Solutions (Pvt.)	85.30	100	88.24	42.5 million	Highest Ranked
Ltd.			,	,	Proposal
					(PPRA Rule 3A(ii)c
- N					(iii) 2010)
M/s Innovators Garage	39.20	-	-	-	Fail as the firm
·					scored less than
	1				minimum technical
					score i.e.75

^{*}EC is the Evaluated Cost used for evaluation purpose and includes only the cost of competitive component and is exclusive of Provisional Sum, indirect Taxes etc.

**Standard Bidding Documents (SBD)

Top Ranked Bidder:

M/s Quality Solutions (Pvt.) Ltd.

11. Any other additional / supporting information, the procuring agency may like to share: The Procurement was carried out in line with PPRA Rules & Regulations. The bidding was done on QCBS method.

General Manager/PD
Diamer Basha Dam Development Company (Pvt.) Ltd.

ITC Class						
ITC Clause						
Reference						
	The Proposal submission address is: Room No. 529-Wapda House, Lahore					
19.1	An online option of the opening of the Technical Proposals is offered:					
	The opening shall take place at:					
	Room No. 529-Wapda House, Lahore					
	Date : same as the submission deadline indicated in sub-clause 17.7.					
	Time:1130 hrs					
19.2	N/A					
21.1	Criteria, sub-criteria, and point system for the evaluation of the Full Technical Proposals: [Output					
	- 03 Projects {20} - 02 Projects {16} - 01 Projects {10}					
	(ii) Equipment/Software Expertise Required for the Assignment:					
	[20]					
	Firms having two (02) nos. Terrestrial Scanners with following specifications will obtain full marks:					
	 Tripod Mounted with dual functionality of omitting laser beam and capturing high-definition images. Simultaneous rotation in double axis. Scanning range of 300 meters in radius. GPS enabled. Built in digital screen for instant scan review. 					

ITC Clause Reference 2) Digital camera for photogrammetry to capture reference images for colour and texture which Laser scanning may not be able to capture 3) Data registration of individual scans in data merging software (RECAP) (iii) Adequacy and quality of the proposed methodology, and work plan in responding to the Terms of Reference (TORs): {Notes to Consultant: the Client will assess whether the proposed methodology is clear, responds to the TORs, software has the required capabilities/functionalities, work plan is realistic and implementable; overall team composition is balanced and has an appropriate skills mix; and the work plan has right input of Experts} a. Technical Approach and Methodology {12} b. Work Plan {80} c. Organization and Staffing {05} (iv) Key Experts' qualifications and competence for the Assignment: [35] {Notes to Consultant: each position number corresponds to the same for the Key Experts in Form TECH-6 to be prepared by the Consultants} Sr. Position Weightage Project Manager 09 07 Digitization Specialist 05 Certified Terrestrial Scanners Operator Certified Data Registration Operator 05 Certified (Solidworks™ or any other software) 05 5 Professional 04 Certified Civil Surveyor 35 Total The number of points to be assigned to each of the above positions shall be determined considering the following three sub-criteria and relevant percentage weights: **Project Manager and Lead Consultant** [30%] 1) General qualifications (Bachelor, Masters & PhD):

ITC Clause					
Reference					
	a. Basic required education {15%} b. Higher Education {15%}	F70071			
	2) Adequacy for the Assignment (Specific Experience):	[70%]			
	Total weightage:	[100%]			
	Other Positions				
	 Certifications: Adequacy for the Assignment (Specific Experience): 	[20%] [80%]			
	Total weightage:	[100%]			
-	Total points for the Four Criteria:	[100]			
7	The minimum technical score (St) required to pass is:	70			
	The minimum technical score required in each criteria is:	50%			
	Notes:				
	y positions at 14.1.2, complete the ame in the				
	3. Age limit of Consultant Staff required to work actively in the field should be restricted to sixty (60) years. However, for those staff who are nominated purely for office / desk job, the age limit should be restricted to 75 (Seventy-Five) years.				
	5. Experience of key experts will be evaluated on pro-rata basis if found less than minimum requirement. However, experience shall not be considered at all if the number of years are less than half of the requisite experience.				
	6. Key Expert not having Basic Education/certifications will not be considered for further evaluation.				