

PAKISTAN SECURITY PRINTING CORPORATION (PVT.) LIMITED

(WHOLLY OWNED SUBSIDIARY OF STATE BANK OF PAKISTAN)

REF: PSPC/LP-T/ EV /2007/24

June 13, 2024

Mr. Rizwan Mehmood,

Dy Director (IT)
Public Procurement Regulatory Authority,
Government of Pakistan (Cabinet Division),

 1^{st} Floor, FBC Building near State Bank Sector G-5 / 2,

<u>Islamabad</u>

Ph. #

051-9205726-28

Fax#

051-9219149 / 9224823

SUBJECT: -

FINAL EVALUATION REPORT - TS 540280 E Dated 23-05-2024

Dear Sir,

Enclosed please find herewith **01 x no.** Final Evaluation Report of following tender for uploading on PPRA Website:

TENDER#	DESCRIPTION OF JOBS / ITEMS	QTY.
LP/T-2007/24	SUPPLY OF 32 X DIFFERENT ITEMS OF SECURITY & HIRING OF SERVICES FOR SUPPLY, INSTALLATION & COMMISSIONING OF 2800M NON-LETHAL ELECTRIC FENCE (NLEF)	AS PER BOQ

Regards,

(Muhammad Asad Khan)

Dy. General Manager (Purchase)

Encl. (06 x Pages)

Head office & Factory
Phones (Head Office)
(Factory)
:

JINNAH AVENUE, MALIR HALT KARACHI-75100 (PAKISTAN)

021-99248994-5 (2 Lines), Fax No.021-99248930

021-99248511-15 (5 Lines), 021-99248521 – 22 (2-Lines), 021-99248524, Fax No.021-99248534

ISO 9001: 2015 & ISO 14001: 2015 CERTIFIED

FINAL EVALUATION REPORT

(As Per Rule 35 of PP Rules, 2004)

1. Name of Procuring Agency:

PAKISTAN SECURITY PRINTING CORPORATION, KARACHI.

2. Method of Procurement:

Through Press Tender (Single Stage - One Envelope Procedure)

3. Title of Procurement:

SUPPLY OF 32 X DIFFERENT ITEMS OF SECURITY & HIRING OF SERVICES FOR SUPPLY, INSTALLATION & COMMISSIONING O

2800M NON-LETHAL ELECTRIC FENCE (NLEF)

4. Tender Inquiry No.

TENDER # LP/T-2007/24

5. PPRA Ref. No. (TSE):

TS 540280 E

23-05-2024

6. Date & Time of Bid Closing:

10-06-2024

10:00 A.M

7. Date & Time of Bid Opening:

10-06-2024

10:30 A.M

8. No. of Bids Received:

02 x BIDS

9. Criteria for Bid Evaluation:

LEAST COST BASED SELECTION AS MENTIONED IN BIDDING

DOCUMENTS

10. Details of Bid(s) Evaluation:

SPECIFICATION (s) MEET OUR REQUIREMENT.

Name of Bidder	Ma Technical (if applicable)	rks Financial (if applicable)	Evaluated Cost	Rule / Regulation / SBD*/Policy / basis for rejection / Acceptance as per rule 35 of PP Rules, 2004
M/S. Durable Technologies	-	-	RATES AS PER ATTACHED COMPARATIVE STATEMENT	Compliant Bidder
M/S. Nabeesa Contractor	-		''	Non-Compliant as the Bidder is not the Authorized dealer of OEM
Lowest Evaluated Bidder:	M/S. DUR	ABLE TECHN	IOLOGIES	
11. Any other additiona	l / supporti	ng informa	ation, the procuring agency n	nay like to share.

Signature:

Nuhammad Asad Khan Deputy General Manager

Official Stamp:

(Purchase)

^{*}Standard Bidding Documents (SBD).

Ma	This use	05. co	and Mal	04. COI This Net		03. ENE	02. ENE Two Each	TWO 01. BUIL IP ra Elect cons 18V (full) (500 Two Each high	s/No
Make: Nemtek/ Equivalent	This is a touch screen interface to the Energizer Network. This can be mirrored on a Big Screen TV or just used as a dummy unit between the Energizer Network	CONTROLLER - NETWORK LINK/INTERFACE CARD	used as a dummy unit between the Energizer Network and the Fence probe Software Make: Nemtek/ Equivalent	CONTROLLER: WITH TOUCH-SCREEN DISPLAY This is a touch screen interface to the Energizer Network. This can be mirrored on a Big Screen TV or just	Used in conjuction with the Energizer to set/program a number of functions on the Energizer Make: Nemtek/ Equivalent	ENERGIZER KEYPAD: LCD/KP/2Z (2 ZONE)	ENERGIZER - NETWORK LINK/INTERFACE CARD Two independently monitored and controlled zones. Each zone can be set independently to be on/off or in high/low voltage modes. Make: Nemtek/ Equivalent	TWO/DUAL ZONE FENCE - ENERGIZER: LCD DISPLAY & BUILT-IN BATTERY (7AH) IP rating: IPx4 Electrical supply voltage: 240V; Typical power consumption: 18VA (normal operating conditions); Standby Time: 24hr (fully charged battery); Energy output: 3.7 Joule per zone (500 Ohms load); Open circuit voltage: 9000V Two independently monitored and controlled zones. Each zone can be set independently to be on/off or in high/low voltage modes Make: Nemtek/ Equivalent	DESCRIPTION
	Ks. 41,842/-+ rax (Verified)			Rs. 320,000/-+Tax (Verified)	Rs. 27,550/- + Tax (Verified)		Rs. 82,650/-+Tax (Verified)	Rs. 144,750/-+ Tax (Verified)	M/S. DURABLE TECHNOLOGIES
	N.Q	2		Rs. 350,000/- + Tax (Not Verified)	Rs. 37,000/- + Tax (Not Verified)		Rs. 47,500/-+Tax (Not Verified)	Rs. 155,000/- + Tax (Not Verified)	M/S. NABEESA CONTRACTOR

Muhammad Asad Khan Deputy General Manager (Purchase)

7		Equivalent	
		Customized bracket made to standards Make: Nomtok/	
(Not Verified)	(Verified)	I FNGTH: HDG & PC FINISH WITH SHIELD INISH ATORS	
Rs. 2,100/-+ lax	RS. 5,540/-+ lax	ANGLE: COLLABE TIBE DOVODY DAMA CALCOLING	10.
2007	Bc 2 F40/ . T	ANGLED SOUARE TUBE WALL MOUNT POLE - ADDEC	در
6).		Make: Nemtek/ Fouivalent	
70		Controller Unit, for "always on" status	
3		the	
	(Verified)	Power pack designed to supply uninterrupted power to	
N.Q.	Rs. 45,440/- + Tax	POWER PACK: 2.0 AMP + 7AH BATTERY	12.
		Make: Nemtek/ Equivalent	
		ties. If required, custom signs can be made	
		Warning sign can be clipped on or secured with cable	
(100.00.100)	,	UV stabilized and conforming to the IEC standards, the	
(Not Verified)	(Verified)	CONDITIONS RESISTANT	
Rs. 300/-+Tax	Rs. 1,450/- + Tax	WARNING SIGN: WATER-PROOF, ENVIRONMENTAL	11.
		protection Make: Nemtek/ Equivalent	
(Not Verified)	(Verified)	Waterproof, Highly Visible for up to 500m with polarity	
Rs. 2,000/-+Tax	Rs. 12,560/- + Tax	FLASH SIREN: LIGHT - STROBE LIGHT LED; 15W;12V	10.
(Not Verified)	(verified)	use Make: Nemtek/ Equivalent	
	(V2=:6:2-1)		
Rs. 850/- + Tax	Rs. 1,452/- + Tax	ALARM/HORN: SIREN -15W; 12V DC	09.
9		preset voltage settings Make: Nemtek/ Equivalent	
(Not verilled)	(**::::::::::::::::::::::::::::::::::::	Lighting Inhibitor and protector, with 3 changeable	
(Nic+1/orifical)	(Verified)	LIGHTING PROTECTION - IP54	
Rs 24 500/- + Tay	Rs. 18.475/- + Tax	DUAL CHANNEL LIGHTENING PROTECTOR: DOUBLE POLE	08.
(Not Verified)	(Verified)	coastal areas. Make: Nemtek/ Equivalent	
Rs. 21,000/- + Tax	Rs. 86,453/- + Tax	IP54 Lockable Energizer Enclosure that can be used at	
	D D D D D D D D D D D D D D D D D D D	OUTDOOR ENCLOSURE FOR ENERGIZER: FIBER GLASS	07.
		alarm. Make: Nemtek/ Equivalent	
		with CCTV Cameras to pop-up on the screen, in case of	
	•	extent to each customers needs. Integration of NLEF	4
(Not Verified)	(Verified)	System and the status thereof. Can be customized to an	
Rs. 1,050,000/- + Tax	Rs. 140,786/- + Tax	Give the user a local or remote access to the Network	
		NLEF SOFTWARE: LICENSED WITH ACTIVATION KEY	06.

Muhammad Asad Khan
Deputy General Manager
(Purchase)

Parkitan pecurity Printing Corporation (Det 11 or

7		ground penetration.	
1		with High Tension cable and sharpened point for easier	
(Not Verified)	(Verified)	with a double Nut and Washer for a secure connection	
Rs. 4,500/-+Tax	Rs. 3,165/- + Tax	EARTH SPIKE: COPPER; 1.2M (INCL. NUT/WASHER)	20.
		Make: Nemtek/ Equivalent	
		Direction.	
	9	Fence Meter/Tester showing Voltage, Amps and Fault	
(Not Verified)	(Verified)	DIGITAL VOLTMETER	
Rs. 18,000/- + Tax	Rs. 48,260/- + Tax	FENCE TESTER/VOLTMETER: HIGH VOLTAGE PULSE	19.
		Underground High-Tension cable, 1,6mm solid core, also with double insulation rated to 15KV. Make: Nemtek/ Equivalent	
(Not Verified)	(Verified)	TOOM	
Rs. 32,000/- + Tax	Rs. 21,670/-+ Tax	HT UNDER-GROUND CABLE: AH-UC1.6/100; 1.6MM -	18.
		Stainless-Steel High-Tension cable with double insulation rated to 15KV. Make: Nemtek/ Equivalent	
	(Verified)	100M	
N.Q.	Rs. 19,516/- + Tax	HIGH VOLTAGE CABLE: SS 316 (HT CABLE - BLACK) -	17.
4		Stainless steel grade 316 can be used in most harsh corrosive environments and on the coast (+0.1km from coastline) High in tensile strength which is harder to cut. Make: Nemtek/ Equivalent	5. *
(Not Verified)	(Verified)	12.5KG	
Rs. 37,500/- + Tax	Rs. 86,750/-+Tax	FENCE WIRE SS316: DIA: 1.2MM; SS316; 1375M -	16.
7	ě	Tensioner with a Spring (Heavy Duty) and Ratchet for ease of installation, repair and maintenance after installation Make: Nemtek/ Equivalent	
(Not Verified)	(Verified)	HDUTY - BLACK	
Rs. 350/- + Tax	Rs. 1,160/- + Tax	WIRE TENSIONER: COMPRESSION SPRING HYBRID -SS -	15.
	•	wires permanently. This is a high security wire connection because it cannot be removed. Make: Nemtek/ Equivalent	Sit.
	(**************************************	Ferrules are used to join the conductive electric fence	
(Not Verified)	KS: 9,250/- + lax (Verified)	SOFT SS; 6MM	<u>+</u>

Muhammad Asad Khan Deputy General Manager (Purchase)
Pakistan Security Printing Corporation (Pvt.) Ltd.

5		the screw on being visible from outside. Also prevents	
(Not Verified)	(Verified)	Used with the Shield Insulator to prevent Arcing due to	
Rs. 175/- + Tax	Rs. 285/- + Tax	SS RAWAL BOLT: M8 (8MM) X 75MM	28.
电影群儿		wire and shield to protect against arcing Make: Local/High Quality	
(Not Verified)	(Verified)	Insulator with a clip in or thread through option for the	
Rs. 12,000/- + Tax	Rs. 12,360/- + Tax	COMMUNICATION CABLE: 2 PAIR; 4 - CORE; 90M/ROLL	27.
n e	4-	correctly Make: Nemtek/ Equivalent	
		ensures that a good electrical connection is maintained between the joints so that the electric fence functions	
(Not Verified)	(Verified)	The U-type Line Clamps are used to join and electrically connect cables, wires and poly ropes. This line clamp	
Rs. 600/- + Tax	Rs. 480/- + Tax	LINE CLAMP: 8MM U CLAMP - XL GALVANIZED	26.
		Uniquely designed hook to secure the tensioner in place as well as a snug fit to the Insulator. Make: Nemtek/ Equivalent	
(Not Verified)	(Verified)	SS; LARGE TAIL; HEAVY DUTY	
Rs. 650/- + Tax	Rs. 460/- + Tax	TERMINAL INSULATOR CLAMPS / HOOK: SPRING HOOK -	25.
		support on strained sections of the fence, i.e. corners, steps, gates, etc. Make: Nemtek/ Equivalent	
V		conjunction with the brackets to provide additional	
(Not Verified)	(Verified)	Stavs system (Stav Stav Sleeve and Lije) are used in	<u>.</u>
B- 2 FOO/ - T	D- 1010/ . Ho	STAY SLEEVE: 1000MM: BLACK	2/
	1	conjunction with the brackets to provide additional support on strained sections of the fence, i.e. corners, steps, gates, etc Make: Nemtek/ Equivalent	
(Not Verified)	(Verified)	Stays system (Stay, Stay Sleeve and Lug) are used in	
Rs. 750/- + Tax	Rs. 1,750/- + Tax	LUG STAY: 6 X 70 (10MM STAY)	23.
		support on strained sections of the rence, i.e. corners, steps, gates, etc Make: Nemtek/ Equivalent	
		conjunction with the brackets to provide additional	
(Not Verified)	(Verified)	Stays system (Stay, Stay Sleeve and Lug) are used in	
Rs. 840/- + Tax	Rs. 1,455/- + Tax	STAY BRACKET: 1000X 10MM HDG	22.
(Not Verified)	(Verified)	To be used with Earth Spike for Secure connection of Hightension cable Make: Nemtek/ Equivalent	
Rs. 425/- + Tax	Rs. 490/- + Tax	LUGS: FOR EARTH SPIKE	21.

Mubammad Asad Khan
Deputy General Manager
(Purchase)
Pakistan Security Printing Corporation (Pvt.) Ltd.

33.	32.	31.	30.	22.
HIRING OF SERVICES FOR SUPLLY, INSTALLATION & COMMISSIONING OF 2800M NON-LETHAL ELECTRIC FENCE (NLEF)	MONITOR/SCREEN: SCREEN SIZE: 32" Make: HP/Dell/Eqv	WORK STATION (PC) WITH ACCESSORIES: KEYBOARD, MOUSE, WINDOWS ETC. workstation including keyboard & mouse; Specs: 8GB RAM; 500GB SSD; Core i7 latest Gen.; OS: Windows 10 or latest Make: HP/Dell/Eqv	NUTS & SCREWS: SS-M6 (6MM X 30MM) Make: Local/High Quality	Make: Local/High Quality
Rs. 1,275,000/-+Tax (Verified)	Rs. 65,000/-+Tax (Verified)	Rs. 345,000/-+Tax (Verified)	Rs. 190/- + Tax (Verified)	(Verified)
Rs. 1,378,020/- + Tax (Not Verified)	Rs. 85,000/-+Tax (Not Verified)	A) Rs. 250,000/-+Tax (Not Verified) B) Rs. 356,000/-+Tax (Not Verified)	Rs. 100/- + Tax (Not Verified)	(Not Verified)

Muhammad Asad Khan Deputy General Manager (Purchase)