

TENDER BULLETIN

DATE & TIME 4/30/25 4:20 PM

INVITATION TO TENDER TO BE OPENED ON 5/13/2 10:00 AM

AND ITEM REQ BY

CONDITIONS

1. NON REGISTERED FIRMS/SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT/PAY ORDER EQUAL TO 5% TOTAL VALUE OF QUOTATION IN FAVOUR OF COMMANDER LOCAL PURCHASE DIVISION ALONGWITH THEIR BIDS.
2. FOR ANY AMPLIFIED DETAILS INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON OR THROUGH TELEPHONE. DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND 45 DAYS FOR IMPORTED ITEMS.
3. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
1	DNO806 07		473099533296 8 / CLAMP HOSE ZINC PLATED W12. 8MM I/D 55MMX70MM SZ 70MM 68/226	E16 MACHINERY SPACE DAMAGE CONTROL TOOLB	17 / EACH/N UMBER			AB VALVO PENTA SWEDEN SE 405 08 GOTHENBURG SWEDEN	VALVO PENTA SWEDEN		<u>TECHNICAL SPECIFICATION -</u> ZINC PLATED W12.8MM I/D 55MMX70MM SZ 70MM 68/226 <u>GENERAL SPECIFICATION -</u> ZINC PLATED W12.8MM I/D 55MMX70MM SZ 70MM 68/226	
2	DNM803 63	SA9- 27019PF	626001195975 3 / LIGHT CHEMICAL 6INCH ORANG/CYAL UME CHEMLIGH ORANGE		100 / EACH/N UMBER			CYALUME TECHNOLOGIES SA 295 R MAYOR DE MONTRICHER AIX EN PROVENCE FRANCE AIX EN PROVENCE CEDEX 3 13591 04 42 37 17 80 04 42 37 17 99 XFARCY@CYALUME. COM MWWW.CYALUME. COM	CYALUM E TECHNO LOGIES SA 295 R MAYOR DE MONTRIC HER		<u>TECHNICAL SPECIFICATION -</u> Make/ Model / Brand Equivalent : Cyalume Technologies <u>GENERAL</u> <u>SPECIFICATION - Make/ Model /</u> Brand Equivalent : Cyalume Technologies	
3	DNH808 58	OWR-528 / NWD200/icon-2 (ORIENT)	731070517713 1 / HOT AND COLD WATER DISPENSER white colour only (WITH 19 LTR BOTTLE)	WATER DISPENSER	2 / EACH/N UMBER	OWR- 528/icon-2 (orient)	OWR-528	ORIENT WATER DISPENSER PAKISTAN	ORIENT		<u>TECHNICAL SPECIFICATION -</u> white colour only NASGAS WATER DISPENSER <u>GENERAL</u> <u>SPECIFICATION - white colour only</u> NASGAS WATER DISPENSER	
4	DNH804 93	OWR-528 / NWD200/icon-2 (ORIENT)	731070517713 1 / HOT AND COLD WATER DISPENSER white colour	WATER DISPENSER	1 / EACH/N UMBER	OWR- 528/icon-2 (orient)	OWR-528	ORIENT WATER DISPENSER PAKISTAN	ORIENT		<u>TECHNICAL SPECIFICATION -</u> white colour only NASGAS WATER DISPENSER <u>GENERAL</u> <u>SPECIFICATION - white colour only</u> NASGAS WATER DISPENSER	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
5	DNH79490	OWR-528 / NWD200/icon-2 (ORIENT)	only (WITH 19 LTR BOTTLE) 731070517713 1 / HOT AND COLD WATER DISPENSER white colour only (WITH 19 LTR BOTTLE)	WATER DISPENSER	2 / EACH/NUMBER	OWR-528/icon-2 (orient)	OWR-528	ORIENT WATER DISPENSER PAKISTAN	ORIENT		<u>TECHNICAL SPECIFICATION</u> - white colour only NASGAS WATER DISPENSER <u>GENERAL SPECIFICATION</u> - white colour only NASGAS WATER DISPENSER	
6	DNH80788	OWR-528 / NWD200/icon-2 (ORIENT)	731070517713 1 / HOT AND COLD WATER DISPENSER white colour only (WITH 19 LTR BOTTLE)	WATER DISPENSER	9 / EACH/NUMBER	OWR-528/icon-2 (orient)	OWR-528	ORIENT WATER DISPENSER PAKISTAN	ORIENT		<u>TECHNICAL SPECIFICATION</u> - white colour only NASGAS WATER DISPENSER <u>GENERAL SPECIFICATION</u> - white colour only NASGAS WATER DISPENSER	
7	DNM76902	3092558/3093629	471071516422 5 / TUBE, INJECTOR FUEL SUPPLY	INJECTOR	12 / EACH/NUMBER	QST 30 G2	37178798	CUMMINS INC. 500 JACKSON ST COLUMBUS IN UNITED STATES 47201-6258 812-377-3920 812-377-1715 DUNS 006415160 STEVE.A. HEWITT@CUMMINS.COM	CUMMINS INC.		<u>TECHNICAL SPECIFICATION</u> - CUMMINS INC. 500 JACKSON ST COLUMBUS IN UNITED STATES 47201-6258 812-377-3920 812-377-1715 DUNS 006415160 STEVE.A. HEWITT@CUMMINS.COM <u>GENERAL SPECIFICATION</u> - CUMMINS INC. 500 JACKSON ST COLUMBUS IN UNITED STATES 47201-6258 812-377-3920 812-377-1715 DUNS 006415160 STEVE.A. HEWITT@CUMMINS.COM	
8	DNH79357	31908	132570516377 2 / MECO PRESSURE TYPE WATER COOLER 30 GALLON	MECO ELECTRIC WATER COOLER	4 / EACH/NUMBER	ME-30P		MOHAMMAD EBRAHIM & COMPANY PVT LTD 500/14 M.R. KIYANI ROAD SADDAR KARACHI PAKISTAN	MOHAMMAD EBRAHIM & COMPANY PVT LTD		<u>TECHNICAL SPECIFICATION</u> - MOHAMMAD EBRAHIM & COMPANY PVT LTD 500/14 M.R. KIYANI ROAD SADDAR KARACHI PAKISTAN SPECIFICATION: 30 GALLON, USG/HR MECO PRESSURE TYPE WATER COOLER, PACKED SIZE 48x41x126cm <u>GENERAL SPECIFICATION</u> - MOHAMMAD EBRAHIM & COMPANY PVT LTD 500/14 M.R. KIYANI ROAD SADDAR KARACHI PAKISTAN SPECIFICATION: 30 GALLON, USG/HR MECO PRESSURE TYPE WATER COOLER, PACKED SIZE 48x41x126cm	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
9	DNM78552	3931062/3 286503/FS 1251	291001502653 9 / FUEL FILTER WATER SEPERATOR	CUMMINS (6BT5.9D2(M)).	4 / EACH/N UMBER	6BT5.9D2 (M).		OEM: CUMMINS INC. 500 JACKSON ST COLUMBUS IN UNITED STATES 47201-6258 812-377-3920 812-377-1715 DUNS 006415160 STEVE.A. HEWITT@CUMMINS.COM	CUMMIN S INC.		<u>TECHNICAL SPECIFICATION</u> - Fuel Filter Water Separator (FS1251) 250 KVA 361 AMP/ Phase 400 Volts 50 HZ 0.8 Power Factor 1500 RPM Filter used in 250 KVA (Model C275D5B) Cummins DG <u>GENERAL SPECIFICATION</u> - Fuel Filter Water Separator (FS1251) 250 KVA 361 AMP/ Phase 400 Volts 50 HZ 0.8 Power Factor 1500 RPM Filter used in 250 KVA (Model C275D5B) Cummins DG	
10	DNQ80333	464748 ABN.	473001435510 6 / REPAIR KIT,PIPE, EMERGENCY DAMAGE CONTROL	EMERGENCY CONTROL , PIPE REPAIR KIT.	3 / KIT			OEM: c IT PIPE REPAIR SYSTEM 3355 WEST ALABAMA ST STE 110 HOUSTON TX UNITED STATES 77098-1799 713-977-4100 713-977-4174 DUNS 161788682 DON@INDUMAR.COM HTTP://WWW.STOPIT. COM	INDUMAR PRODUC TS INC DBA STOP ..		<u>TECHNICAL SPECIFICATION</u> - OEM: INDUMAR PRODUCTS INC DBA STOP IT PIPE REPAIR SYSTEM 3355 WEST ALABAMA ST STE 110 HOUSTON TX UNITED STATES 77098-1799 713-977-4100 713-977-4174 DUNS 161788682 DON@INDUMAR.COM HTTP: //WWW.STOPIT.COM <u>GENERAL SPECIFICATION</u> - OEM: INDUMAR PRODUCTS INC DBA STOP IT PIPE REPAIR SYSTEM 3355 WEST ALABAMA ST STE 110 HOUSTON TX UNITED STATES 77098-1799 713-977-4100 713-977-4174 DUNS 161788682 DON@INDUMAR.COM HTTP://WWW.STOPIT.COM	
11	DPC80764	WD40	803001418900 8 / WD40 (PACKING 440ML SPRAY BOTTLE)	0	15 / EACH/N 0 UMBER		0	1061 CUDAHY PL, SAN DIEGO, CA SAN DIEGO CA	WD-40 COMPAN Y		<u>TECHNICAL SPECIFICATION</u> - <u>GENERAL SPECIFICATION</u> -	
12	DNM79383	048500	293071515044 0 / IMPELLER KIT	WESTERBEKE GENERATOR 5.7 EDT 50HZ	1 / EACH/N UMBER			OEM: WESTERBEKE CORP 150 JOHN HANCOCK RD TAUNTON MA UNITED STATES 02780 508-823-7677 508-884-9688 DUNS 001767706	WESTER BEKE CORP.		<u>TECHNICAL SPECIFICATION</u> - WESTERBEKE 048500 IMPELLER KIT WITH A COVER O-RING. IMPELLER DRIVE SCREW AND A COUPLE OF SPARE COVER SCREWS, 50.8MM, DIAMETER AND 22MM WIDE, FITS A 12MM SLOTTED SHAFT <u>GENERAL SPECIFICATION</u> - WESTERBEKE 048500 IMPELLER KIT WITH A	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
								SALES@WESTERBEKE.COM HTTP://WWW.WESTERBEKE			COVER O-RING, IMPELLER DRIVE SCREW AND A COUPLE OF SPARE COVER SCREWS. 50.8MM, DIAMETER AND 22MM WIDE. FITS A 12MM SLOTTED SHAFT.	
13	DNM776 14	233-7231	281579522991 7 / RING GP - PISTON	33KVA CATERPILLER DG DEO33EO UK	3 / EACH/NUMBER	DEO33EO	E3G0423 9/E3G042 38/E3G04 237/E3G0 4236	CATERPILLER SARL C/O EAME Power System, Building 21 Millennum Springvale Business Park Belfast BT	CATERPILLER U. K		TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET GENERAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET	
14	DNM776 11	243-4304	281579522992 5 / PUMP AS - ENGINE OIL	33KVA CATERPILLER DG DEO33EO UK	1 / EACH/NUMBER	DEO33EO	E3G0423 9/E3G042 38/E3G04 237/E3G0 4236	CATERPILLER SARL C/O EAME Power System, Building 21 Millennum Springvale Business Park Belfast BT	CATERPILLER U. K		TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET GENERAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET	
15	DNM804 95	CPMU-17	592578521159 6 / CONTACTOR 3 POLE FOR COMPRESSOR	6 TON AC AIR COOLED CWFSC-8+CWCU-108 CHINA	2 / EACH/NUMBER	NC1-3201 CHINT	NA	NO 1255, WHENE ROAD SONGJIANG DISTRICT SHANGHAI CHINA	CHINT ELECTRIC COY CHINA		TECHNICAL SPECIFICATION - 6 TON PACKAGE TYPE AIR COOLED AC GENERAL SPECIFICATION - 6 TON PACKAGE TYPE AIR COOLED AC	
16	DNM776 16	5185886/3 53-7439	531079522959 1 / KIT-BEARING (STANDARD)	33KVA CATERPILLER DG DEO33EO UK	1 / EACH/NUMBER	DEO33EO	E3G0423 9/E3G042 38/E3G04 237/E3G0 4236	CATERPILLER SARL C/O EAME Power System, Building 21 Millennum Springvale Business Park Belfast BT	CATERPILLER U. K		TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET GENERAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET	
17	DNM776 19	275-0885	281579522955 3 / KIT GASKET (BOTTOM)	33KVA CATERPILLER DG DEO33EO UK	1 / EACH/NUMBER	DEO33EO	E3G0423 9/E3G042 38/E3G04 237/E3G0 4236	CATERPILLER SARL C/O EAME Power System, Building 21 Millennum Springvale Business Park Belfast BT	CATERPILLER U. K		TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET GENERAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET	
18	DNM776 15	353-2748	531079522959 5 / KIT-BEARING (STANDARD)	33KVA CATERPILLER DG DEO33EO UK	1 / EACH/NUMBER	DEO33EO	E3G0423 9/E3G042 38/E3G04 237/E3G0 4236	CATERPILLER SARL C/O EAME Power System, Building 21 Millennum Springvale Business Park Belfast BT	CATERPILLER U. K		TECHNICAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET GENERAL SPECIFICATION - PART MANUAL C3.3 DE33EO GENERATOT SET	
19	DNM782 39	252-1466	291001539276 3 / INJECTOR AS FUEL	D/G CATERPILLAR C2.2	4 / EACH/NUMBER		JAW0049 4	USA	CATERPILLAR		TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
20	DNM785 52	3931062/3 286503/FS 1251	291001502653 9 / FUEL FILTER WATER SEPERATOR	CUMMINS (6BT5.9D2(M)).	4 / EACH/NUMBER	6BT5.9D2 (M).	22066008	M/S CUMMINS INS CATENBERG STRAAT 1-2840 RUMST BELGIUM	CUMMINS UK		TECHNICAL SPECIFICATION - Fuel Filter Water Separator (FS1251) 250 KVA 361 AMP/ Phase 400 Volts 50 HZ 0.8 Power Factor 1500 RPM Filter used in 250 KVA (Model	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											C275D5B) Cummins DGGENERAL SPECIFICATION - Fuel Filter Water Separator (FS1251) 250 KVA 361 AMP/ Phase 400 Volts 50 HZ 0.8 Power Factor 1500 RPM Filter used in 250 KVA (Model C275D5B) Cummins DG	
21	DNM77255	885502	281579514907 1 / COPPER SLEEVE EXTRACTOR	VOLVO MAIN ENGINE D6-370	1 / EACH/NUMBER	NO DATA AVAILABLE		UK		VOLVO PENTA UK LTD OTTERS POOL HOUSE, OTTERS POOL WAY WATFORD HERTS UNITED KINGDOM WD2 HW8 01923 228544 01923 246700 VP. UK@MEMO. VOLVO. SE	TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
22	DNM78489	1000152	343971523169 6 / SIPHON PLUG AND NOZZLE RESEAL KIT	16E SPRAY GUN	5 / EACH/NUMBER	16E-H SPRAY GUN	NA	SULZER METCO (US) INC. 1101 PROSPECT AVENUE WESTBURY, NY 11590 USA TEL:+15163341300 FAX:+15163382414	SULZER METCO USA		TECHNICAL SPECIFICATION - OEM: SULZER METCO US INC 1101 PROSPECT AVENUE WESTBURY NY 11590 USA MANUFACTURE SULZER METCO GENERAL SPECIFICATION - OEM: SULZER METCO US INC 1101 PROSPECT AVENUE WESTBURY NY 11590 USA MANUFACTURE SULZER METCO	
23	DNH80753	HWM80-1269Y/XQG50HDB1000-	3510FP100000 1 / Auto Washing Machine	XQG50-HDB1000 AUTO WASHING	1 / EACH/NUMBER	XQG50-HDB1000/XQS75BZ15288U1	N/A			HOTELSTAR MARINE EQUIPME	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		AD09/XQS 75BZ1528 8U1	(HAIER) 8 KG	MACHINE (LAUNDRY EQUIPMENT F-22P SHIPS)					NT MANUFACTURE CO.,LTD			
24	DNM804 41	9510227	599973516148 8 / CORROSION PROTECTION	IPS 500 (PROPULSION & STEERING SYSTEM)	4 / EACH/NUMBER			M/S VOLVO PENTA, GOTEBOG SWEDEN	M/S VOLVO PENTA		TECHNICAL SPECIFICATION - CORROSION PROTECTION GENERAL SPECIFICATION - CORROSION PROTECTION	
25	DNQ803 61	08280009	621079517576 1 / EXTERNAL LIGHT	LIFE RAFT	4 / EACH/NUMBER	UK (RFD BEAUFORT)	0828009	RFD BEAUFORT LTD (UK)	RFD BEAUFORT LTD (UK)		TECHNICAL SPECIFICATION - EXTERNAL LIGHT, RFD BEAUFORT LTD (UK) GENERAL SPECIFICATION - EXTERNAL LIGHT, RFD BEAUFORT LTD (UK)	
26	DNM772 54	3584427	482027038224 8 / PRESSURE RETAINING V (FUEL SYSTEM)	(FUEL SYSTEM)	1 / EACH/NUMBER	D6-370D-E		AB VALVO PENTA SE 405 08 GOTHENBURG SWEDEN	VALVO PENTA SWEDEN		TECHNICAL SPECIFICATION - PRESSURE RETAINING V (FUEL SYSTEM) GENERAL SPECIFICATION - PRESSURE RETAINING V (FUEL SYSTEM)	
27	DNH801 43	NIL	412073513911 7 / AIR CONDITIONER SPLIT 1.5 TONS	AIR CONDITIONING	1 / EACH/NUMBER	NO DATA AVAILABLE		OC	THILAND		TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
28	DNH798 82		494073513213 3 / WASHING MACHINE WITH AUTOMATIC CAPACITY DRY WEIGHT UPTO 21/25 KG	WASHING MACHINE	2 / EACH/NUMBER	th2721ds2 b1		OC	M/S ELECTROLUX WASCATOR SWEDEN		TECHNICAL SPECIFICATION - make : lg thailand GENERAL SPECIFICATION - make : lg thailand	
29	DPC807 18		044250442006 9 / RUST REMOVING OIL RUSTOLENE (PACKING 4 LTR TIN)		224 / LITER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
30	DNQ803 09	FRP/E3S0 4	035099571316 9 / ROPE FIBROUS	DIVING PANNEL	10 / COIL						TECHNICAL SPECIFICATION - NCAGE: U4207 M/S SURVITEC SERVICE & DISTRIBUTION LIMITED, DEFENCE SALES DEPARTMENT, UNIT 1 MEADOW	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											CLOSE IDUSTRIAL ESTATE, PLYMTON, PLYMOUTH DEVON UNITED KINGDO, PL7 5EX TEL 01752 697314, FAX 01752 335475 EMA alan.myatt@survitec-sd.com WWW www.survitec-sd.com ITEMS REQUIRED ON VALID PART NUMBER AS PER NMCRL <u>GENERAL SPECIFICATION -</u> NCAGE: U4207 M/S SURVITEC SERVICE & DISTRIBUTION LIMITED, DEFENCE SALES DEPARTMENT, UNIT 1 MEADOW CLOSE IDUSTRIAL ESTATE, PLYMTON, PLYMOUTH DEVON UNITED KINGDO, PL7 5EX TEL 01752 697314, FAX 01752 335475 EMA alan.myatt@survitec-sd.com WWW www.survitec-sd.com ITEMS REQUIRED ON VALID PART NUMBER AS PER NMCRL	
31	DNQ77478		026599419526 4 / 6" STAPLE CLAMP		2 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
32	DNQ80979		026599419526 4 / 6" STAPLE CLAMP		46 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
33	DNQ80748	DEVELOPED BY DTD	204099787817 3 / DAMAGE REPAIR CLIMP STEEL BS 4360 LG 403 WD190 H60 6.5MM DIA		8 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION -</u> EMMS Clamps are mild steel clamps used for shoring durisng Damage Control,. General dimension of the clamp is 190mm x 403 mm used to support shoring spar of 150 mm timber. <u>GENERAL SPECIFICATION -</u> EMMS Clamps are mild steel clamps used for shoring durisng Damage Control,. General dimension of the clamp is 190mm x 403 mm used to support shoring spar of 150 mm timber.	
34	DPC79585		047450224246 3 / SOAP SCRUBBING		320 / KILOGRAMME						<u>TECHNICAL SPECIFICATION - BS 1913 of 1990 Soap Type a: Soap Scrubbing TYPE A: Suitable for</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											general toilet purpose. <u>GENERAL SPECIFICATION - BS 1913 of 1990</u> Soap Type a: Soap Scrubbing TYPE A: Suitable for general toilet purpose.	
35	DNM803 21	NR-20550/96	292072508958 7 / FOG GENERATOR TF-35 FOR CONTROL OF MOSQUITOES	FOR GENERATOR TF35FOR CONTROL (GERMANY)	1 / EACH/NUMBER	TF-35					<u>TECHNICAL SPECIFICATION - IGEBA</u> <u>GENERAL SPECIFICATION - IGEBA</u>	
36	DNM783 66	14.2	301072506967 0 / FLEXIBLE COUPLING HATLAPA L.P AIR COMPRESSOR M-12	L.P AIR COMPRESSOR	2 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - HATLAPA GERMANY</u> <u>GENERAL SPECIFICATION - HATLAPA GERMANY</u>	
37	DNM783 67	5N9359 (3040-01-203-0160)	304071503513 0 / SHAFT, SHOULDERED OA-LG168MM-COLLAR-DIA34.8MM SPLINED ENDED	INDUSTRIEL MARINE CATTER PILLER D/G	1 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - Collar-Dia34.8mm Shaft 168 mm Spline Ended</u> <u>GENERAL SPECIFICATION - Collar-Dia34.8mm Shaft 168 mm Spline Ended</u>	
38	SNM772 26	4L8473	281571503512 8 / PLATE OD-90MM-ID-45MM-THK-3MM-BRASS		2 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - Inner Diameter (in): 1.77 Outer Diameter (in): 3.56 Weight (lb): 0.28 Length (in): 4.5 Height (in): 4</u> <u>GENERAL SPECIFICATION - Inner Diameter (in): 1.77 Outer Diameter (in): 3.56 Weight (lb): 0.28 Length (in): 4.5 Height (in): 4</u>	
39	DNM795 95	5S5917	281500457161 5 / SCREW		12 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - MAKE: CATERPILLAR</u> <u>USAGENERAL SPECIFICATION - MAKE: CATERPILLAR USA</u>	
40	DNM801 95	QP407PA A	431076502189 8 / COMPRESSOR 2 TON BTU 24000 ROTARY 220V 50 HZT	A/C 02 TON WINDOW TYPE	1 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
41	DNM80329	QP407PA A	431076502189 8 / COMPRESSOR 2 TON BTU 24000 ROTARY 220V 50 HZT	A/C 02 TON WINDOW TYPE	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
42	DNM76745	QP407PA A	431076502189 8 / COMPRESSOR 2 TON BTU 24000 ROTARY 220V 50 HZT	A/C 02 TON WINDOW TYPE	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
43	DNQ77391	M24606-150	421001131024 9 / HOSE ASSY N/METL 1.5"X50.COUP BRASS US/STY R/T180F T. P300PSI		20 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
44	DNH79384		412070505191 9 / AIR CONDITIONER 1.5 TON SPLIT TYPE COMPLETE	SELF	2 / EACH/NUMBER						TECHNICAL SPECIFICATION - GREE, GENERAL, LG, MITSUBISHI, DAIKIN (INVERTER BASED SPLIT TYPE ACs MAY BE PREFERRED FOR NORTH REGION ONLY) GENERAL SPECIFICATION - GREE, GENERAL, LG, MITSUBISHI, DAIKIN (INVERTER BASED SPLIT TYPE ACs MAY BE PREFERRED FOR NORTH REGION ONLY)	
45	DNH80627		412070505191 9 / AIR CONDITIONER 1.5 TON SPLIT TYPE COMPLETE	SELF	3 / EACH/NUMBER						TECHNICAL SPECIFICATION - GREE, GENERAL, LG, MITSUBISHI, DAIKIN (INVERTER BASED SPLIT TYPE ACs MAY BE PREFERRED FOR NORTH REGION ONLY) GENERAL SPECIFICATION - GREE, GENERAL, LG, MITSUBISHI, DAIKIN (INVERTER BASED SPLIT TYPE ACs MAY BE PREFERRED FOR NORTH REGION ONLY)	
46	DNH80755		412070505191 9 / AIR CONDITIONER	SELF	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - GREE, GENERAL, LG, MITSUBISHI, DAIKIN (INVERTER BASED SPLIT	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			1.5 TON SPLIT TYPE COMPLETE								TYPE ACs MAY BE PREFERRED FOR NORTH REGION ONLY) GENERAL SPECIFICATION - GREE, GENERAL, LG, MITSUBISHI, DAIKIN (INVERTER BASED SPLIT TYPE ACs MAY BE PREFERRED FOR NORTH REGION ONLY)	
47	DNH80628	LS-R126AAL	4120705099317 / AIR CONDITIONER (SPLIT WALL MOUNTED 01 TON)	AIR COND OEM:LG ELECTRONIC S,NEW ALLIED	2 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
48	DNM78358	NIL	4120JP5069690 / COMPRESSOR 4 TON SELLED TYPE 380-440V 50HZ	FOR SPLIT TYPE A/C (SANYO)	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
49	DNH80432	NO DATA AVAILABLE	4130705046529 / A/C 2 TON SPLIT TYPE 2 TON, GREE/ MITSUBUSHI/ DAKEN/ GENERAL, 24000 BTU 220 V 50 HZ ANY BRAND AS PER NHQ POLICY	SELF	1 / EACH/NUMBER	GREE/PEL, MITSUBUSHI/ DAKEN/ GENERAL, LG,					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
50	DNH80300	NO DATA AVAILABLE	4130705046529 / A/C 2 TON SPLIT TYPE 2 TON, GREE/ MITSUBUSHI/ DAKEN/ GENERAL, 24000 BTU 220 V 50 HZ ANY BRAND AS PER NHQ POLICY	SELF	2 / EACH/NUMBER	GREE/PEL, MITSUBUSHI/ DAKEN/ GENERAL, LG,					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
51	DNH80474		4140705041640 / DESERT	DESERT AIR COOLED	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			AIR COOLER 220/240V AC SINGLE PHASE FULL SIZE	220/240VAC	UMBER						<u>SPECIFICATION - NO DATA AVAILABLE</u>	
52	DNH80731	wdf-318	4110731001200 / DEEP FREEZER 18 CU FT-220 V AC 50 HZ PEL, WAVES AND DAWLANCE		2 / EACH/N UMBER	WDF-318					<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
53	DNH80891	wdf-318	4110731001200 / DEEP FREEZER 18 CU FT-220 V AC 50 HZ PEL, WAVES AND DAWLANCE		3 / EACH/N UMBER	WDF-318					<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
54	DNH80976	wdf-318	4110731001200 / DEEP FREEZER 18 CU FT-220 V AC 50 HZ PEL, WAVES AND DAWLANCE		2 / EACH/N UMBER	WDF-318					<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
55	DNH79471	NO DATA AVAILABLE	4110731001910 / WATER COOLER 40/45 LITER ELECT220 AKS 40PW/FRONT STEELBODY	WATER COOLER	1 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
56	DNQ80475	00779	4730995332961 / CLAMP HOSE WORM DRIVE TY STEEL ZINC PLATED W13MM BAND 65/226	LUB OIL PURIFIER OEM:ALFA LAVAL ENGG. UK	12 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
57	DNM80975	3069103/4026171	5330013384829 / GASKET FUEL PUMP	CUMMINS DIESEL ENGINE	2 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			(3048341)								AVAILABLE	
58	DNM78373	04.3	533072506964 7 / O RING HATLAPA L.P AIR COMPRESSO R M-12	HATLAPA LP AIR COMPRESSO R L-20 GERMANY	1 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
59	DNM78374	04.5	533072506964 9 / O RING HATLAPA L.P AIR COMPRESSO R M-12	HATLAPA LP AIR COMPRESSO R L-20 GERMANY	1 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
60	DNM78375	04.9	533072506965 3 / O RING HATLAPA L.P AIR COMPRESSO R M-12	HATLAPA LP AIR COMPRESSO R L-20 GERMANY	1 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
61	DNQ78556	11/454/3/1 0/2745	533099923890 5 / STRIP RUBBER SHEET	4.5" MK-8 GUN	2 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
62	DNQ80851	11/454/3/1 0/2745	533099923890 5 / STRIP RUBBER SHEET	4.5" MK-8 GUN	2 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
63	DNQ79400	140501010	841599130487 3 / GLOVES	FIRE FIGHTING	50 / PAIR						TECHNICAL SPECIFICATION - OEM M/S COONEEN GROUP UK 23 COONEEN ROAD FIVEMILETOWN COUNTRY TYRONE NORTHERN IRELAND BT75 ONE UK T:+44(0) 2889521401 F:+44(0)2889521488 LOCAL SOURCE GSA TRADERS KARACHI 021-35873927 VIDE DP (N) LETTER 340731/P-34 DATED 28 FEB 12. <u>GENERAL</u> SPECIFICATION - OEM M/S COONEEN GROUP UK 23 COONEEN ROAD FIVEMILETOWN COUNTRY TYRONE NORTHERN IRELAND BT75 ONE UK T:+44(0) 2889521401 F:+44(0)2889521488 LOCAL SOURCE GSA TRADERS	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											KARACHI 021-35873927 VIDE DP (N) LETTER 340731/P-34 DATED 28 FEB 12.	
64	DNQ79399	005101010	841599130487 4 / HOOD, ANTIFLASH..	DC LOCKER	45 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION -</u> OEM M/S COONEEN GROUP UK 23 COONEEN ROAD FIVEMILETOWN COUNTRY TYRONE NORTHERN IRELAND BT75 ONE UK T:+44(0) 2889521401 F:+44(0)2889521488 LOCAL SOURCE GSA TRADERS KARACHI 021-35873927 VIDE DP (N) LETTER 340731/P-34 DATED 28 FEB 12. <u>GENERAL SPECIFICATION -</u> OEM M/S COONEEN GROUP UK 23 COONEEN ROAD FIVEMILETOWN COUNTRY TYRONE NORTHERN IRELAND BT75 ONE UK T:+44(0) 2889521401 F:+44(0)2889521488 LOCAL SOURCE GSA TRADERS KARACHI 021-35873927 VIDE DP (N) LETTER 340731/P-34 DATED 28 FEB 12.	
65	DNM77411		6685US508084 7 / GAS CHARGING SETLOW SIDE O TO 250PSI HIGH SIDE O TO 500PSI		2 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION -</u> NO DATA AVAILABLE <u>GENERAL SPECIFICATION -</u> NO DATA AVAILABLE	
66	DNM80365	HD 6/15 m	791072511890 4 / KARCHER COLD WATER HIGH PRESSURE CLEANER WITH		1 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION -</u> 220-440V/ 60Hz <u>GENERAL SPECIFICATION -</u> 220-440V/ 60Hz	
67	DNM78377	04-11	533172512106 9 / O RING 62X3	DIESEL DRIVEN COMPRESSOR W-30	2 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION -</u> Make: HATLAPA GmbH & parent equipment Co (Germany) (W30/40) Two Stages Water Cooled Air Compressor WP 30 Bar <u>GENERAL SPECIFICATION -</u> Make: HATLAPA GmbH & parent equipment Co (Germany) (W30/40) Two Stages	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Water Cooled Air Compressor WP 30 Bar	
68	DNM78793	MS4SA-AP / MS4SA	664576512644 8 / STAR DELAY TIMER I/P 110- 240VAC	AIR COND SYS	10 / EACH/N UMBER	CWM- 2C70-PN FUJI JAPAN					<u>TECHNICAL SPECIFICATION</u> - Input: 100-240VAC 50/60Hz Time: 0.05s-60h <u>GENERAL SPECIFICATION</u> - Input: 100- 240VAC 50/60Hz Time: 0.05s-60h	
69	SNM70431	277-2923	533001567796 7 / gasket		5 / EACH/N UMBER	C7-1502- 117					<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL SPECIFICATION</u> - null	
70	DNM76905	3092608	482071532741 6 / Seal, Valve Stem		12 / EACH/N UMBER	N/A					<u>TECHNICAL SPECIFICATION</u> - 0 <u>GENERAL SPECIFICATION</u> - 0	
71	DNQ79080	GOMTEX Ø 303100050 00	473070526970 8 / hose assy rubber duraline /gomtex lg 100 ft id 2"		3 / HUNDR ED FT	HOSE ASSY RUBBER DURALIN E /GOMETE X LG 100 FT ID 2"					<u>TECHNICAL SPECIFICATION</u> - SPECIALLY FORMULATED RUBBER, I EXTRUDED THROUGH A CIRCULAR WOVEN. LOW PRESSURE DROP THANKS TO ITS SMOOTH INNER WALL, HIGH THERMAL RESISTANCE. oem/country of origin GOMTEX/ usa <u>GENERAL SPECIFICATION</u> - SPECIALLY FORMULATED RUBBER, I EXTRUDED THROUGH A CIRCULAR WOVEN. LOW PRESSURE DROP THANKS TO ITS SMOOTH INNER WALL, HIGH THERMAL RESISTANCE. oem/country of origin GOMTEX/ usa	
72	DNQ67727	887665	481072529314 0 / VALVE B0481-B DN49 WITH INTIGRATED ELECTRICAL RELEASE MX 1230/200		1 / EACH/N UMBER	B0481-B					<u>TECHNICAL SPECIFICATION</u> - WORKING PRESSURE AT 21 DEGREE CENTIGRADE (69.8 F) 50 BAR (725 PSI). WEIGHT APPROX: 9.3 KG (20.5 BAR) <u>GENERAL</u> <u>SPECIFICATION</u> - WORKING PRESSURE AT 21 DEGREE CENTIGRADE (69.8 F) 50 BAR (725 PSI). WEIGHT APPROX: 9.3 KG (20.5 BAR)	
73	DNM77800	1-dial type 0-120c liquid expansion	668571524129 7 / temprature gauge		5 / EACH/N UMBER	alstom ak- 6					<u>TECHNICAL SPECIFICATION</u> - null <u>GENERAL SPECIFICATION</u> - null	
74	DNM76591	238-5081	533171527024 2 / SEAL O		1 / EACH/N	DE- 660EO					<u>TECHNICAL SPECIFICATION</u> - SEAL O RING FOR TURBO	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			RING FOR TURBO LINE		UMBER	CATERPILLAR GENERATOR C18 600 KVA /480KW					LINEGENERAL SPECIFICATION - SEAL O RING FOR TURBO LINE	
75	DNM79084	309-8037	2540121251875 / BELT TENSIONER GP (FAN)		3 / EACH/NUMBER	cat c18					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
76	DNM76904	3094496	2815715327491 / Aftercooler		1 / EACH/NUMBER	N/A					TECHNICAL SPECIFICATION - 0GENERAL SPECIFICATION - 0	
77	DNM80838	370-4617	6150016008656 / CABLE ASSEMBLY (USB)		1 / EACH/NUMBER	DE-660EO CATERPILLAR GENERATOR C18 600 KVA /480KW					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
78	DNQ80360	RSFD-2	6140795300635 / LITHIUM BATTERY OF AUTOFLASHING LIFERAFT LIGHT		16 / EACH/NUMBER	NA					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
79	DNM76519	C4960198 / ff5687	2940795280600 / FUEL FILTER		3 / EACH/NUMBER	QSZ13-G5					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	

MEMORANDUM HOW THE TOTAL OF A CHEQUE IS MADE UP (CHEQUE SLIP)

Auth Sec III Para 80 Sub Para (iii) Office Manual Part-III

779

Pakistan Military Accountst DepartmentOffice of the CNA Karachi No & Date Of cheque _____ Serial No Of Cheque slip _____

In Payment Of bill No:- 1 dt 13/01/2025

300000.00

Bank A/c No PK17HABB0004540013100701

300000.00

In Words Rs THREE HUNDRED THOUSAND

For C N A

(Signature of Offr Signing the cheque)

Initial

Supdt Audit Sec

Initial

Officer O/C Audit Sec

HBL 'A' BLOCK BRANCH PAK SECRETARIAT, ISLAMABAD ISLAMABAD

To

P.P.R.A

PPRA 1st Floor FBC Building, Near State Bank Sector G-5/2, Islamabad

Copy To

LP Division

2. LAO (LAO (NAVY) NSD KARACHI)

Marines Training Center
At Jabl e Nooh
GWADAR

MTC/400/300

30 April 2025

General Notice Board NSSD (L.P DIV)

INVITATION TO TENDER

1. Quotations are invited from GST / IT registered firms for purchasing of under mentioned items. Specifications are available at Coastal Liaison Office, PNS IQBAL, which may be noted during working hours till 02 May 2025:

S No	Description	Qty
a.	Stationary Bicycle Dimensions L1600 x W730 x H1130 mm	01
b.	Rowling Machine Dimensions (L x W x H): 200 x 54 x 117 cm	01
c.	LAT PULL DOWN MACHINE 137 x 84 x 226 cm	01
d.	Squat Machine Dimensions (L x W x H) 85 in x 61 in x 59 inch	01

2. All quotations will be opened on 10 May 2025 at 1100 hours in the presence of

MTC/400/ 300

Marines Training Center
At Jabl e Nooh
GWADAR

General Notice Board NSSD (L.P DIV)

30 April 2025

INVITATION TO TENDER

1. Quotations are invited from GST / IT registered firms for purchasing of under mentioned items. Specifications are available at Coastal Liaison Office, PNS IQBAL, which may be noted during working hours till 02 May 2025:

S No	Description	Qty
a.	Smith Machine (L x W x H) 118.5 X 234.1 x 236.3 cm	01
b.	Bench Press Machine 64.96 x 41.34 x 49.21 inches	01
c.	DUMBEL SETS WITH Rack Dimensions (L x W x H): 48" x 20" x 35"	01
	45 pound 17.375" by 1.4 " thick	
	35 pound 13.75" by 1.4 " thick	
	35 pound 11" by 1.4 " thick	
	35 pound 9.25" by 0.85" thick	
	5 pound 7.75" by 0.65" thick	
	2.5 pound 6.25" by 0.4 " thick	
d.	Weight Plates	01
	45 pound 17.375" by 1.4 " thick	
	35 pound 13.75" by 1.4 " thick	
	35 pound 11" by 1.4 " thick	
	35 pound 9.25" by 0.85" thick	
	5 pound 7.75" by 0.65" thick	
	2.5 pound 6.25" by 0.4 " thick	