

TENDER BULLETIN

DATE & TIME 5/7/25 3:25 PM

INVITATION TO TENDER TO BE OPENED ON 5/21/25 10:00 AM

AND ITEM REQ BY

CONDITIONS

1. NON REGISTERED FIRMS/SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT/PAY ORDER EQUAL TO 5% TOTAL VALUE OF QUOTATION IN FAVOUR OF COMMANDER LOCAL PURCHASE DIVISION ALONGWITH THEIR BIDS.
2. FOR ANY AMPLIFIED DETAILS INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON OR THROUGH TELEPHONE. DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND 45 DAYS FOR IMPORTED ITEMS.
3. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGP80754	folder L12" W10" CONFIDENTIAL	753070525884 B / personal folder confidential (officer dossier) for hq acni(s)		200 / EACH/NUMBER	nil					TECHNICAL SPECIFICATION - 1. SIZE OF FOLDER L12" W10" 2. POCKET (OUTER, INNER & SIDE) A. UPPER TRANSPARENT POCKET (L1.5" & W 2.5") B. UPPER PHOTOGRAPH POCKET (PASPORT SIZE) C. LOWER POCKET (L1.5" & W 2.5") D. SIDE POCKET (L3" & W 1.5") 3. BINDING STRIPS AS SAMPLE 4. PRINTING QUALITY & COLOUR SHADE A. CONFIDENTIAL (FOIL PRINTING GOLDEN) B. MONOGRAM (FOIL PRINTING GOLDEN) C. SECT HQ NI (S) (FOIL PRINTING GOLDEN) D. OFFICER (FOIL PRINTING RED) E. PERSONAL DOSSIER (FOIL PRINTING GOLDEN) 5. CARD BOARD THICKNESS 3MM 6. REXINE THICKNESS & COLOUR SHADE THICKNESS (AS SAMPLE) COLOUR (NAVY BLUE) 7. TEXTURE COLOUR SHADE NAVY BLUE 8. STITCHING OF FOLDER BY HEAT PRESS 9. WALL HEIGHT 1.5 GENERAL SPECIFICATION - 1. SIZE OF FOLDER L12" W10" 2. POCKET (OUTER, INNER & SIDE) A. UPPER TRANSPARENT POCKET (L1.5" & W 2.5") B. UPPER PHOTOGRAPH POCKET (PASPORT	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SIZE) C.LOWER POCKET (L1 5" & W 2.5") D SIDE POCKET (L3" & W 1.5") 3.BINDING STRIPS AS SAMPLE 4.PRINTING QUALITY & COLOUR SHADE A CONFIDENTIAL (FOIL PRINTING GOLDEN) B. MONOGRAM (FOIL PRINTING GOLDEN) C.SECT HQ NI (S) (FOIL PRINTING GOLDEN) D.OFFICER (FOIL PRINTING RED) E. PERSONAL DOSSIER (FOIL PRINTING GOLDEN) 5.CARD BOARD THICKNESS 3MM 6. REXINE THICKNESS & COLOUR SHADE THICKNESS:(AS SAMPLE) COLOUR (NAVY BLUE) 7.TEXTURE COLOUR SHADE NAVY BLUE 8. STITCHING OF FOLDER BY HEAT PRESS 9.WALL HEIGHT 1.5	
2	DGP80899	4065x7500h	702570527485 2 / led tv 65"		1 / PCS	XD65X7500H					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
3	DGP80683	H42D6FG	773070526296 5 / LED tv 42 Inches		1 / EACH IN UMBER	H42D6FG					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
4	DGP80682	UE43NU7020	702570513168 2 / 43" LED TV OR EQUIVALENT. (SONY BRAVIA/TCL/ SAMSUNG/ LG)	LED TV 36	1 / EACH IN UMBER	UE43NU7020W		PK		PAKISTAN	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
5	DGP72707	CS-WDC09-655-BAA/CVW BU	712570514141 6 / 60 WALL MOUNT 19" CABINET	NET WORKING	1 / EACH IN UMBER	NO DATA AVAILAB LE		CH		M/S RAISECO M SUITE NO 401A PANUPA MA CENTRE 2 RAJA GHAZAN FARAJI ROAD	TECHNICAL SPECIFICATION - CONTECH BRAND GENERAL SPECIFICATION - CONTECH BRAND	

S No	LFR No	PART NO	NSN / Description	Equipment	QTY / DENO	Model	SR NO QF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPEC'S	Dimension
									SADDAR KARACHI PHON NO. 021-35681550 -1			
6	DGP814 29	m611dn/M 602dn	702501527329 6 / PRINTER, AUTOMATIC DATA PROCESSING	HP PRINTER M602dn USA	1/ EACH/N UMBER	M611DN/ M602dn	600	HEWLETT-PACKARD CO CORPORATE HQS 3000 HANOVER ST PALO ALTO CA 94304-1185 USA TEL 800-352-8276	HP USA		TECHNICAL SPECIFICATION:- PRINTER REQUIRED FOR OFFICE WORK GENERAL SPECIFICATION:- PRINTER REQUIRED FOR OFFICE WORK	
7	DGP814 37		753570513302 1 / LAPTOP COMPUTER (AS PER NHQ APPROVED MODEL HP/DELL/LENOVO)	COMPUTER	1/ EACH/N UMBER	for 1082wm		PK	VIDE NHQ LETTER ST- 5/3200/81 68 DT 23/07/08		TECHNICAL SPECIFICATION:- HP/DELL/LENOVO LAPTOP. 5 NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5. OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL® HD/HD GRAPHICS/6gb nvidia graphic card 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION) GENERAL SPECIFICATION:- HP/DELL/LENOVO LAPTOP. 5 NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5. OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL® HD/HD GRAPHICS/6gb nvidia graphic card 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION)	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
8	DGP809 99		753570513302 1 / LAPTOP COMPUTER (AS PER NHQ APPROVED MODEL HP/DELL/LEN OVO)	COMPUTER	1 / EACH/N UMBER	1a1082wm		PK	VIDE NHQ LETTER ST- S/3200/81 98 DT 23/07/08		TECHNICAL SPECIFICATION:- HP/DELL/LENOVO LAPTOP. 5 NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ) 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS/5gb nvidia graphic card 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION). GENERAL SPECIFICATION:- HP/DELL/LENOVO LAPTOP. 5 NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ) 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS/5gb nvidia graphic card 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	
9	DGP814 27	E- STUDIO35 5E- STUDIO35 7/E- STUDIO35 2BA (35CPV) E-STUDIO E-350NA	361070514044 6 / PLAIN PAPER COPIER TOSHIBA E- STUDIO 355 /357 HEAVY DUTY/CANVO N 2535	PLAIN PAPER COPIER	1 / EACH/N UMBER	E- STUDIO3 55/E- STUDIO3 57/e- studio352 8a (35cpv)		TOSHIBA SINGAPUR PTE LTD	TOSHIBA JAPAN		TECHNICAL SPECIFICATION:- AUTOMATIC DUPLEX (RADF) MR2022 SRDF, PAPER SIZE A3 ASR,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPERGENERAL SPECIFICATION -AUTOMATIC DUPLEX (RADF) MR2022 SRDF, PAPER SIZE A3 ASR,CONTOLER TYPE TOSHIBA E	

S. No	LPR No	PART NO	NSN / Description	Requirement	QTY / DEVO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPEC	Dimension
10	DGP816 46	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2500 F1 FLATBED	HP SERVER Pro 2500 F1	3 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2500 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535833 FAX NO : 021-34536441	HP		BRIDGE, INTERFACE 10/100 BASET, DUPLEX SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER TECHNICAL SPECIFICATION:- SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
11	DGP808 96	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2500 F1 FLATBED	HP SERVER Pro 2500 F1	1 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2500 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535833 FAX NO : 021-34536441	HP	delivery in Islamabad	TECHNICAL SPECIFICATION:- SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
12	DGP816 33	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2500 F1	HP SERVER Pro 2500 F1	1 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD,	HP		TECHNICAL SPECIFICATION:- SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME ADF, UPTO 1200DPI, DUTY CYCLE UP	

S. No	LPR No	PART NO	NSN / Description	PrEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			FLATBED			2600 F1		PECHS, BLOCK-II, KARACHI, TELEPHONE NO 021-34535933 FAX NO : 021-34536441			TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 <u>GENERAL SPECIFICATION</u> - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME, ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
13	DGP812 08	HP Scanner 2000SAL2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	2 / EACH IN UMBER	HP Scanner 2000SAL2 Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR, BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI, TELEPHONE NO 021-34535933 FAX NO : 021-34536441	HP		TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF, SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME, ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 <u>GENERAL SPECIFICATION</u> - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME, ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
14	DGP819 28	NIL	608070515693 1 / 32" LED SCREEN	CCTVs	1 / EACH IN UMBER			SOURCE OF AVAILABILITY OFFICE NO.16, CROWN CENTRE SB-1, BLOCK-13C, GULSHAN-E-IGBAL, KARACHI-7500 TEL: +92-21-34830466, FAX: +92-21-36832287.	V SECURE VISION FIRE & SECURITY		TECHNICAL SPECIFICATION - SOURCE OF AVAILABILITY OFFICE NO.16, CROWN CENTRE SB-1, BLOCK-13C, GULSHAN-E-IGBAL, KARACHI-7500 TEL: +92-21-34830466, FAX: +92-21-36832287. <u>GENERAL SPECIFICATION</u> - SOURCE OF AVAILABILITY OFFICE NO.16, CROWN CENTRE SB-1, BLOCK-13C, GULSHAN-E-IGBAL, KARACHI-7500 TEL: +92-21-34830466, FAX: +92-21-36832287.	
15	DGP818 28	NIL	743570514556 6 /	MULTIMEDIA PROJECTOR	1 / EACH IN UMBER	PANABO			PAKISTAN		TECHNICAL SPECIFICATION - <u>GENERAL SPECIFICATION</u> -	

S. No	LPR No	PART NO	NSN / Description	Equipment	QTY / DENO	Model	SR NO Or OR	MANUFACT	Availability	Tender Remarks	TECH / GEN SPEC.	Dimension
			MULTIMEDIA PROJECTOR (4000 LUMENS)		NUMBER	VW360 (4000 LUMENS PROJECTOR) OR ABOVE PANASO NIC PT-VW360 (4000 LUMENS PROJECTOR) OR ABOVE						
16	DGP815 69	NIL	743570514000 6 / MULTIMEDIA PROJECTOR (4000 LUMENS)	MULTIMEDIA PROJECTOR	1 / EACH/NUMBER	PANASO NIC PT-VW360 (4000 LUMENS PROJECTOR) OR ABOVE		PAK	PAKISTAN		TECHNICAL SPECIFICATION -- GENERAL SPECIFICATION --	
17	DGP812 10	NIL	743570514000 6 / MULTIMEDIA PROJECTOR (4000 LUMENS)	MULTIMEDIA PROJECTOR	1 / EACH/NUMBER	PANASO NIC PT-VW360 (4000 LUMENS PROJECTOR) OR ABOVE		PAK	PAKISTAN		TECHNICAL SPECIFICATION -- GENERAL SPECIFICATION --	
18	DGP808 08	NIL	743570514000 6 / MULTIMEDIA PROJECTOR (4000 LUMENS)	MULTIMEDIA PROJECTOR	1 / EACH/NUMBER	PANASO NIC PT-VW360 (4000 LUMENS PROJECTOR) OR ABOVE		PAK	PAKISTAN		TECHNICAL SPECIFICATION -- GENERAL SPECIFICATION --	
19	DGP806 81	FJ-7240	743571523101 6 / FUJITSU IMAGE SCANNER	ADF	1 / EACH/NUMBER	FJ-7240		FUJITSU USA	FUJITSU USA		TECHNICAL SPECIFICATION - ADF AUTOMATIC DOCUMENT FEEDER FLATBED DUPLEX GENERAL SPECIFICATION - ADF AUTOMATIC DOCUMENT FEEDER FLATBED DUPLEX	
20	DGP814 33	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN	COMPUTER	8 / EACH/NUMBER	NO DATA AVAILABLE		PAK	PAKISTAN		TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm (print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION - Laser, 265 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm (print speed b/w),	

S. No	LPR No	PART NO	Item / Description	Equipment	QTY / DEMO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE								Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both	
21	DGPB12 88	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	2 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both	
22	DGPB08 97	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	3 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both	
23	DGPB12 97	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	2 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both	

S. No.	LPR No.	PART NO.	MSN / Description	Requirement	QTY / DEMO	Model	SR NO OF PR	MANUFACTURER	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE								Pages per month 25000 pages Paper Type A4/A5/B5/Legal/Envelope. Connectivity Parallel and USB Port Both	
24	DGP818 27	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	1 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w). Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w). Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both	
25	DGP807 60	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	7 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w). Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w). Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both	
26	DGP814 38	KLV32R30 2E/P- 0114000	773078518878 7 / LED TV SONY 32 INCH	PSS VIGIL SYSTEM	1 / EACH/N UMBER	SONY KLV32R3 02E		M/s CETC Menten, No. 5 Wulalong North Street, Xicheng District, Beijing, China	M/s CETC Internatio nal CO., LTD		TECHNICAL SPECIFICATION - BRAVIA SONY 32BX350 or Equivalent GENERAL SPECIFICATION - BRAVIA SONY 32BX350 or Equivalent	
27	DGP814 27	E- STUDIO35 3/E- STUDIO35 7/E-	361070514044 8 / PLAIN PAPER COPIER TOSHIBA E-	PLAIN PAPER COPIER	1 / EACH/N UMBER	E- STUDIO3 58/E- STUDIO3 57/E-		PK		PAKISTA N	TECHNICAL SPECIFICATION - AUTOMATIC DUPLEX (RADF) MR3022 SROF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E- BRIDGE, INTERFACE 10/100	

S. No	LPR No	PART NO	NSN / Description	PI/Equipment	QTY / DEMO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		STUDIO3528A (35CPM), E-STUDIO, E-3508A	STUDIO 355 /357 HEAVY DUTY/CANNO N 2535			studio3528a (35cpm)					BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPERGENERAL SPECIFICATION -AUTOMATIC DUPLEX (RADF) MR3022 SRDF, PAPER SIZE A3 A5R,CONTOLER TYPE TOSHIBA E BRIDGE, INTERFACE 10/100 BASET, DUPLES SCANNING AND PRINTING FACILITY OF A4, A3 ETC PAPER	
28	DGP814 38	HP A3 LaserJet CP5225dn	743570513771 8 / PRINTER COLOUR HP LASER JET CP-1215 /HP CP 1518 AS PER APPROVED SPECIFICATION	COMPUTER	1 / EACH/NUMBER	HP A3 LaserJet CP5225dn		PK		PAKISTAN	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
29	DGP812 14	32D2900	582073520849 6 / 32 INCH LED DISPLAY WITH HDMI & VGA I/P	CCTV System	1 / EACH/NUMBER	32D2900		TCL Electronics Australia Pty Ltd, Address: 797 Springvale Rd, Mulgrave, VIC 3170	M/s TCL Australia		TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
30	DGP817 71	KD55X7000F/UHD 4K Smart TV AU7000	773070521489 2 / SMART LED TV 55"	F-229 SIMULATOR	1 / EACH/NUMBER	LESSK0800UGKD55X7000F/UHD 4K Smart TV AU7000	NOT KNOWN	PLOT NO C-4/A, S.I.T.E, Karachi, Pakistan, Tel: +92(21)32571111-2 Fax: +92(21)32553111		SONY	TECHNICAL SPECIFICATION - a. Item : Smart LED b. Company Name: Haier/SONY c. Model No : LE55K8600UGKD55X70000F/UHD 4K Smart TV AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9GENERAL SPECIFICATION - a. Item : Smart LED b. Company Name: Haier/SONY c. Model No : LE55K8600UGKD55X70000F/UHD 4K Smart TV AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9	
31	DGP805 70	361070511781 2 / SHREDDING MACHINE	SHREDDER MACHINE	SHREDDER MACHINE	1 / EACH/NUMBER	15T-12C1ST-12C0				delivery is Islamabad	TECHNICAL SPECIFICATION - 5T-12C/ST-12C0GENERAL SPECIFICATION - 5T-12C/ST-12C0	

S No	LPR No	PART NO	NSN / Description	Requirement	QTY / DEND	Make	SR NO / QP PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
(HEAVY DUTY)												
32	DGP814 22	CP1515N/ HP COLOR LASER 150A PRINTER 4ZB94A	361070506112 0 / HP COLOR LASER JET CP1515N PRINTER	SELF/ANY COMPUTER OR LAPTOP	1 / EACH/NUMBER	CP1515N/ HP COLOR LASER 150A PRINTER 4ZB94A				delivery in Islamabad	TECHNICAL SPECIFICATION:- SPECIFICATION: (A)TYPE-COLOR (B)PRINT TECHNOLOGY-COLOR LASER. (C)PROCESSOR SPEED: 450 MHZ. (D)STANDARD RAM:96 MB. (E)MAX RAM:352 MB. (F) RESOLUTION:600X600 dpi. (G) PRINT SPEED COLOR:8ppm. (H) PRINT SPEED B/W:12 PPM. PRICE OF LASER JET CP1515 RS:46,490/- GENERAL SPECIFICATION:- SPECIFICATION: (A)TYPE-COLOR. (B)PRINT TECHNOLOGY-COLOR LASER. (C)PROCESSOR SPEED: 450 MHZ. (D)STANDARD RAM:96 MB. (E)MAX RAM:352 MB. (F) RESOLUTION:600X600 dpi. (G) PRINT SPEED COLOR:8ppm. (H) PRINT SPEED B/W:12 PPM. PRICE OF LASER JET CP1515 RS:46,490/-	
33	DGP815 78	CP1515N/ HP COLOR LASER 150A PRINTER 4ZB94A	361070506112 0 / HP COLOR LASER JET CP1515N PRINTER	SELF/ANY COMPUTER OR LAPTOP	2 / EACH/NUMBER	CP1515N/ HP COLOR LASER 150A PRINTER 4ZB94A					TECHNICAL SPECIFICATION:- SPECIFICATION: (A)TYPE-COLOR (B)PRINT TECHNOLOGY-COLOR LASER. (C)PROCESSOR SPEED: 450 MHZ. (D)STANDARD RAM:96 MB. (E)MAX RAM:352 MB. (F) RESOLUTION:600X600 dpi. (G) PRINT SPEED COLOR:8ppm. (H) PRINT SPEED B/W:12 PPM. PRICE OF LASER JET CP1515 RS:46,490/- GENERAL SPECIFICATION:- SPECIFICATION: (A)TYPE-COLOR. (B)PRINT TECHNOLOGY-COLOR LASER. (C)PROCESSOR SPEED: 450 MHZ. (D)STANDARD RAM:96 MB. (E)MAX RAM:352 MB. (F) RESOLUTION:600X600 dpi. (G) PRINT SPEED COLOR:8ppm. (H) PRINT SPEED B/W:12 PPM. PRICE OF LASER JET CP1515 RS:46,490/-	
34	DGP753 51	NO DATA AVAILABLE	361070508845 4 / PLAIN PAPER COPIER		1 / EACH/NUMBER						TECHNICAL SPECIFICATION:-NO DATA AVAILABLE GENERAL SPECIFICATION:-NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			STANDARDIZED (PHOTO STATE MACHINE)									
35	DGP80097	G2102560 EU	361070509130 4 / SHREDDING MACHINE, GBC DUO (SHRED MASTER)		1 / EACH/NUMBER					delivery in Islamabad	TECHNICAL SPECIFICATION:- TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HxWxD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs GENERAL SPECIFICATION:- TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HxWxD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs	
36	DGH11302	G2102560 EU	361070509130 4 / SHREDDING MACHINE, GBC DUO (SHRED MASTER)		4 / EACH/NUMBER						TECHNICAL SPECIFICATION:- TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HxWxD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											bin needs emptying. 8. Shred staples, paper clips, credit cards and CDs. <u>GENERAL SPECIFICATION - TECHNICAL</u> <u>SPECS/FEATURES/BENEFITS:</u> 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.	
37	DGP815 7A	G2102560 EU	061070509130 4 / SHREDDING MACHINE, GBC DUO (SHRED MASTER)		1 / EACH IN LUMBER						<u>TECHNICAL SPECIFICATION - TECHNICAL</u> <u>SPECS/FEATURES/BENEFITS:</u> 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs. <u>GENERAL SPECIFICATION - TECHNICAL</u> <u>SPECS/FEATURES/BENEFITS:</u> 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXWXD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and	

Sl. No	EPH No	PART NO	NSN / Description	P/Equipment	QTY / DEND	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											CDs.	
38	DGP808 84	G2102580 EU	361070509130 4 / SHREDDING MACHINE GBC DUO (SHRED MASTER)		1 / EACH/NUMBER						<u>TECHNICAL SPECIFICATION - TECHNICAL</u> SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HxWxD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs <u>GENERAL SPECIFICATION - TECHNICAL</u> SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HxWxD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs	
38	DGP793 82	G2102580 EU	361070509130 4 / SHREDDING MACHINE GBC DUO (SHRED MASTER)		1 / EACH/NUMBER					delivery in Islamabad	<u>TECHNICAL SPECIFICATION - TECHNICAL</u> SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HxWxD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs <u>GENERAL SPECIFICATION - TECHNICAL</u> SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HxWxD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs	

S. No	LPR No	PART NO	NSN / Description	Equipment	QTY / DENO	Model	SR NO OF PR	MANUFACT	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											TECHNICAL SPECIFICATIONS-BENEFITS- 1. SHRED SIZE: 4 x 45mm Confetti, 2. SHRED SPEED: 2.5/M MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HXVXD): 400X365X267MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs.	
40	DGP81415		580570505809 2 / FAX MACHINE	FAX MACHINE	1 / EACH/NUMBER	LATEST MODEL/xx-11507cc				delivery in islamabad	TECHNICAL SPECIFICATION - A. Brothers FAX-2840 B. Modem speed 33.6 KBPS with automatic fallback C. Memory 16 MB D. Toner cartridge approx. 1,200 pages (A4) E. Drum cartridge approx. 12,000 pages (A4) F. Monochrome laser printing process G. Paper tray up to 400 sheets H. Printer, copier, scan & fax functions GENERAL SPECIFICATION - A. Brothers FAX-2840 B. Modem speed 33.6 KBPS with automatic fallback C. Memory 16 MB D. Toner cartridge approx. 1,200 pages (A4) E. Drum cartridge approx. 12,000 pages (A4) F. Monochrome laser printing process G. Paper tray up to 400 sheets H. Printer, copier, scan & fax functions	
41	DGP81042	NIL	784070511025 1 / PERSONEL FOLDER FOR RECORD KEEPING OF CPO/SAILORS	NIL(AUTH,ST-S/3622 24 DEC 04	550 / EACH/NUMBER						TECHNICAL SPECIFICATION - 1. Size of Folder a. Length: 365 mm ± 1 mm b. Width: 260 MM ± 1 MM c. Width of Folding Portion: 35 MM ± 1 MM 2. Material: a. Outer and inner cover: Textured Flexin Best quality (not commercial quality) thick 1 mm b. Pockets: Transparent Polythene thick 0.1 mm c. Inner lining of back side of cover: Card board hard thick 4.5 mm ± 0.2 mm d. Inner lining of front side of cover: Card board hard	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											thick 4.5 mm ± 0.2 mm e. File fastner cover with lining: Textured Rexin thick 1 mm f. File fastner inner lining: Card board thick 2.5 mm ± 0.1 mm g. Eyelets: Black Aluminium h. Tag Cotton: Length 260 mm along with iron tip with black enamel 3. No of Pockets: a. Front side 02 pocket; LENGTH WIDTH i. For Name Talley: 40 MM 65 mm l. For Photograph: 70 mm 65 mm b. Inner Pocket left hand side: 215 mm 260 mm c. Inner Pocket right hand side: 100 mm 260 mm d. Back side pocket: 340 mm 260 mm e. Side pocket on folding portion: 65 mm 35 mm 4. Stitches by : By Heat Machine 5. Printing i. Printing by: By foil printing ii. Printing colour, word title and Logo : As per approval by Drafting Authority 6. Colour of Radio : Navy blue <u>GENERAL SPECIFICATION - 1.</u> Size of Folder a. Length: 365 mm ± 1 mm b. Width: 260 MM ± 1 MM c. Width of Folding Portion: 35 MM ± 1 MM 2. Material: a. Outer and inner cover: Textured Rexin Best quality (not commercial quality) thick 1 mm b. Pockets: Transparent Polythene thick 0.1 mm c. Inner lining of back side of cover: Card board hard thick 4.5 mm ± 0.2 mm d. Inner lining of front side of cover: Card board hard thick 4.5 mm ± 0.2 mm e. File fastner cover with lining: Textured Rexin thick 1 mm f. File fastner inner lining: Card board thick 2.5 mm ± 0.1 mm g. Eyelets: Black Aluminium h. Tag Cotton: Length 260 mm along with iron tip with black enamel 3. No of Pockets: a. Front side 02 pocket; LENGTH WIDTH i. For Name Talley: 40 MM 65 mm l. For Photograph: 70 mm 65 mm b. Inner Pocket left hand side: 215 mm 260 mm c. Inner	

S. No.	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Pocket right hand side: 120 mm 260 mm d. Back side pocket: 340 mm 260 mm e. Side pocket on folding portion: 65 mm 35 mm 4. Stitches by : By Heat Machine 5. Printing i. Printing by: By foil printing ii. Printing colour, word title and Logo : As per approval by Drafting Authority 6. Colour of Rexin : Navy blue TECHNICAL SPECIFICATION - 1. Size of Folder a. Length: 365 mm $\pm$ 1 mm b. Width: 260 MM $\pm$ 1 MM c. Width of Folding Portion: 35 MM $\pm$ 1 MM 2. Material: a. Outer and inner cover: Textured Rexin Best quality (not commercial quality) thick 1 mm b. Pockets: Transparent Polythene thick 0.1 mm c. Inner lining of back side of cover: Card board hard thick 4.5 mm $\pm$ 0.2 mm d. Inner lining of front side of cover: Card board hard thick 4.5 mm $\pm$ 0.2 mm e. File fastner cover with lining: Textured Rexin thick 1 mm f. File fastner inner lining: Card board thick 2.5 mm $\pm$ 0.1 mm g. Eyelets: Black Aluminium h. Tag Cotton: Length 260 mm along with iron tip with black enamel 3. No of Pockets: a. Front side 02 pocket: LENGTH WIDTH i. For Name Talley: 40 MM 65 mm i. For Photograph: 70 mm 85 mm b. Inner Pocket left hand side: 215 mm 260 mm c. Inner Pocket right hand side: 130 mm 260 mm d. Back side pocket: 340 mm 260 mm e. Side pocket on folding portion: 65 mm 35 mm 4. Stitches by : By Heat Machine 5. Printing i. Printing by: By foil printing ii. Printing colour, word title and Logo : As per approval by Drafting Authority 6. Colour of Rexin : Navy blue GENERAL SPECIFICATION - 1. Size of Folder a. Length: 365 mm $\pm$ 1 mm b. Width: 260 MM $\pm$ 1 MM c.	
42	DGP610 01	NIL	764070511028 1 / PERSONEL FOLDER FOR RECORD KEEPING OF CPQS/SAILORS	NIL(AUTH:ST-S/3022 24 DEC 04	550 / EACH/NUMBER							

S. No	LPR No	PART NO	NSN / Description	PrEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Width of Folding Portion: 35 MM $\pm$ 1 MM 2. Material: a. Outer and inner cover: Textured Resin Best quality (not commercial quality) thick 1 mm b. Pockets: Transparent Polythene thick 0.1 mm c. Inner lining of back side of cover: Card board hard thick 4.5 mm $\pm$ 0.2 mm d. Inner lining of front side of cover: Card board hard thick 4.5 mm $\pm$ 0.2 mm e. File fastner cover with lining: Textured Resin thick 1 mm f. File fastner inner lining: Card board thick 2.5 mm $\pm$ 0.1 mm g. Eyelets: Black Aluminium h. Tag Cotton: Length 260 mm along with iron tip with black enamel 3. No of Pockets: a. Front side 02 pocket: LENGTH WIDTH i. For Name Talley: 40 MM 65 mm i. For Photograph: 70 mm 65 mm b. Inner Pocket left hand side: 215 mm 260 mm c. Inner Pocket right hand side: 130 mm 260 mm d. Back side pocket: 340 mm 260 mm e. Side pocket on folding portion: 65 mm 35 mm 4. Stitches by : By Heat Machine 5. Printing i. Printing by: By foil printing ii. Printing colour, word title and Logo : As per approval by Drafting Authority 6. Colour of Resin : Navy blue TECHNICAL SPECIFICATION:- TOSHIBA-DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 350 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%), COMPANY NAME: TOSHIBA e-STUDIO GENERAL SPECIFICATION:- TOSHIBA-DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color	
43	DGP814 35		749070504130 B / PLAIN PAPER COPIER STANDARDIZED MEDIUM DUTY	OFFICE MACHINE	57 EACH/NUMBER	CPM 25						

S. No	LPR No	PART NO	NSN / Description	Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%, COMPANY NAME: TOSHIBA e-STUDIO	
44	DGP61244		749070504130 B / PLAIN PAPER COPIER STANDARDIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH IN NUMBER	CPM 25				delivery in Islamabad	TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A--- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%) COMPANY NAME: TOSHIBA e- STUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A--- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%), COMPANY NAME: TOSHIBA e-STUDIO	
45	DGP79353		749070504130 B / PLAIN PAPER COPIER STANDARDIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH IN NUMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A--- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sor ng, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%) COMPANY NAME: TOSHIBA e- STUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A--- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory,	

S. No.	LPR No.	PART NO	NSN / Description	Equipment	QTY / DENO	Model	SR NO OF PR	MANUFACTO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
46	DGP80808		748070504130 8 / PLAIN PAPER COPIER STANDARDIZED MEDIUM DUTY	OFFICE MACHINE	1 / EACH/N UMBER	CPM 25					Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%, COMPANY NAME: TOSHIBA e-STUDIO TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By-Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%), COMPANY NAME: TOSHIBA e-STUDIO GENERAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL e-Studio 2523A— (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By-Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%), COMPANY NAME: TOSHIBA e-STUDIO	
47	DGP81160		751070511204 1 / 1. TONER CARTRIDGE FOR 5100 LASERJET 2. M435 NW 83A C2192A (Black)	PRINTER 5100 LASERJET	3 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
48	DGP81563	NO DATA AVAILABLE	743570511487 0 / PERSONAL COMPUTER CORE i7 (AS PER HQ APPROVED SPEC)	DELT	2 / SST						TECHNICAL SPECIFICATION - specification of pc: HP/DELL CORE i7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above). 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (2 x 4GB OR 2X2GB) RAM (ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wireless 6. Mouse: wireless 7.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / QEND	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel® HD Graphics 750, (Minimum 2 GB shared/ dedicated GRAPHIC CARD) GENERAL SPECIFICATION:- specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above). 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel® HD Graphics 750, (Minimum 2 GB shared/ dedicated GRAPHIC CARD). TECHNICAL SPECIFICATION:- specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above). 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version	
49	DGP81425	NO DATA AVAILABLE	7435705114870 / PERSONAL COMPUTER CORE I7 (AS PER NHQ APPROVED SPEC)	SELF	2 / SET							

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											window-10 or above). 11. Graphics: Intel ® HD Graphics 750, (Minimum 2 GB shared/ dedicated GraphIC CARD) <u>GENERAL SPECIFICATION:-</u> specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT: 1. CPU Technology: Intel ® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above). 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel ® HD Graphics 750, (Minimum 2 GB shared/ dedicated GraphIC CARD)	
50	DGP807 01	NO DATA AVAILABLE	743570511487 0 / PERSONAL COMPUTER CORE I7 (AS PER NHQ APPROVED SPEC)	SELF	2 / SET						<u>TECHNICAL SPECIFICATION:-</u> specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT: 1. CPU Technology: Intel ® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above). 2. System Memory: 8/16 GB RAM DDR3/DDR4 or (02 x 4GB OR 02X08 gm RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 18.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel ® HD Graphics 750, (Minimum 2 GB shared/ dedicated GraphIC CARD) <u>GENERAL SPECIFICATION:-</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											specification of pc: HP/DELL CORE I7 SYSTEM OR HIGHER EQUIVALENT. 1. CPU Technology: Intel® Core i7 (8th/9th/10th/11th/12th Generation or above) (Minimum 2.4 & 4.7 GHz or above). 2. System Memory: 8/16 GB RAM (DDR3/DDR4 or (02 x 4GB OR 02X08 gni RAM ddr3/ddr4). 3. Hard Disk: 1 TB SATA 4. Optical Disk Drive: DVD RW 5. Keyboard: wired/usb 6. Mouse: wired/usb 7. LED: 15.5" HDMI Display 8. LAN: Ethernet Card: 10/100/1000 Mbps 9. Warranty: 3 Years 10. Operating System: Windows (Licensed Version window-10 or above). 11. Graphics: Intel® HD Graphics 750, (Minimum 2 GB shared/ dedicated GRAPHIC CARD)	
51	DGP7U9 12	KATANA GF66	589R79528474 2 / LAPTOP, Core i7, 2.4 To 4.6GHz, 11800H 8 Core, 15.6" FHD, N1920x1080, 512GB NVME SSD,16GB RAM, DDR4, NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY)		2 / EACH/N UMBER	KATANA GF66 11UE-617					TECHNICAL SPECIFICATION:- LAPTOP- CORE I7, 2.4 TO 4.6GHZ, 11800H 8 CORE, 15.6" FHD, N1920X1080, 512GB NVME SSD, 16GB RAM, DDR4,NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY) GENERAL SPECIFICATION:- LAPTOP, CORE I7, 2.4 TO 4.6GHZ, 11800H 8 CORE, 15.5" FHD, N1920X1080, 512GB NVME SSD, 16GB RAM, DDR4,NVIDIA GEFORCE RTX 3060 LAPTOP GPU, BLACK, HM570, WIND OWS 1064 BIT, RED KEYBOARD WITH ANTIGHOST KEY (99KEY)	
52	DGPB18 32	LS32BG65 0EMXUE	589R70531603 4 / MONITOR		1 / EACH/N	ODYSSEY G6 32"					TECHNICAL SPECIFICATION:- 1711/GENERAL SPECIFICATION:-	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / GEND	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN. SPECS	Dimension
			(LED) SAMSUNG ODYSSEY G6 32-INCH		UNDER						null	
53	DGP81178	CORE I5	702570524605 1 / PERSONAL COMPUTER (CORE I5)		3 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation.	
54	DGP81710	CORE I5	702570524800 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO):</u> 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO):</u> 1. CPU Technology= Intel® Core i5 Processor (12th Generation or	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / QENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Above) (Minimum 3 GHz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgrade. TECHNICAL SPECIFICATION – SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/	
55	DGP79641	CORE i5	70267052M609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE i5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
56	DGP81752	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		3 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / GENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
57	DGP816 71	CORE i5.	702570S24808 1 / PERSONAL COMPUTER (CORE: i5)		3 / SET	CORE i5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Above): (Minimum 3 GHz, 8 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 8 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
58	DGP815 57	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3rd Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3rd Optical), 5. Mouse= USB (Optical	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											LED), 8. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation.	
59	DGP814 38	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		3 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. <u>TECHNICAL SPECIFICATION:-</u> SPECIFICATION OF PC (BRANDED: HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/	
60	DGP01834	CORE I5	702570624009 1 / PERSONAL COMPUTER (CORE I5)		3 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	PrEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION:- SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. TECHNICAL SPECIFICATION:- SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical	
01	DGFB1631	CORE i5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE i5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	PrEquipment	QTY / DEMO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											LED). 6. LED=18.5" (Min) or higher (same brand). 7. LAN=Yes (Built in 10/100/1000). 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand). 7. LAN= Yes (Built in 10/100/1000). 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or	
62	DGP81111	CORE i5	702570524809 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE i5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Above) (Minimum 3 Ghz, 8 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Loxar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. GENERAL SPECIFICATION :- SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 8 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Loxar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / QENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECIS	Dimension
											OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
63	DGP81192	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		3 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											LED), 6. LED= 16.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation.	
64	DGP809 B1	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN					<u>TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO):</u> 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adatal/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 16.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO):</u> 1. CPU Technology= Intel® Core i5 Processor (12th Generation or	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / CEND	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Above) (Minimum 3 GHz, 8 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgrade. TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 8 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/	
55	DSP91289	CORE i5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		3 / SET	CORE i5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION- SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 8 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. TECHNICAL SPECIFICATION- SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 8 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical	
06	DGP812 43	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		3 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											LED). 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/GASUB/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. TECHNICAL SPECIFICATION - 1. SIZE OF FOLDER L12" W10" 2. POCKET (OUTER, INNER & SIDE) A UPPER TRANSPARENT POCKET (L1.5" & W 2.6") B UPPER	
67	DGP709 67	folder L12" W10" CONFIDENTIAL	753070525884 s / personal folder confidential (officer dossier)		200 / EACH/NUMBER	nil						

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			for hq acn(s)								PHOTOGRAPH POCKET(PASPORT SIZE) C.LOWER POCKET (L1.5" & W 2.5") D.SIDE POCKET (L3" & W 1.5") 3.BINDING STRIPS AS SAMPLE 4.PRINTING QUALITY & COLOUR SHADE A. CONFIDENTIAL (FOIL PRINTING GOLDEN) B. MONOGRAM (FOIL PRINTING GOLDEN) C.SECT HQ NI (S) (FOIL PRINTING GOLDEN) D.OFFICER (FOIL PRINTING RED) E. PERSONAL DOSSIER (FOIL PRINTING GOLDEN) 5.CARD BOARD THICKNESS 3MM 6. REXINE THICKNESS & COLOUR SHADE THICKNESS:(AS SAMPLE) COLOUR (NAVY BLUE) 7.TEXTURE COLOUR SHADE NAVY BLUE 8. STITCHING OF FOLDER BY HEAT PRESS 9.WALL HEIGHT 1.5 <u>GENERAL SPECIFICATION - 1.</u> SIZE OF FOLDER L12" W10" 2. POCKET (OUTER,INNER,& SIDE) A.UPPER TRANSPARENT POCKET (L1.5" &W 2.5") B.UPPER PHOTOGRAPH POCKET(PASPORT SIZE) C.LOWER POCKET (L1.5" & W 2.5") D.SIDE POCKET (L3" & W 1.5") 3.BINDING STRIPS AS SAMPLE 4.PRINTING QUALITY & COLOUR SHADE A. CONFIDENTIAL (FOIL PRINTING GOLDEN) B. MONOGRAM (FOIL PRINTING GOLDEN) C.SECT HQ NI (S) (FOIL PRINTING GOLDEN) D.OFFICER (FOIL PRINTING RED) E. PERSONAL DOSSIER (FOIL PRINTING GOLDEN) 5.CARD BOARD THICKNESS 3MM 6. REXINE THICKNESS & COLOUR SHADE THICKNESS:(AS SAMPLE) COLOUR (NAVY BLUE) 7.TEXTURE COLOUR SHADE NAVY BLUE 8.	

S. No	LPR No	PART NO	NSN / Description	PrEquipment	QTY / DEND	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											STITCHING OF FOLDER BY HEAT PRESS 9.WALL HIGH 1.5	
68	DGB725 83	4992	402079515312 0 / DOUBLE SIDED TAPE (SIZE 12MMX50M)	TALL SHIP SAILING RIG	5 / EACH/N UMBER			BASLINE MARINE PRODUCTS LTD 10 APPLE INDUSTRIAL ESTATE, WHITTLE AVENUE, FAREHAM HAMPSHIRE, UNITED KINGDOM PO15 5SX 01489 576349 01489 578635 BASLINE MARINE@BTCONNECT. COM WWW. BASLINEHARDWARE. CO.UK	BASELIN E MARINE PRODUC TS LTD 10 APPLE INDUSTRIAL E		<u>TECHNICAL SPECIFICATION</u> - LIGHT, NON YELLOWING ACRYLIC TAPE WITH VERY HIGH ADHESION, SIZE: 12mmx50m <u>GENERAL SPECIFICATION</u> - LIGHT, NON YELLOWING ACRYLIC TAPE WITH VERY HIGH ADHESION, SIZE: 12mmx50m	
69	DGE723 54	614-193	402079515314 8 / BRAIDED ROPE POLYESTER 4MM (PRE- STRECHED) 4MM DIA	TAL SHIP SAILING RIG	480 / METER			BASLINE MARINE PRODUCTS LTD 10 APPLE INDUSTRIAL ESTATE, WHITTLE AVENUE, FAREHAM HAMPSHIRE, UNITED KINGDOM PO15 5SX 01489 576349 01489 578635 BASLINE MARINE@BTCONNECT.	UK		<u>TECHNICAL SPECIFICATION</u> - 1 PART NO 614-193 2. TO BE COMPLY WITH THE SPECIFICATIONS OF ISO=1141, ISO=2307 & ISO=9554 <u>GENERAL SPECIFICATION</u> - 1. PART NO 614- 193 2. TO BE COMPLY WITH THE SPECIFICATIONS OF ISO=1141, ISO=2307 & ISO=9554	
70	DGE731 84	YCR105 or 1280	830578516300 0 / CERAMIC FIBER CLOTH	GENRAL USE	90 / METER	YCR105		OEM CHINA MANUFACTURERS NINGBO RUIFENG SEALING MATERIAL COMPANY LTD KUANGVAN TOWN COX 86-574- 63531211, 63531433	PANASO NIC, SADDAR KARACI, TECHNO POWER SYSTEM		<u>TECHNICAL SPECIFICATION</u> - size; width 60.00 in thickness; 48 mils length; 50.00 yards weight; 24.00 oz/ sq yd colour; white temprature resistance: 700 degree centigrade max thermal conductivity 0.16 w/k.m <u>GENERAL SPECIFICATION</u> - size; width 60.00 in thickness; 48-mils length; 50.00 yards weight; 24.00 oz/ sq yd colour; white temprature resistance: 700 degree centigrade max thermal conductivity 0.16 w/k.m	
71	DGE713 33	AS/NZS 1719 P3, EN143: 2000 P1 R	845570518127 6 / DISC IDENTITY RED FOR	NIL	406 / EACH/N UMBER		NIL	LOCAL MARKET	NIL		<u>TECHNICAL SPECIFICATION</u> - REQ NEW PATT AUTHORITY LETTER (CICP letter no. CICP/PATT/1057/3490 dated 30	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			RESPIRATION AND HAVERSACK								March 2015)GENERAL SPECIFICATION - REQ NEW PATT AUTHORITY LETTER (CICP letter no. CICP/PATT/1057/3490 dated 30 March 2015)	
72	DGE728 53	ASNZS 1716 P3, EN143: 2000 P3 R	845570518127 5 / DISC IDENTITY RED FOR RESPIRATION AND HAVERSACK	NIL	608 / EACH/NUMBER		NIL	LOCAL MARKET	NIL		TECHNICAL SPECIFICATION - REQ NEW PATT AUTHORITY LETTER (CICP letter no. CICP/PATT/1057/3490 dated 30 March 2015)GENERAL SPECIFICATION - REQ NEW PATT AUTHORITY LETTER (CICP letter no. CICP/PATT/1057/3490 dated 30 March 2015)	
73	DGE778 80	SCOTCH 88	597009684876 4 / Tape, insulation, Electrical	0	90 / EACH/NUMBER	0	0	3M CENTRE, CAIN ROAD, BRACKNELL	3M UNITED KINGDOM PLC		TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
74	DGE774 16	TALCUM POWDER	851009817029 5 / TALCUM POWDER	TALCUM POWDER	0.75 / EACH/NUMBER	NO DATA AVAILABLE		US	HCGMS DUBS/336 DT 2/7/08		TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
75	DGE774 14	T920-00-148-9686	792000145966 6 / Rag wiping Cotton & cotton synthetic 50 lbs	NIL	60 / SET	NA	NA	ALFA LAVAL TUMBA AB, HANS STANLES VAG 7 TUMBA SWEDEN	ALFA LAVAL TUMBA AB, SWEDEN		TECHNICAL SPECIFICATION - PMS ItemGENERAL SPECIFICATION - PMS Item	
76	DGE774 23	8526053	393001513676 1 / Thread Teflon tape 1/2 instant	NIL	16 / EACH/NUMBER	NA	NA	TRAK INTERNATIONAL PORT WASHINGTON, USA Postal Code: 53074-2160	TRAK INTERNATIONAL USA		TECHNICAL SPECIFICATION - PMS ItemGENERAL SPECIFICATION - PMS Item	
77	DGE722 17	VAL303	422075521772 7 / INFLATION KIT FOR BC	MIXTURE DIVING ECP CAIMANO MK4 CSC ITALY	4 / EACH/NUMBER	CAIMANO MK4 CSC	NIL	SIEL VIA POSTIGLIONE 24 7 10024 MONCALIERI (TORINO) ITALY, TEL: 39-11-6813840, FAX: 39-11-6815071	SIEL S.R.L ITALY		TECHNICAL SPECIFICATION - This kit includes the following BC Kit Valve Regulator Kit 02 Grease O-Ring Set GENERAL SPECIFICATION - This kit includes the following BC Kit Valve Regulator Kit 02 Grease O-Ring Set	
78	DGB747 35	TR-158V 1/4"-1/2" DR	4920PK513179 4 / REPAIR AND MAINTENANCE TOOL KIT WITH ALL ACCESSORIES (tool kit)	TOOL KIT	3 / EACH/NUMBER	NO DATA AVAILABLE		PK	VIDE GMS&RC LETTER NO: WE/COM M/305/03/1012 DATED		TECHNICAL SPECIFICATION - Tool Kit Comprises of 158 Pcs of Different types of Tools packed in "Blow Case" of Size 560x395x95 mm. Weight of Case 14.5 KGs.GENERAL SPECIFICATION - Tool Kit Comprises of 158 Pcs of Different types of Tools packed in "Blow Case"	

S. No	LPR No	PART NO	NSN / Description	PrEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			(Socket & Combination Wrench Set)						19/03/2008		of Size 560x395x95 mm. Weight of Case 14.5 KGs.	
79	DGE74848	3M 9312	4240TY520263 5 / 3M DISPOSABLE RESPIRATOR COMFORT SERIES(3M 9312)	SAFETY	100 / EACH/NUMBER	8312		3M	3M		TECHNICAL SPECIFICATION - EN149:200+A1:2009 FFF2 NRD DUST MIST GENERAL SPECIFICATION - EN149:200+A1:2009 FFF2 NRD DUST MIST	
80	DGB72615		028370000160 5 / ELECTRODE MONO METAL 08 SWG		10 / METER						TECHNICAL SPECIFICATION - a. Size 3.25 x 350 mm b. Current 90-120 c. Polarity DC Electrode Negative (DCEN) d. Position Flat, Horizontal, Vertical, Overhead e. Type of Arc Medium, Moderate, Penetration f. Material Low Carbon Steels g. Technique Use short Arc length with electrode angle 30o + 15o , to the line of weld. h. (BSWG) Mild Steel (HYUNDAI) GENERAL SPECIFICATION - a. Size 3.25 x 350 mm b. Current 90-120 c. Polarity DC Electrode Negative (DCEN) d. Position Flat, Horizontal, Vertical, Overhead e. Type of Arc Medium, Moderate, Penetration f. Material Low Carbon Steels g. Technique Use short Arc length with electrode angle 30o + 15o , to the line of weld. h. (BSWG) Mild Steel (HYUNDAI)	
81	DGB74577		027759910695 4 / SPANNER OPEN JAW ADJ S E LG 4" NOMINAL CAPACITY A/F 0.875"		14 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
82	DGB74758	OVAL LG 10 1/2" THK OF HD 0.430"	027779910600 5 / SPANNER OPEN JAW FIXED D.E 88X105 A/F 1/100 THS OF AN IN		5 / EACH/NUMBER						TECHNICAL SPECIFICATION - 1. Double Open Ended Spanner 2. Oval Shaft 3. Chrome Plated 4. 15o angle. 5. Size:10x11 GENERAL SPECIFICATION - 1. Double Open Ended Spanner 2. Oval Shaft 3. Chrome Plated 4. 15o angle. 5. Size:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											10x11	
83	DGE73900	NO DATA AVAILABLE	035059923357 7 / FENDER, MARINE, ROUND MATERIAL SISAL COVER, FILLED WITH JUNK. DIAMETER: OVERALL 3FT, INTERNAL 1FT.		4 / EACH/NUMBER						TECHNICAL SPECIFICATION:- FENDER, MARINE, ROUND MATERIAL SISAL COVER, FILLED WITH JUNK. DIAMETER: OVERALL 3FT, INTERNAL 1FT, LANYARD: FSWR 2 INCH, CLEAR OF FENDER 15FT, WEIGHT 92 LBS. USE: LARGE TUGS ETC. FIG, ILLUSTRATED IN BR-3200 OF 1988 GENERAL SPECIFICATION:- FENDER, MARINE, ROUND MATERIAL SISAL COVER, FILLED WITH JUNK. DIAMETER: OVERALL 3FT, INTERNAL 1FT, LANYARD: FSWR 2 INCH, CLEAR OF FENDER 15FT, WEIGHT 92 LBS. USE: LARGE TUGS ETC. FIG, ILLUSTRATED IN BR-3200 OF 1988	
84	DGE72367		041359923877 1 / HOSE RUBBER INTERNAL 0.750"x1.00" X80FT		2 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
85	DGE77065	NO DATA AVAILABLE	046254600578 4 / TAPE BROWN-PAPER-GUMMED (DTLD. NSD/TD)19286 . DT.09		80 / ROLL	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
86	DGE72231		047659943041 0 / BRUSH LINING SQUARE 1-INCH		10 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
87	DGE77400	BRUSH LEG 4.375"	047659943041 1 / BRUSH PAINT SQUARE EDGE ONE KNOT GROUND WD.		15 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	Pr/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabil ty	Tender Remarks	TECH / GEN SPEC	Dimension
			2,500" TH. 0.625"									
88	DGE722 50	FIFA10773	047659643045 1 / BRUSH ARTISTS STYLE WRITING DUCK EXPOSED LG. 0.875"		15 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
89	DGE721 03	C-268	047659643055 9 / BRUSH VARNISH TYNEX FLAT SQUARE EDGE WD.4		12 / EACH/N UMBER						TECHNICAL SPECIFICATION - stock thickness: 01 inch expose length: 3.25 inch specs bs2982 table 8 GENERAL SPECIFICATION - stock thickness: 01 inch expose length: 3.25 inch specs bs2982 table 8	
90	DGB745 23	BS3555	027779910567 2 / SPANNER RING DOUBLE ENDED 58X106 A/F 1/100 THS OF AN IN		9 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
91	DGB754 80	0277-7608 (5120-89- 924-7331)	027770924733 1 / SPANNER SET SOCKET SQUARE DRIVE 0.375" CONSIST OF 14 PCS		3 / SET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
92	DGE724 09	D5651-3 (4220-99- 923-5557)	043359923555 7 / TROUSER DIVER'S SUIT, MEDIUM (UK MADE)	FOR DIVING PURPOSE	25 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
93	DGB719 30		028359220297 4 / FLUX BRAZING FORM POWDER USE BRASS BRONZE AND SILVER CONT. UK	FLUX BRAZNG EASY FLOW TEMP 300 TO 750C	30 / KILOGR AMME						TECHNICAL SPECIFICATION - MIL- F-16136B Types A & B or AWS A5. 31-91 Type FB3 GENERAL SPECIFICATION - MIL-F-16136B Types A & B or AWS A5.31-91 Type FB3	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENG	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
94	DGB742 87		027770277015 1 / METRIC SOCKET SET 10 TO 32MM CONSIST 24 PIECES WITH BOX		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
95	DGB724 77		028358571146 6 / ROD NAVAL BRASS RD DIA 4.5/8 INCH DIA		1.8 / METER						TECHNICAL SPECIFICATION - minimum running length : 01 foot material condition : "m" BS-EN-12163 of 2011 MGrade CW-712- R GENERAL SPECIFICATION - minimum running length : 01 foot material condition : "m" BS-EN-12163 of 2011 MGrade CW-712-R	
96	DGB745 71	BS3388PA RT1 (5120- 09-910- 5934)	027670810593 4 / SHOVEL GENERAL SERVICE, CURVED MOUTH BLADE 25MM DISHX240MM (FB)		1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
97	DGE724 18	0413-8553	041359823892 6 / RUBBER SHEET SOLID NATURAL LENGTH= 72" WIDTH= 43"		94 / KILOGRAMME						TECHNICAL SPECIFICATION - SPECS= BS 1154 OF 1992 LENGTH= 72" WIDTH= 48" THICKNESS= 0.188" TENSILE STRENGTH= NO. OF PLYS= 2 APPROX WEIGHT PER SQ FT= 1.5 LBS. COMPOUND Y2, HARDNESS RATING= 42-60" GENERAL SPECIFICATION - SPECS= BS 1154 OF 1992 LENGTH= 72" WIDTH= 48" THICKNESS= 0.188" TENSILE STRENGTH= NO. OF PLYS= 2 APPROX WEIGHT PER SQ FT= 1.5 LBS. COMPOUND Y2, HARDNESS RATING= 42-60"	
98	DGE774 27	BS1154	041359823893 7 / STRIP RUBBER WIDTH 0.600" HEIGHT 0.375"		100 / METER						TECHNICAL SPECIFICATION - SPECS: BS: 1154 COMPOUND: Y- 2 GENERAL SPECIFICATION - SPECS: BS: 1154 COMPOUND: Y-2	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
99	DGE724-64		041459923893 9 / STRIP RUBBER		30 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
100	DGE728-52	1004 MIL	041359923970 6 / HOSE RUBBER INTERNAL DIA: 3.00", EXTERNAL DIA: 3.50", BURST PRESSURE: 150PSI		60 / METER	PRF 11588 TYPE III					TECHNICAL SPECIFICATION: SPECIFICATIONS: 1. Synthetic rubber inner surface and outer covering, reinforced with rubber impregnated fabric. 2. color black with longitudinal BLUE stripe. Use: for hot mineral oil & aviation fuel. 3. No of plies 4, length Approx 20 ft. 4. Spec: BSF57 type1 5. AUTHORITY: AS PER BR-3200. <u>GENERAL SPECIFICATION:</u> SPECIFICATIONS: 1. Synthetic rubber inner surface and outer covering, reinforced with rubber impregnated fabric. 2. color black with longitudinal BLUE stripe. Use: for hot mineral oil & aviation fuel. 3. No of plies 4, length Approx 20 ft. 4. Spec: BSF57 type1 5. AUTHORITY: AS PER BR-3200.	
101	DGT721-21	NIL	010050100011 7 / PLY WOOD MARINE SHESHAM GRADE-I		64 / SQ FEET						TECHNICAL SPECIFICATION: SPECIFICATION: 1. PLY WOOD MARINE ALL SHESHAM DURABILITY REQUIRED. STANDARD GD-I (CORE INNER & OUTER PLYS OF SHESHAM WOOD) 5 PLY. TYPE OF BOND: WBP CLASS-II BS EN 314-2 TREATED WITH PRESERVATIVE AS PER SPECS. 2. BS 1088 PART 1 & 2. 3. DENSITY OF TEMBER (SHESHAM) AS PER INTERNATIONAL STANDARD. 4. SIZES: LENGTH: 8 FEET, WIDTH: 4 FEET, THICKNESS: 3/8 INCH, THICKNESS OF VENEER (FACES/BACK): 06MM (MIN). <u>GENERAL SPECIFICATION:</u> SPECIFICATION: 1. PLY WOOD MARINE ALL SHESHAM DURABILITY REQUIRED	

S. No	LPR No	PART NO	NSN / Description	PI/Equipment	QTY / DEND	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											STANDARD GD-I (CORE INNER & OUTER PLYS OF SHESHAM WOOD) 5 PLY. TYPE OF BOND WBP CLASS-II BS EN 314-2 TREATED WITH PRESERVATIVE AS PER SPECS. 2, BS 1088 PART 1 & 2. 3. DENSITY OF TEMBER (SHEESHAM) AS PER INTERNATIONAL STANDARD. 4. SIZES: LENGTH: 8 FEET, WIDTH: 4 FEET, THICKNESS: 3/8 INCH, THICKNESS OF VEENER (FACE&BACK): 06MM (MIN).	
102	DGB73839	NO DATA AVAILABLE	026659128262 8 / SCREW MACHINE STEEL (zinc coated).		12 / TEN						TECHNICAL SPECIFICATION - Screw Machine Steel (MS Zinc coated): Length: 1 inch Dia : 4 mm Thread Type: BA GENERAL SPECIFICATION - Screw Machine Steel (MS Zinc coated): Length: 1 inch Dia : 4 mm Thread Type: BA	
103	DGB77606	BS 1210	026659941732 4 / SCREW, WOOD		107 / HUNDRED						TECHNICAL SPECIFICATION - NSN: 5305-99-941-7324. FASTENER LENGTH: 1.000 INCHES NOMINAL. HEAD STYLE: FLAT COUNTERSUNK. HEAD DIAMETER: 0.312 INCHES MINIMUM & 0.328 INCHES MAXIMUM. GENERAL SPECIFICATION - NSN: 5305-99-941-7324. FASTENER LENGTH: 1.000 INCHES NOMINAL. HEAD STYLE: FLAT COUNTERSUNK. HEAD DIAMETER: 0.312 INCHES MINIMUM & 0.328 INCHES MAXIMUM.	
104	DGB72634	0272-2004	027270023704 9 / DRILL TWIST CARBON STEEL DIA 1/4		15 / EACH/NUMBER						TECHNICAL SPECIFICATION - A MATERIAL: HSS B. DIA: 1/4 IN GENERAL SPECIFICATION - A MATERIAL: HSS B. DIA: 1/4 IN	
105	DGB73875	NO DATA AVAILABLE	027579000187 7 / PLINCH CENTRE		12 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	PrEquipment	QTY / QEND	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
106	DGB749 43	DEFSTAN 51-11 PT2B	027459910528 5 / KNIFE POCKET FLEX STRIIPPING AND CLFANING BLADE 3.00IN		40 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
107	DGB746 40		027370810447 6 / DIVIDERS SPRING LG OF LEG 06IN		20 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
108	DGB745 79		027779910622 6 / SPANNER CROWFOOT BS 1.000X0. 875W		24 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
109	DGB745 82	H 2002B	027559910553 3 / Plier Snipe Nose Side Cutter 05" Plastic Coated Bowed Handle		24 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
110	DGB747 14		027379910575 2 / BLADE HAND HACKSAW LTD FLEXIBLE NOMINAL LG 9"TEETH 32		10 / DOZEN						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
111	DGB746 60		027259920796 1 / DRILL- TWIST- STRAIGHT- ROUND- SHANK SZ 1.95X24. 00X49.00MM		7 / EACH/N UMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
112	DGB728 79		028459900758 4 / Tool Box with Plastic Tray		5 / EACH/N UMBER						TECHNICAL SPECIFICATION - max: Benchmark size: 15.9" x 8.9" x 7.7"GENERAL SPECIFICATION: max: Benchmark size: 15.9" x 8.9" x 7.7"	
113	DGB749 45		0284599124068 6 /		1 / EACH/N						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			CHEST TOOL KIT		NUMBER						SPECIFICATION - NO DATA AVAILABLE	
114	DGR77785	BS.3826 WORM DRIVE TYPE. SPEC DEF	025478420320 6 / CLAMP HOSE TERRY BRAND SZ 0.375 TO 0.500 X0.505X0.038IN	USED FOR CLAMPING OF PIPE	25 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
115	DGB74941	18Q5076	025379441975 5 / HYDROMETER	TESTER BATTERY PWD (018Q5076)	11 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
116	DGB73953	(BIM)	025770941150 4 / NUT-PLAIN-HEXAGON (BRASS) THREAD UNF SZ .375" L.H 350"		8 / DOZEN						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
117	DGB73954	Material Grade EN 4140	025770941150 6 / NUT-PLAIN-HEXAGON-THREAD-SIZE .625" L.H 550"		8 / DOZEN						TECHNICAL SPECIFICATION - material specs AISI 4140 (PD 970:2005 material GRADE 708M40/42CRM04 OEM COC/mto REQUIRED GENERAL SPECIFICATION - material specs AISI 4140 (PD 970:2005 material GRADE 708M40/42CRM04 OEM COC/mto REQUIRED	
118	DGH72497	BSEN 10025 GRADE S275JR	021259571072 2 / M/S ANGLE LG 6100mm, SIZE 40 X 40 X 5mm		114 / METER						TECHNICAL SPECIFICATION - BSEN 10025 of 2004 GRADE S275JR GENERAL SPECIFICATION - BSEN 10025 of 2004 GRADE S275JR	
119	DGH72493	SAFFIRE MODEL NM250 PART NO. 116324	028150281166 6 / NOZZLE INNER GAS CUTTING TORCH SIZE 1/16 INCH	REF NO 529-4 SHEET U	2 / EACH/NUMBER						TECHNICAL SPECIFICATION - saffire a-nme, SIZE 1/16", MODEL NM250, PART NO. 116324, TDS enclosed GENERAL SPECIFICATION - saffire a-nme, SIZE 1/16", MODEL NM250, PART NO. 116324, TDS enclosed	
120	DGE72325	S.B.-2802	206079503970 2 / BUOYANCY BAGS OPTIMIST		50 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			BOAT SIZE 900MM X250MM (39' X11')									
121	DGE723 50	805- 1340571- 16308	204000821080 8 / Small Standard Duty (SSD) Foam Filled Marine Fender		11 / EACH/NUMBER						TECHNICAL SPECIFICATION - Size of fender: 16x36 inches (400x900mm) Safe Working Load: 02 tons Type/class: 1 Energy absorption at 60% compression: 2000 ft lbs (0.28 ton-m) Reaction force at 60% compression: 10500 lbs (4.76 tons) Other characteristics: Thick nylon filament reinforced polyurethane skin. Δ Heat laminated 100% closed cell foam core. Δ Integral end fittings are of stainless steel. GENERAL SPECIFICATION - Size of fender: 16x36 inches (400x900mm) Safe Working Load: 02 tons Type/class: 1 Energy absorption at 60% compression: 2000 ft lbs (0.28 ton-m) Reaction force at 60% compression: 10500 lbs (4.76 tons) Other characteristics: Thick nylon filament reinforced polyurethane skin. Δ Heat laminated 100% closed cell foam core. Δ Integral end fittings are of stainless steel.	
122	DGE723 53	X-6131	204070511070 9 / TRAPEZOID SHAPE FENDER WITH THE CIRCULAR BORE	NIL M/S KJR RUBBER GARDEN MARKET KARACHI	90 / EACH/NUMBER						TECHNICAL SPECIFICATION - 1. MATERIAL: A. EPDM NATURAL AND SYNTHETIC RUBBER. 2. DIMENSION A. LENGTH: 1820 MM B. WIDTH (BASE OF TRAPEZOID): 100 MM C. WIDTH (TOP OF TRAPEZOID): 75 MM D. HEIGHT: 75 MM E. DISTANCE BETWEEN HOLES: 405 MM F. SIZE OF HOLE FROM TOP: 32 MM G. SIZE OF HOLE FROM BOTTOM: 13 MM H. STAINLESS STEEL STRIP (WIDTH: 32MM, THICKNESS: 03MM) BE INSERTED ALL ALONG LENGTH OF TRAPEZOID SHAPE FENDER AS PER ORIGINAL SAMPLE. 3.	

S. No	LPR No	PART NO	KSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											TRAPEZOID SHAPE FENDER SHOULD QUALIFY FOLLOWING PARAMETERS: S NO. PROPERTIES REQUIRED VALUES TEST METHOD A. HARDNESS (RHD) 65-80 BS 903 PART: A26 METHOD N.B. TENSILE STRESS STRAINS BS 903 PART: A2 TYPE 2 DUMS-BELL TEST PIECES (1) TENSILE STRENGTH(MMM2) MINIMUM 10 SIX TEST PIECES PER COMPOSITION (2) ELONGATION AT BREAKING MINIMUM 250 STRENGTH (%) C. COMPRESSION SET AT 70 + DEG. 25 MAXIMUM BS 903 PART: A6 TYPE 1 TEST PIECE AT 70+ 1 DEG C FOR 24 C FOR 24 HOURS (%) HOURS D. SPECIFIC GRAVITY 1.4 G/CMP - E. EFFECT OF TEMPERATURE AT A. 100C NO EFFECT B. 150C NO EFFECT F. EFFECT OF CHEMICALS (1). SODIUM HYDROXIDE 50% NOT EFFECTED (2). LUBE OIL NOT EFFECTED G. TEAR STRENGTH (MMM2) MINIMUM 30 BS 903 PART: A3 J. ACCELERATED AIR (B HRS AT 70 DEG C) - BS 903 PARTS: A2, A19, A26 I. HARDNESS CHANGE (RHD) +10 TO -10 II. TENSILE STRENGHT CHANGE (% OF ORIGINAL VALUE) II. CHANGE IN ELONGATION (% OF ORIGINAL VALUE NOTE: DESIGN AND CONSTRUCTION OF EACH ITEM WILL BE AS PER ORIGINAL SAMPLE GENERAL SPECIFICATION - 1. MATERIAL: A. EPDM NATURAL AND SYNTHETIC RUBBER. 2. DIMENSION A. LENGTH: 1620 MM B. WIDTH (BASE OF TRAPEZOID): 100 MM C. WIDTH (TOP OF TRAPEZOID): 75 MM D. HEIGHT: 75 MM E.	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											DISTANCE BETWEEN HOLES: 405 MM F. SIZE OF HOLE FROM TOP: 32 MM G. SIZE OF HOLE FROM BOTTOM: 13 MM H. STAINLESS STEEL STRIP (WIDTH: 32MM, THICKNESS: 03MM) BE INSERTED ALL ALONG LENGTH OF TRAPEZOID SHAPE FENDER AS PER ORIGINAL SAMPLE. 3. TRAPEZOID SHAPE FENDER SHOULD QUALIFY FOLLOWING PARAMETERS: S NO. PROPERTIES REQUIRED VALUES TEST METHOD A. HARDNESS (IRHD) 65-80 BS 903 PART: A26 METHOD N B. TENSILE STRESS STRAINS BS 903 PART: A2 TYPE 2 DUMB-BELL TEST PIECES (1) TENSILE STRENGTH(MN/M2) MINIMUM 10 SIX TEST PIECES PER COMPOSITION (2) ELONGATION AT BREAKING MINIMUM 250 STRENGTH (%) C. COMPRESSION SET AT 70 + DEG 25 MAXIMUM BS 903 PART: A6 TYPE 1 TEST PIECE AT 70+ 1 DEG C FOR 24 C FOR 24 HOURS (%) HOURS D. SPECIFIC GRAVITY: 1.4 G/CM³ - E. EFFECT OF TEMPERATURE AT A. 100C NO EFFECT B. 150C NO EFFECT F. EFFECT OF CHEMICALS (1). SODIUM HYDROXIDE 50% NOT EFFECTED (2). LUBE OIL NOT EFFECTED G. TEAR STRENGTH (M/M2) MINIMUM 30 BS 903 PART: A3 J. ACCELERATED AIR (B HRS AT 70 DEG C) - BS 903 PARTS: A2, A19, A20 I. HARDNESS CHANGE (IRHD) +10 TO -10 II. TENSILE STRENGTH CHANGE (% OF ORIGINAL VALUE) III. CHANGE IN ELONGATION (% OF ORIGINAL VALUE NOTE: DESIGN AND CONSTRUCTION OF EACH ITEM	

S. No	LPR No	PART NO	NSN / Description	PrEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											WILL BE AS PER ORIGINAL SAMPLE.	
123	DG674244		132572164014 3 / CUTTER 2FLUTE SINGLE END SLOTING END MILL R/H CUT HSS 9, OMM		3 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
124	DGE72344		203070511280 5 / SLING RESCUE STROP	LIFE SAVING EQUIPMENT	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - WEIGHT: 2.90 LBS (1.32 KG) COLOR: INTERNATIONAL ORANGE COVER WITH BLACK WEBBING FABRIC COVER: 420 DENIER NYLON WEBBING BREAKING LIMIT: TYPE 10 MIL# SPEC NYLON WEBBING# 10000 LBS (2.288 KG) STAINLESS STEEL HARDWARE: V-RING WORKING LOAD LIMIT: 10000 LBS (4535 KG) SNAPHOOK WORKING LOAD LIMIT: 2660 LBS (1202 KG) WORKING LOAD LIMIT: 600 LBS (272 KG) SERVICE LIFE: 10 YEARS FROM DATE PLACE IN SERVICE) LIKELY SUPPLIER/ LOVAL SOURCE M/S YEUMON TRADERS & SERVICE 309 BAIT-UL-KHIYAM, NEAR MCB MAIN BRANCH TOWER, II CHANDRIGARH ROAD, KARACHI CONTACT NO. 0300- 8036846 Function: Strop is used to hoist personnel during Helo operations. b. Detailed Specifications (1) SWL (Safe Working Load): 270 kg - 350 kg (2) Fabric Cover: 420 Denier Nylon (3) Webbing Specs: 4 Webbing Material: Nylon 4 SWL: = 4,535 kg (4) V-Ring: 4 SWL: = 4,535 kg 4 Material: Stainless Steel (5) Snap Hook: 4 SWL: = 1,202 kg 4 Material: Stainless Steel (6) Color: Orange c. Packing details Weight: 1.5 kg - 3.0 kg d. Acceptance Criteria	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN. SPECS	Dimension
											Joint inspection of item by CINS/ SS. Item must comply above mentioned specs GENERAL SPECIFICATION - WEIGHT: 2.90 LBS (1.32 KG) COLOR: INTERNATIONAL ORANGE COVER WITH BLACK WEBBING FABRIC COVER: 420 DENIER NYLON WEBBING BREAKING LIMIT: TYPE 10 MIL# SPEC NYLON WEBBING# 10000 LBS (2,268 KG) STAINLESS STEEL HARDWARE: V-WING WORKING LOAD LIMIT: 10000 LBS (4535 KG) *SNAPHOOK WORKING LOAD LIMIT: 2850 LBS (1202 KG) WORKING LOAD LIMIT: 600 LBS (272 KG) SERVICE LIFE: 10 YEARS FROM DATE PLACE IN SERVICE) LIKELY SUPPLIER/ LOVAL SOURCE M/S YEUMON TRADERS & SERVICE 308 BAIT-UL-KHIYAM, NEAR MCS MAIN BRANCH TOWER, II CHANDRIGARH ROAD, KARACHI CONTACT NO. 0300-8006848 Function: Strop is used to hoist personnel during Helo operations. b. Detailed Specifications (1) SWL (Safe Working Load): 270 kg - 350 kg (2) Fabric Cover, 420 Denier Nylon (3) Webbing Specs: 4 Webbing Material: Nylon 4 SWL = 4,535 kg (4) V-Ring: 4 SWL = 4,535 kg 4 Material: Stainless Steel (5) Snap Hook: 4 SWL = 1,202 kg 4 Material: Stainless Steel (6) Color: Orange c. Packing details Weight: 1.5 kg - 3.0 kg d. Acceptance Criteria Joint inspection of item by CINS/ SS. Item must comply above mentioned specs.	
123	OGE77419	NO DATA AVAILABLE	0475546005947 / BRUSH SABLE HAIR NO.4.		10 / EACH NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
125	OGE775	NO DATA	055979800468		100 /						TECHNICAL SPECIFICATION - NO	

S. No	LPR No	PART NO	NSN / Description	PI Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	82	AVAILABLE	2 / INSULATION- SLEEVING- YELLOW-2.5 MM		METER						DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
127	DGE723 62		422000275315 5 / LIFE BOUY ROUND COLOUR RED OUTER DIA 18" INNER DIA 6"		42 / EACH NUMBER						TECHNICAL SPECIFICATION - Inner Dia 45 cm Outer Dia 72 cm Circumference 39 cm Life buoy should have water proof light and recovery line attached to itGENERAL SPECIFICATION - Inner Dia 45 cm Outer Dia 72 cm Circumference 39 cm Life buoy should have water proof light and recovery line attached to it	
128	DGE776 75	640400	472050505662 6 / PRO WEIGHT BELT (6 POUCH BELT)	AQUALUNG DIVING EQUIPMENT	52 / EACH NUMBER						TECHNICAL SPECIFICATION - Size: S (23"-31") M (32"-40") L (41"-49") Material: Nylon Colour: As available Capacity: w.r.t weight holding Enhanced width: 4 inch wide maximum Buckle: Heave duty (Buckle Metallic) Test Certificate: Will be REQUIRED on physical inspectionGENERAL SPECIFICATION - Size: S (23"-31") M (32"-40") L (41"-49") Material: Nylon Colour: As available Capacity: w.r.t weight holding Enhanced width: 4 inch wide maximum Buckle: Heave duty (Buckle Metallic) Test Certificate: Will be REQUIRED on physical inspection	
129	DGE773 68	NO DATA AVAILABLE	4240PK507817 7 / GUNNY BAGS		3450 / EACH NUMBER						TECHNICAL SPECIFICATION - GUNNY BAGS a. Material Natural Jute Fiber b. Color Brown (Natural Jute Color) c. Weight 250-500 GSM (gram per square meter) d. Thickness 0.6-1.2 mm e. Length 30-60 inch f. Stitching Sewn or stitched with jute thread g. Dimensions 26"40 inches h. Tear Resistance 10-30 kg/m j. Moisture Content 10-15% k. Jute Content 100% l- material = jute 2- type of bags = hessian bag (1/1 stain) 3- dimension (inches/cm) =	

S. No	LPR No	PART NO	HSN / Description	Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											40x20/101x51 4- profer x shots/ends x picks per dm = 11x12/47X47 5- weight of fabric (gsm) = (305gsm) 6- weight of bag = 350 gm 7- tensile strength wp x wt (kgf) 112 x 120 (KGF) 8- seam strength wt x wp (kgf) 34 x 38 (KGF). GENERAL SPECIFICATION - GUNNY BAGS a. Material Natural Jute Fiber b. Color Brown(Natural Jute Color) c. Weight 250-500 GSM(gram per square meter) d. Thickness 0.6-1.2 mm e. Length 30-60 inch f. Stitching Sewn or stitched with jute thread g. Dimensions 26*40 inches h. Tear Resistance 10-30 kg/m j. Moisture Content 10-15% k. Jute Content 100% 1- material = jute 2- type of bags = hessian bag (1/1 plain) 3- dimension (inches/cm) = 40x20/101x51 4- profer x shots/ends x picks per dm = 11x12/47X47 5- weight of fabric (gsm) = (305gsm) 6- weight of bag = 350 gm 7- tensile strength wp x wt (kgf) 112 x 120 (KGF) 8- seam strength wt x wp (kgf) 34 x 38 (KGF).	
130	DGE722 56	FEC-32- 5113	421070511240 9 / GAS MASK RESPIRATOR 3M		10 / EACH NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
131	DGB720 91	CATALOG- NO.(USA) 42-059- 098WHITE	343971506889 2 / ELECTRODE (WHITE) TUFF COE CUTTING UNDERWATER DIA 5/16X18	FOR GENERAL USE	300 / PACKETS						TECHNICAL SPECIFICATION - Size: 3/8" x 18" Polarity: DC Electrode Negative (DCEN) Position: Flat, Horizontal, Vertical, Overhead Type of Arc: Medium, Moderate. Penetration Material: Low Carbon Steels Technique: Use short Arc length with electrode angle 30o +15o to the line of weld. UTILIZED DURING UNDERWATER WELDING OPERATION. MUST BE AS PER ISO 9000 STANDARD. MUST HAVE WATER PROOF COATING. GENERAL SPECIFICATION - Size:	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS:	Dimension
											3/8" x 15" Potarly: DC Electrode Negative (DCEN) Position: Flat, Horizontal, Vertical, Overhead Type of Arc: Medium, Moderate, Penetration Material: Low Carbon Steels Technique: Use short Arc length with electrode angle 30o x 15o, to the line of weld. UTILIZED DURING UNDERWATER WELDING OPERATION. MUST BE AS PER ISO 9800 STANDARD. MUST HAVE WATER PROOF COATING	
132	DGB725 57	MILE2220 0-2QA	343900876215 4 / ELECTRODE WELDING AWS E308-16 DIA: 2.8MM (LENGTH PER UNIT/ELECTRODE: 300 MM)	WELDING (STEEL)	88 / KILOGRAMME						TECHNICAL SPECIFICATION - Ø: 2.8 mm Spec: AWS A5.4-81 E 308-16 Chemical Composition C 0.02 Si 0.8 Mn 1.0 Ni 10.0 Cr 19.5 Tensile STRENGTH : 590 N/mm2 Current RANGE: 60-90 Amps Area reduction: 50.0% Elongation: 40.0% Packaging: 01 kg per bag. Final delivery with one batch/lot Classification SOCIETY: Approval of any international classification i.e. LR,BV,ABS,DNV, GL,CC,JIS,ISO-9001-2015 GENERAL SPECIFICATION - Ø: 2.8 mm Spec: AWS A5.4-81 E 308-16 Chemical Composition C 0.02 Si 0.8 Mn 1.0 Ni 10.0 Cr 19.5 Tensile STRENGTH : 590 N/mm2 Current RANGE: 60-90 Amps Area reduction: 50.0% Elongation: 40.0% Packaging: 01 kg per bag. Final delivery with one batch/lot Classification SOCIETY: Approval of any international classification i.e. LR,BV,ABS,DNV, GL,CC,JIS,ISO-9001-2015	
133	DGB718 25	NO DATA AVAILABLE	343971504503 4 / ELECTRODE SEA WELD 5/32X14 (N		1000 / PACKET						TECHNICAL SPECIFICATION - a: Detailed Specifications : LW-CS-2 Electrode Welding 5/32 Inches (4.0 mm) b. Technical data : AWS E70XX c. Polarity : DC Electrode Negative : (DCEN) d. Position : Flat, Horizontal, Vertical, Overhead e. Type of Arc : Medium, Moderate, Penetration f. Material : Low Carbon Steels g.	

S. No	LPR No	PART NO	NSN / Description	Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Technique : Use short Arc length with electrode angle 30 o + 15 o , to the line of weld. 2. Acceptance criteria : Item will be accepted upon technical rep inspection. GENERAL SPECIFICATION - a. Detailed Specifications : UW-CS-2 Electrode Welding 5/32 Inches (4.0 mm) b. Technical data : AWS E70XX c. Polarity : DC Electrode Negative (DCEN) d. Position : Flat, Horizontal, Vertical, Overhead e. Type of Arc : Medium, Moderate, Penetration f. Material : Low Carbon Steels g. Technique : Use short Arc length with electrode angle 30 o + 15 o , to the line of weld. 2. Acceptance criteria : Item will be accepted upon technical rep inspection.	
134	DGB745 88	GGG-S-1808	512000180070 5 / SCREW DRIVER JEWELLER (REMOVABLE BLADE) FLAT TIP WIDTH 0.025"		4 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
135	DGB745 38	10504 or A-A-2344	512000240532 6 / WRENCHES ADJ STEEL LG 7.500	OWS TOOL	3 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
136	DGB742 40		512073100118 1 / PLIERS PISTON RING 90-140MM ELGRA-235/1		5 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
137	DGB745 84		513870501056 1 / TAP SET MACHINE SIZE 10X1.50 MM		6 / SET						TECHNICAL SPECIFICATION - Thread Size : M10 Thread Pitch : 1.5 mm Material : HSS Total Length : 70 mm OEM : Besly, OSG, Emuge, Badr, Guhring, Sandvik Acceptance Criteria: Physical inspection by concerned workshop rep. GENERAL SPECIFICATION - Thread Size : M10 Thread Pitch : 1.5mm Material :	

S. No	LPR No	PART NO	NSN / Description	R/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											HSS Total Length : 70 mm OEM : Sesly, OSG, Emuge, Balz, Guhring, Sandvik Acceptance Criteria: Physical inspection by concerned workshop rep.	
138	DGB74735	NO DATA AVAILABLE	5100546014815 / Mallet PLASTIC WITH HANDLE 320 GRAMS		2 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
139	DGB73944	NO DATA AVAILABLE	4730009657503 / CLAMP JUBILEE SIZE 0-1.125		200 / EACH/NUMBER						TECHNICAL SPECIFICATION - dimensions / size: 1.125 inch inside Diameter, 1/2 inch spec: Worm drive, Stainless Steel material GENERAL SPECIFICATION - dimensions / size: 1.125 inch inside Diameter, 1/2 inch spec: Worm drive, Stainless Steel material	
140	DGB73054		5310705043348 / BUTTER FLY NUTS STEEL 8.5MM HOLE DIA	FOR GENERAL USE	8 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
141	5GB71458		5308891243628 / BOLT MACHINE ISO STEEL HEX HD SIZE 16X5X38 MM	FASTENINGS, BOLTS AND STUDS.	150 / EACH/NUMBER						TECHNICAL SPECIFICATION - SIZE: 16X5X38 MM, MATERIAL: MS, Grade AISI 4140, BOLT HEAD HEXAGON GENERAL SPECIFICATION - SIZE: 16X5X38 MM, MATERIAL: MS, Grade AISI 4140, BOLT HEAD HEXAGON	
142	DGE72224	GRADE 320	5350PK5104070 / WATER PROOF SAND PAPER GRADE 320	WOODEN & GRP BOATS, AQUATIC CLUB DYARD	50 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
143	DGE72317	NO DATA AVAILABLE	5940705088894 / RAYCHEM HEAT SHRINK TUBE MWTM 140/42 1000MM LENGTH	GENERAL PURPOSE ITEM ELECTRIC CABLES	5 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
144	DGE72359	CHR4440 MIL-4-46852	5970009494846 / INSULATION		31 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No.	LPR No	PART NO	NBN / Description	P/Equipment	QTY / DEMO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN. SPECS	Dimension
			TAPE ELECTRIC, ADHESIVE, WD. 1								AVAILABLE	
145	DGE774 04	NIL	792070510179 1 / BROOM NYLON SIZE 1 X2 (BRUSH NYLON)		11 / DOZEN						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
146	DGB745 74	NO DATA AVAILABLE	027750000017 6 / SPANNER DOUBLE ENDED 06X07MM/F		1 / EACH IN UMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
147	DGE773 94	NO DATA AVAILABLE	033050000001 8 / POPLIN CLOTH TARTAN GREEN WIDTH 36	GENERAL USE FOR BATTERIES OF SMS	10 / YARD	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - material composition of 100% cotton WIDTH = 36" GENERAL SPECIFICATION - material composition of 100% cotton WIDTH = 36"	
148	DGE716 37	NO DATA AVAILABLE	034050000001 0 / CANVAS COVER WATER PROOF		5 / EACH IN UMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - Water Proof, In single sheet Size: 30 x 30 feet Colour: Olive Green Usage: Multipurpose use for NA Stores Weight: 60 + 5 KG Material: 100% Cotton Canvas Cloth Thickness: As per sample dimension: 01 sq ft is 56.32 gm. Stock Sample / Reference Sample Material as per sample (enclosed by hand) GENERAL SPECIFICATION - Water Proof, In single sheet Size: 30 x 30 feet Colour: Olive Green Usage: Multipurpose use for NA Stores Weight: 60 + 5 KG Material: 100% Cotton Canvas Cloth Thickness: As per sample dimension: 01 sq ft is 56.32 gm. Stock Sample / Reference Sample Material as per sample (enclosed by hand)	
149	DGD725 07		773070504807 5 / plate Dinner 23cm blue crested (as per stock sample)		24 / EACH IN UMBER						TECHNICAL SPECIFICATION - Material: PORCELIN GENERAL SPECIFICATION - Material: PORCELIN	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
150	DGD725 08		773070504807 8 / CUP TEA BLUE CRESTED		24 / EACH/NUMBER						TECHNICAL SPECIFICATION - Cup Tea Blue PN Crest and shell on edge of cup. Material porcelain. Size: Dia 9CM, depth 8CM, Height 7 CM GENERAL SPECIFICATION - Cup Tea Blue PN Crest and shell on edge of cup. Material porcelain. Size: Dia 9CM, depth 8CM, Height 7 CM	
151	DGE724 23	NO DATA AVAILABLE	046150000008 8 / GOGGLES DARK ADAPTING C/W BLACK FITTERS 4084		10 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
152	DGE724 28	DATA AVAILABLE	046150000015 2 / POLISHING- FELT ROUND		14 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - DIA 250 MM THICKNESS 75 MM (15 TO 18 LAYERS) Thickness Range: 10 to 40 mm (One Piece) 40 to 120 mm (Two Piece Pasted) Center Hole : 10 mm or on Request Material :off white/white or grey sheep's wool Detailed Specification Diameter = 10 Inch Thickness = 1.5 Inch GENERAL SPECIFICATION - DIA 250 MM THICKNESS 75 MM (15 TO 18 LAYERS) Thickness Range: 10 to 40 mm (One Piece) 40 to 120 mm (Two Piece Pasted) Center Hole : 10 mm or on Request Material :off white/white or grey sheep's wool Detailed Specification Diameter = 10 Inch Thickness = 1.5 Inch	
153	DGE746 58	4800	831099139716 0 / GLASS SEWING THREAD 03 STRAND WEIGHT PER REEL 0.5 KG (UK MADE)	E&H VOL BELLOWS	14 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
154	DGT779 79	NO DATA AVAILABLE	010050000001 8 / Ply Wood GD-2, 7 ply (core and inner plies of Poplar	SPECEIFICATION ON IM-2581 (E)	735 / SQ FEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - 1. BS-6566 OF 1966, PART 1-5, TYPE-INT. 2. WOOD PRESERVATION AS PER BS-6566, Part-7, appendix A. 3. MOISTURE CONTENT- BS EN 322	

S. No	LPR No	PART NO	NSN / Description	Pr/Equipment	QTY / DENO	Modal	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SIZE: L=8', W=4', TH=12MM								: 1993, 4. BONDING QUALITY= BS 314-1 : 2004 AND BS EN 314-2 : 1993, 5. GLUE= BS 1203 : 1979, 6. PRESERVATION= BS 4072 : 1999, 7. PHYSICAL EVALUATION= BS 6566-4 : 1985, 8. DENSITY= BS EN 323 : 1993 GENERAL SPECIFICATION - 1. BS-6566 OF 1985, PART 1-8, TYPE-INT, 2. WOOD PRESERVATION AS PER BS-6566, Part-7, appendix A, 3. MOISTURE CONTENT= BS EN 322 : 1993, 4. BONDING QUALITY= BS 314-1 : 2004 AND BS EN 314-2 : 1993, 5. GLUE= BS 1203 : 1979, 6. PRESERVATION= BS 4072 : 1999, 7. PHYSICAL EVALUATION= BS 6566-4 : 1985, 8. DENSITY= BS EN 323 : 1993	
155	DGE718-14	NO DATA AVAILABLE	0415500000009 / FORMICA ENGRAVING WHITE FACE BLACK CORE (1220MMX1220MMX1.57MM)		44.5 / SHEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - 1220 mm x1220 mm x1.57 mm, GENERAL SPECIFICATION - 1220 mm x1220 mm x1.57 mm,	
156	DGE723-27	BA11113115931052	8465725022150 / BAG CARRYING FOR DIVING EQUIPMENT		42 / EACH/NUMBER						TECHNICAL SPECIFICATION - (1) Volume : 130 Liters (2) Dimension : 85 cm x35 cm x 45 cm (3) Made from : Bag made with Tarpolin (4) Shape : U shape for opening (5) Appearance : 2 handles and shoulder strips/ 2 screwed valves GENERAL SPECIFICATION - (1) Volume : 130 Liters (2) Dimension : 85 cm x35 cm x 45 cm (3) Made from : Bag made with Tarpolin (4) Shape : U shape for opening (5) Appearance : 2 handles and shoulder strips/ 2 screwed valves	
157	DGT776-20	NO DATA AVAILABLE	0100500000003 / TIMBER FIR HIMALAYA/ SPRUCE SLEEPER, WELL	(3.05MTR X254MM X127MM) (SPECE/PSG 69)	21 / CUBIC FOOT	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SPECS= PSG/69 well-seasoned wood, moisture content = 12% ± 0.2%, GENERAL SPECIFICATION - SPECS= PSG/69 well-seasoned wood, moisture content = 12% ±	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SEASONED LOCAL IMPORTED, SIZE: L=8'-15", W=8'-14", B=4'-10"								02%	
158	DGE77599	0415-2974	0330999231412 / PLASTIC SHEET	LEANGER CLASS DEPOT PACKAGE	1.5 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
159	DGB74338	NO DATA AVAILABLE	0274546003143 / HAMMAR-CLAW 3274009	MAIN ENGINE 12VE230ZC SUB-CHASER	12 / EACH/NUMBER	12VE230ZC					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
160	DGE72172		5331715124591 / FAST/SPIES ROPE (125 FL FIBER) SPECIAL PURPOSE		4 / EACH/NUMBER						TECHNICAL SPECIFICATION - MIL-F-44422 GENERAL SPECIFICATION - MIL-F-44422	
161	DGD72805		0031546000241 / CUPS EGG GOLDEN CRESTED		30 / EACH/NUMBER						TECHNICAL SPECIFICATION - MATERIAL PORCELAIN FOOD GRADE CERA-E-NOOR (LOCAL) GENERAL SPECIFICATION - MATERIAL PORCELAIN FOOD GRADE CERA-E-NOOR (LOCAL)	
162	DGD74168		0035546000615 / Pot Aluminum 18" With COVER		2 / EACH/NUMBER						TECHNICAL SPECIFICATION - 18 Gauge Aluminum Pot having Capacity of 250 lbs Aluminum grade (as food grade and lead free) GENERAL SPECIFICATION - 18 Gauge Aluminum Pot having Capacity of 250 lbs Aluminum grade (as food grade and lead free)	
163	DGD74169		0035546000617 / Pot Aluminum 6"5" With Cover		2 / EACH/NUMBER						TECHNICAL SPECIFICATION - 18 Gauge Aluminum Pot having Capacity of 40 lbs Aluminum Food Grade (Lead Free) GENERAL SPECIFICATION - 18 Gauge Aluminum Pot having Capacity of 40 lbs Aluminum Food Grade (Lead Free)	
164	DGE72439	NO DATA AVAILABLE	0461546004602 / BOX FIRST AID 728 MS		9 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											AVAILABLE	
165	DGE774-18		0476546004776 / BRUSH SABLE HAIR NO-3 FOR WRITING		20 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
166	DGE723-43	MIL-I-45852	5970001771627 / TAPE INSULATION ELECTRICAL NOMINAL WD 1.5		260 / ROLL	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - PVC TAPE OSAKA Tape insulation electrical ADHES plastic BLK WD 19 mm thickness 0.2mm GENERAL SPECIFICATION - PVC TAPE OSAKA Tape insulation electrical ADHES plastic BLK WD 19 mm thickness 0.2mm	
167	DGE771-04	vb-6	9330705384427 / vomit bag		50 / EACH/NUMBER	vb6-2023					TECHNICAL SPECIFICATION - item is small like polythene bag which is used sudden vomit during sea trip and journey GENERAL SPECIFICATION - item is small like polythene bag which is used sudden vomit during sea trip and journey	
168	DGE722-69	RB10062 local	6160705264085 / INSULATION RUBBER MAT		120 / FOOT	NA					TECHNICAL SPECIFICATION - Size: 4 x 20 feet (WxL) THICKNESS: minimum 10mm GENERAL SPECIFICATION - Size: 4 x 20 feet (WxL) THICKNESS: minimum 10mm	
169	DGP720-51	GC420-100520-000	6780145899597 / GC420 Barcode TENDER LABEL PRINTER / PRINTER, AUTOMATIC DATA PROCESSING		8 / EACH/NUMBER	gc420r					TECHNICAL SPECIFICATION - ZEBRA GC420T to print barcode GENERAL SPECIFICATION - ZEBRA GC420T to print barcode stilers	
170	DGP820-18	CS-WDC09-655-BAA/CMW-9U	7125705141418 / 9U WALL MOUNT 18" CABINET	NET WORKING	1 / EACH/NUMBER	NO DATA AVAILABLE		CH	M/S RAISECO M SUITE NO.401A PANURA MA CENTRE 2 RAJA		TECHNICAL SPECIFICATION - CONTECH BRAND GENERAL SPECIFICATION - CONTECH BRAND	

S. No.	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									GHANAM FAR ALI ROAD SADDAR KARACHI PHON NO. 021-35681550 -1			
171	DGP79658		834550507276 6 / FLAG COMPAK 4 BD		20 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG COMPAK 4 BD GENERAL SPECIFICATION - FLAG COMPAK 4 BD	
172	DGP82254	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	4 / EACH/NUMBER	NO DATA AVAILABLE		PK		PAKISTAN	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both	
173	DGP82180	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	2 / EACH/NUMBER	NO DATA AVAILABLE		PK		PAKISTAN	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB, 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both	
174	DGP82189	NO DATA AVAILABLE	743570513957 4 / BAR CODE	BAR CODING SYSTEM	2 / EACH/NUMBER	NO DATA AVAILABLE		00		N/A	TECHNICAL SPECIFICATION - Light of source 630nm visible red	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / GENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		E	SCANNER ARGOX AS8310 ULTRA LONG RANGE	PNCL	UMBER	LE					LED,Optical system,2048 pixel CCD (CHARGE-COUPLED DEVICE). Depth of scan field: Up to 600mm (code 39, PSC=90%,20mils). Scanning width: 160mm, Scan speed: 450scans/sec, Current-sleep mode: 25mA@ 5VDC GENERAL SPECIFICATION - Light of source: 630nm visible red LED,Optical system,2048 pixel CCD (CHARGE-COUPLED DEVICE). Depth of scan field: Up to 600mm (code 39, PSC=90%,20mils). Scanning width: 160mm, Scan speed: 450scans/sec, Current-sleep mode: 25mA@ 5VDC	
175	DGR814 17	LQ-2190	702573515050 5 / EPSON LQ-2190 DOT MATRIX PRINTER	EPSON	2 / EACH/N UMBER	EPSON		EPSON		EPSON	TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
176	DCF8076 8		834550500197 6 / FLAG COMDESRON 14 68D		5 / EACH/N UMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
177	DCF8076 3		834550507273 9 / FLAG COMDESRON 25 6-8D		10 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG COMDESRON 25 6-8D GENERAL SPECIFICATION - FLAG COMDESRON 25 6-8D	
178	DCF8076 5		834550500197 4 / flag comdesron14 48d		5 / EACH/N UMBER						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
179	DCF7967 6		834550500037 1 / FLAG COMCOAST 6 8D		10 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG COMCOAST 6 8D GENERAL SPECIFICATION - FLAG COMCOAST 6 8D	
180	DCF8077 4		834570509139 8 / FLAG FOST 6-8D		5 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG FOST 6-8D GENERAL SPECIFICATION - FLAG FOST 6-8D	
181	DCF8100 6		834550000049 4 / FLAG COMPATRON 68D		10 / EACH/N UMBER						TECHNICAL SPECIFICATION - FLAG COMPATRON 68D GENERAL SPECIFICATION - FLAG COMPATRON 68D	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DEND	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
182	DCC77221		840560980020 B / BAND DRESS WINTER CEREMONIAL BLACK WITH EMROIDRY SIZE 30 (WITH WAIST BAND & SHOULDER EPPLETS)		10 / PAIR						TECHNICAL SPECIFICATION - BAND DRESS WINTER CEREMONIAL BLACK WITH EMROIDRY SIZE 30 (WITH WAIST BAND & SHOULDER EPPLETS) GENERAL SPECIFICATION - BAND DRESS WINTER CEREMONIAL BLACK WITH EMROIDRY SIZE 30 (WITH WAIST BAND & SHOULDER EPPLETS)	THE ITEM IS PROCURE D AGAINST TENDER SAMPLE AS PER SPECIFICA TION.
183	DCF80771		834550507273 5 / FLAG COMDESRON 18 5-BD		10 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG COMDESRON 18 5-BD GENERAL SPECIFICATION - FLAG COMDESRON 18 5-BD	
184	DGP82017	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology:- Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory:- Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk:- 1TB SATA/SSD, 4. Keyboard:- USB (3d Optical), 5. Mouse:- USB (Optical LED), 6. LED:- 18.5" (Min) or higher (same brand), 7. LAN:- Yes (Built in 10/100/1000), 8. Warranty:- Minimum 01 YEAR or as provided by OEM, 9. Operating System:- Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU	

S. No	LPR No	PART NO	NSN / Description	PrEquipment	QTY / DEMO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous	
185	OGP31978	CORE I5	702570524809 1 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DEMO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO):</u> 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO):</u> 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 GHz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB	
188	DGP821 67	CORE i5	702570524609 1 / PERSONAL COMPUTER (CORE i5)		2 / SET	CORE i5 12-GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / QEND	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 Year or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION:- SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 Year or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
187	DGP82180	CORE I5	702570524608 1 / PERSONAL COMPUTER		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION:- SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU	

S. No	LPR No	PART NO	NSN / Description	PEquipment	QTY / DEMO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			(CORE: 0)								Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous	

S. No	LFR No	PART NO	NSN / Description	PI/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradeation.	
188	DGP82244		743573527485 1 / dell desktop pc CORE I7		2 / PCS						TECHNICAL SPECIFICATION - DELL PC optiplex 5040 INTEL CORE I7 10700 CPU 2.90 GHZ SSD 512 RAM 8GB GENERAL SPECIFICATION - DELL PC optiplex 5040 INTEL CORE I7 10700 CPU 2.90 GHZ SSD 512 RAM 8GB	
189	DCF79570		834550507276 7 / FLAG COMPAK 6-BD		15 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG COMPAK 6-BD GENERAL SPECIFICATION - FLAG COMPAK 6-BD	
190	DCF80772		834570509139 7 / FLAG FOST 4-BD		17 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG FOST 4-BD GENERAL SPECIFICATION - FLAG FOST 4-BD	
191	DCF79571		834550507276 2 / FLAG COMKAR 6-BD		10 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG COMKAR 6-BD GENERAL SPECIFICATION - FLAG COMKAR 6-BD	
192	DCF80769		834550507273 4 / FLAG COMDESRON 18 4-BD		13 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG COMDESRON 18 4-BD GENERAL SPECIFICATION - FLAG COMDESRON 18 4-BD	
193	DCF79572		834550500037 0 / FLAG COMCOAST 48D		15 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG COMCOAST 48D GENERAL SPECIFICATION - FLAG COMCOAST 48D	
194	DCF80757		834550507273 8 / FLAG COMDESRON 25 4-BD		10 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG COMDESRON 25 4-BD GENERAL SPECIFICATION - FLAG COMDESRON 25 4-BD	
195	DCC77219		840550110020 3 / BAND DRESS WINTER CEREMONIAL BLACK WITH EMBROIDRY SIZE 28 (WITH		10 / PAIR						TECHNICAL SPECIFICATION - BAND DRESS WINTER CEREMONIAL BLACK WITH EMBROIDRY SIZE 28 (WITH WAIST BAND & SHOULDER EPPLETS) GENERAL SPECIFICATION - BAND DRESS WINTER CEREMONIAL BLACK WITH EMBROIDRY SIZE 28	THE ITEM IS PROCURED AGAINST TENDER SAMPLE AS PER SPECIFICA

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			WAIST BAND & SHOULDER EPPLETS)								(WITH WAIST BAND & SHOULDER EPPLETS)	TION.
196	DCC78037		8405501100203 / BAND DRESS WINTER CEREMONIAL BLACK WITH EMBROIDRY SIZE 28 (WITH WAIST BAND & SHOULDER EPPLETS)		10 / PAIR						TECHNICAL SPECIFICATION:- BAND DRESS WINTER CEREMONIAL BLACK WITH EMBROIDRY SIZE 28 (WITH WAIST BAND & SHOULDER EPPLETS) GENERAL SPECIFICATION:- BAND DRESS WINTER CEREMONIAL BLACK WITH EMBROIDRY SIZE 28 (WITH WAIST BAND & SHOULDER EPPLETS)	the item is procured against tender sample, as per specification.
197	DCC78038		8405501100204 / BAND DRESS WINTER CEREMONIAL BLACK WITH EMBROIDRY SIZE 32 (WITH WAIST BAND & SHOULDER EPPLETS)		11 / PAIR						TECHNICAL SPECIFICATION:- BAND DRESS WINTER CEREMONIAL BLACK WITH EMBROIDRY SIZE 32 (WITH WAIST BAND & SHOULDER EPPLETS) GENERAL SPECIFICATION:- BAND DRESS WINTER CEREMONIAL BLACK WITH EMBROIDRY SIZE 32 (WITH WAIST BAND & SHOULDER EPPLETS)	the item is procured against tender sample, as per specification.
198	DCF81005		8345500000495 / FLAG COMPATRON 480		10 / EACH/NUMBER						TECHNICAL SPECIFICATION:- FLAG COMPATRON 480 GENERAL SPECIFICATION:- FLAG COMPATRON 480	
199	DGR82181		7535705133021 / LAPTOP COMPUTER (AS PER NHQ APPROVED MODEL HP/DELL/LENOVO)	COMPUTER	2 / EACH/NUMBER	hp1082wm		PK		VIDE NHQ LETTER ST- 5/3200/01 08 DT 23/07/08	TECHNICAL SPECIFICATION:- HP/DELL/LENOVO LAPTOP, S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ); 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED; 4. HARD DISK: 512 gb ssd; 5. OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM YES 7. GRAPHICS: INTEL® HD/HD GRAPHICS/5gb nvidia graphic card 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS	

S. No	LPR No	PART NO	NSN / Description	PL Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ACIO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											11 (LICENSED VERSION). GENERAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS/6gb nvidia graphic card 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	

MEMORANDUM HOW THE TOTAL OF A CHEQUE IS MADE UP (CHEQUE SLIP)

Auth Sec III Para 80 Sub Para (iii) Office Manual Part-III

1276

Pakistan Military Accountst Department

Office of the CNA Karachi No & Date Of cheque _____ Serial No Of Cheque slip _____

In Payment Of bill No:- 2 dt 07/03/2025

180000.00

Bank A/c No PK17HABB0004540013100701

180000.00

In Words Rs ONE HUNDRED EIGHTY THOUSAND

For CNA

(Signature of Offr Signing the cheque)

Initial

Supdt Audit Sec

Initial

Officer O/C Audit Sec

HBL 'A' BLOCK BRANCH PAK SECRETARIAT, ISLAMABAD ISLAMABAD

To

P.P.R.A

PPRA 1st Floor FBC Building Near State Bank Sector G-5/2, Islamabad

Copy To LP Division

2. LAO (NAVY) NSD KARACHI 1