

## TENDER BULLETIN

DATE & TIME 3/11/24 2:34 PM

INVITATION TO TENDER TO BE OPENED ON 3/25/2 10:00 AM

AND ITEM REQ BY

**CONDITIONS**

1. NON REGISTERED FIRMS/SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT/PAY ORDER EQUAL TO 5% TOTAL VALUE OF QUOTATION IN FAVOUR OF COMMANDER LOCAL PURCHASE DIVISION ALONGWITH THEIR BIDS.
2. FOR ANY AMPLIFIED DETAILS INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON OR THROUGH TELEPHONE. DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND 45 DAYS FOR IMPORTED ITEMS.
3. LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
1	DNM56679	3393041/4334439	533071517706 1 / RING, WEAR	MAIN ENGINE KTA50M2	2 / EACH/N UMBER			CUMMINS Ins SOUTH CAROLINA USA	CUMMIN S USA		<u>TECHNICAL SPECIFICATION - RING, WEAR IS A PART OF SEA WATER PUMP FOR MAIN ENGINE CUMMINS KTA50M2 16 CYL. GENERAL SPECIFICATION - RING, WEAR IS A PART OF SEA WATER PUMP FOR MAIN ENGINE CUMMINS KTA50M2 16 CYL.</u>	
2	DNM56623	imp/gp/stb/ t01	201071522103 3 / STERN TUBE FOR 50 MM SHAFT DIA	SHAFTING ARRANGEME NT	4 / EACH/N UMBER	NA		CUMMINS ENGINE CO 4500 LEEDS AVENUE SUITE 500 NORTH CHARLESTON SC, USA TEL: 843-745-1483	CUMMIN S USA		<u>TECHNICAL SPECIFICATION - STEEL STERN TUBE, TO BE WELDED FOR SHAFT 50MM, DIMENSIONS, DIA 50MM INCLUDING 2 RUBBER WALLED ENDS. INCLUDING RUBBER GRP BEARING (WATER LUBRICATING). MACHINED TO ACCEPT TIDES MARINE SURE SEAL, FIRM'S QUOTATION ALONGWITH TECHNICAL SPECS IS ATTACHED</u> <u>GENERAL SPECIFICATION - STEEL STERN TUBE, TO BE WELDED FOR SHAFT 50MM, DIMENSIONS, DIA 50MM INCLUDING 2 RUBBER WALLED ENDS. INCLUDING RUBBER GRP BEARING (WATER LUBRICATING). MACHINED TO ACCEPT TIDES MARINE SURE SEAL, FIRM'S QUOTATION ALONGWITH TECHNICAL SPECS IS ATTACHED</u>	
3	DGP603	CORE I5	702570524609		3 / SET	CORE I5					<u>TECHNICAL SPECIFICATION -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
	07		1 / PERSONAL COMPUTER (CORE: I5)								<p>CPU Technology: Intel Core i5 (10th Gen or above) (Minimum 3 ghz, 6MB, 4 Core) System Memory: MINIMUM 8 GB DDR4 SDRAM Hard Disk 1 TB SATA/ SSD Optical Disk Drive: DVD RW Keyboard: USB 3d Optical Mouse: USB Optical LED: Minimum 18.5" HDMI DISPLAY LAN: Built In 10/100/1000 Warranty: MINIMUM 01 Year (OEM) Operating System: Windows 10 or above (LICENSED) GRAPHICS: INTEL r HD GRAPHICS ,(MINIMUM 2 GB SHARED / DEDICATED GRAPHIC CARD i. Authorized Dealer COC required ii. OEM sealed packed PCs iii. Certificate of Genuineness required iv. Online Warranty required v. Online verification required vi. PCs Without any modification/ up-gradation vii. Genuine licensed window required</p> <p><u>GENERAL SPECIFICATION</u>  -CPU Technology: Intel Core i5 (10th Gen or above) (Minimum 3 ghz, 6MB, 4 Core) System Memory: MINIMUM 8 GB DDR4 SDRAM Hard Disk 1 TB SATA/ SSD Optical Disk Drive: DVD RW Keyboard: USB 3d Optical Mouse: USB Optical LED: Minimum 18.5" HDMI DISPLAY LAN: Built In 10/100/1000 Warranty: MINIMUM 01 Year (OEM) Operating System: Windows 10 or above (LICENSED) GRAPHICS: INTEL r HD GRAPHICS ,(MINIMUM 2 GB SHARED / DEDICATED GRAPHIC CARD i. Authorized Dealer COC required ii. OEM sealed packed PCs iii. Certificate of Genuineness required iv. Online Warranty required v. Online verification required vi. PCs Without any modification/ up-gradation vii. Genuine licensed window required</p>	
4	SNM52379	AF-1811	2940014355475 / AIR FILTER	3512,CATERPILLAR M/E	4 / EACH/N	3512					<p><u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u>  <u>GENERAL</u></p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			(AF1811-1)	USA	UMBER						SPECIFICATION - NO DATA AVAILABLE	
5	DNM58115	imp/gp/stb/t01	201071522103 3 / STERN TUBE FOR 50 MM SHAFT DIA	SHAFTING ARRANGEMENT	3 / EACH/NUMBER	NA		CUMMINS ENGINE CO 4500 LEEDS AVENUE SUITE 500 NORTH CHARLESTON SC, USA TEL: 843-745-1483		CUMMINS USA	TECHNICAL SPECIFICATION - STEEL STERN TUBE, TO BE WELDED FOR SHAFT 50MM, DIMENSIONS, DIA 50MM INCLUDING 2 RUBBER WALLED ENDS. INCLUDING RUBBER GRP BEARING (WATER LUBRICATING). MACHINED TO ACCEPT TIDES MARINE SURE SEAL, FIRM'S QUOTATION ALONGWITH TECHNICAL SPECS IS ATTACHED GENERAL SPECIFICATION - STEEL STERN TUBE, TO BE WELDED FOR SHAFT 50MM, DIMENSIONS, DIA 50MM INCLUDING 2 RUBBER WALLED ENDS. INCLUDING RUBBER GRP BEARING (WATER LUBRICATING). MACHINED TO ACCEPT TIDES MARINE SURE SEAL, FIRM'S QUOTATION ALONGWITH TECHNICAL SPECS IS ATTACHED	
6	SNF57089	0103-034021-250	668578515449 6 / THERMOCOUPLE 5M	H/PAC	5 / EACH/NUMBER			ALPINE INDUSTRIAL CON PVT LTD.305/2 GT ROAD BUGHBAN PURA LAHORE PAKISTAN PHONE;042-6852313,6862490 FAX;92-426553674		CHINA	TECHNICAL SPECIFICATION - SOURCE OF AVAILABILITY;ALPINE INDUSTRIAL CON PVT LTD.305/2 GT ROAD BUGHBAN PURA LAHORE PAKISTAN PHONE;042-6852313,6862490 FAX;92-426553674. GENERAL SPECIFICATION - SOURCE OF AVAILABILITY;ALPINE INDUSTRIAL CON PVT LTD.305/2 GT ROAD BUGHBAN PURA LAHORE PAKISTAN PHONE;042-6852313,6862490 FAX;92-426553674.	
7	DNF58050	6 FMX-150B/wpl150/TPK12150/12N DT150S	614070522258 4 / BATTERY 12 VOLT 150 AH VOLTA	MT VEHICEL WB-300	1 / EACH/NUMBER	6 FMX-150B	NIL	NRTC HARIPUR PAKISTAN		NRTC PAKISTAN	TECHNICAL SPECIFICATION - ITEM IS PART OF JAMMER WB-300 12 volt 150 ah volta tower shape GENERAL SPECIFICATION - ITEM IS PART OF JAMMER WB-300 12 volt 150 ah volta tower shape	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
8	DNF49907	BVP 150-50W/BVP162 / 161 PHILIPS	6120785202658 / FLOOD LIGHT LED40/CW 50W 220-240V POWER LAMP: 50W	FLOOD LIGHT	32 / UNIT	NA	NA	SHOP#268 ,SERENA TOWERS NORTH KARACHI 0300-2121078 (9221)111-786-777  PHILPS LUMANRIES CO. LTD NO.91 TIAN YUAN HI-TECH WEST DISST. CHENGDU CITY, SICHUAN,611730,CHINA	PHILIPS CHINA		<u>TECHNICAL SPECIFICATION - PHILPS BVP161 LED40/CW 50W 220-240V POWER LAMP: 50W</u> <u>GENERAL SPECIFICATION - PHILPS BVP161 LED40/CW 50W 220-240V POWER LAMP: 50W</u>	
9	SNF54640	DIN41494	5995795141292 / 9 U WALL MOUNTED NETWORK RACK WITH 19 INCHES 600MMX60MM FRONT GLASS DOOR,18SWG, 2 FANS	ILS SYSTEM	4 / EACH/NUMBER	D-Link (Pakistan)		UK	CLIPSAL, UNITED KINGDOM		<u>TECHNICAL SPECIFICATION - OEM/SOURCE OF AVAILABILITY: CLIPSAL,UK.</u> <u>GENERAL SPECIFICATION - OEM/SOURCE OF AVAILABILITY:CLIPSAL,UK.</u>	
10	SNS55077	2258019	5330015277572 / Gasket	Caterpillar Emergency DG Marine Genset C 4.4 USA	2 / EACH/NUMBER	Marine Genset C 4.4	Cat00C71 KGTY00676	CATERPILLAR INC.!DBA CATERPILLAR!DIV GOVERNMENTAL AND DEFENSE!PRODUCTS, 14009 OLD GALENA RD TC-A, MOSSVILLE, UNITED STATES, TEL: 3095782353	Caterpillar		<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	
11	SNS55057	124-0506	5330015065644 / Seal	Caterpillar Emergency DG Marine Genset C 4.4 USA	2 / EACH/NUMBER	Marine Genset C 4.4	cat00C71 KGTY00676	CATERPILLAR INC.!DBA CATERPILLAR!DIV GOVERNMENTAL AND DEFENSE!PRODUCTS, 14009 OLD GALENA RD TC-A, MOSSVILLE, UNITED STATES, TEL: 3095782353	CATERPILLAR		<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	
12	SNF56591	STX4000VX007	7025705215933 / 4TB SATA HARD DISK DRIVE	CCTV SYSTEM STX4000VX007 PAKISTAN	4 / EACH/NUMBER	STX4000 VX007		AL-Sa'ee Business Solutions, Suit 30, 3rd Floor, Crown Centre. Plot SB-1 Opp Bait-ul-Mukarram Masjid, Gulshan-d-Iqbal Karachi	Al-Sa'ee/Pro Secure		<u>TECHNICAL SPECIFICATION - FULL HD RECORDING RESOLUTION WITH 1080p HDMI, SUPPORT HD,ALL CHANNELS MINIMUM 720P@25FPS. RECORDING CAPABILITY, 1XHDMI, 1 X VGA, ALARM-IN/OUT, HIGH RESOLUTION DISPLAY UPTO 1920X1080, MOTON DETECTION, OSD GUI, MULTIPLE</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											USERS ACCESS ON LAN. <u>GENERAL SPECIFICATION - FULL HD RECORDING RESOLUTION WITH 1080p HDMI, SUPPORT HD, ALL CHANNELS MINIMUM 720P@25FPS. RECORDING CAPABILITY, 1X HDMI, 1 X VGA, ALARM-IN/OUT, HIGH RESOLUTION DISPLAY UPTO 1920X1080, MOTION DETECTION, OSD GUI, MULTIPLE USERS ACCESS ON LAN.</u>	
13	DNF60622	J9776A / J9772A+j4859c	5895785207833 / NETWORK SWITCH HP 2530 24G/48G WITH SFP MODULES	NETWORK SWITCH J9772A CHINA	1 / EACH/NUMBER	R8N88A/J9776A/J9772A	NA	HP INC C/O INVENTEE (CHONGGING) CORP. NO. 66 WEST DISTRICT 2ND ROAD SHAPINGBA DISTRICT CHONGGING 401331 CHINA	HP CHINA		<u>TECHNICAL SPECIFICATION - ATTACHED GENERAL SPECIFICATION - ATTACHED</u>	
14	DNF55566	J9776A / J9772A+j4859c	5895785207833 / NETWORK SWITCH HP 2530 24G/48G WITH SFP MODULES	NETWORK SWITCH J9772A CHINA	1 / EACH/NUMBER	R8N88A/J9776A/J9772A	NA	HP INC C/O INVENTEE (CHONGGING) CORP. NO. 66 WEST DISTRICT 2ND ROAD SHAPINGBA DISTRICT CHONGGING 401331 CHINA	HP CHINA		<u>TECHNICAL SPECIFICATION - ATTACHED GENERAL SPECIFICATION - ATTACHED</u>	
15	DNF60691	J9776A / J9772A+j4859c	5895785207833 / NETWORK SWITCH HP 2530 24G/48G WITH SFP MODULES	NETWORK SWITCH J9772A CHINA	2 / EACH/NUMBER	R8N88A/J9776A/J9772A	NA	HP INC C/O INVENTEE (CHONGGING) CORP. NO. 66 WEST DISTRICT 2ND ROAD SHAPINGBA DISTRICT CHONGGING 401331 CHINA	HP CHINA		<u>TECHNICAL SPECIFICATION - ATTACHED GENERAL SPECIFICATION - ATTACHED</u>	
16	DNF58467	164070308	6625795204638 / ANALOG METER LOP	MONITORING & ALARM SYSTEM L-110-0-0010 UK	1 / EACH/NUMBER	L-110-0-0010	NIL	20920 23RD AVE 3 BAYSIDE, NEW YORK 11360-1839 UNITED STATES	FINE POWER		<u>TECHNICAL SPECIFICATION - Analog lub oil pressure meter is 0-10 bar</u> <u>GENERAL SPECIFICATION - Analog lub oil pressure meter is 0-10 bar</u>	
17	SNF54691	13304 4A	5920142999399 / FUSE 4A SIZE 10X38	MOBILE LOADVAN 1600KW (2000KVA)	50 / EACH/NUMBER	NO DATA AVAILABLE		FR	M/S M/S RESISTAL SA 400 RUE GLORIEUSE, ZADU TUBOEUF, 77170 BRIE		<u>TECHNICAL SPECIFICATION -</u> <u>GENERAL SPECIFICATION -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									COMTE ROBERT FRANCE			
18	DNV58398	H76228-8	5330795229234 / SERVICE KIT C	PROPULSION SHAFT SEAL	1 / KIT	200 PSE	NIL	WARTSILA UK LTD MARPLES WAY, HAVANT HAMPSHIRE, PO9 INX,UK	WARTSILA UK		<u>TECHNICAL SPECIFICATION - SEE ATTACHED DOCUMENT</u> <u>GENERAL SPECIFICATION - SEE ATTACHED DOCUMENT</u>	
19	SNF36840	B 22 CDL	6240785157419 / PHILPS TORNADO ENERGY SAVER(PIN TYPE)110V AC 6500	LIGHTING SYSTEM	300 / EACH/NUMBER			MADE IN CHINA 2009 KONIN KLIJKE PHILPS ELECTRIC WWW.PHILPS.COM.	MADE IN CHINA 2009 KONIN KLIJKE PHILPS ELECTRIC WWW		<u>TECHNICAL SPECIFICATION - 24 WATT 110 V AC 6500K COOL DAYLIGHT 1450 LUMAN 63 1M/W PIN TYPE</u> <u>GENERAL SPECIFICATION - 24 WATT 110 V AC 6500K COOL DAYLIGHT 1450 LUMAN 63 1M/W PIN TYPE</u>	
20	DNF54624	20077	5925144185090 / 2 POLE MULTI-9 BREAKER 25A 380 VOLT	MAIN SWITCH BOARD	5 / EACH/NUMBER	C-32H/MERLIN GERIN		SCHNEIDER ELECTRIC INDUSTRIES SAS (MERLIN GERIN) 35 RUE JOSEPH MONIER RUEIL MALMAISON FRANCE TEL:0141297000 FAX:0141297100 WWW.SCHNEIDER-ELECTRIC.FR	MERLIN GERIN		<u>TECHNICAL SPECIFICATION - 2 POLE 380VOLT 50HZ 2PHASE 25A (multi 9) C60N</u> <u>GENERAL SPECIFICATION - 2 POLE 380VOLT 50HZ 2PHASE 25A (multi 9) C60N</u>	
21	DNF58891	99-00182-00	5920735204999 / Power Surge Arrestor PoE RJ45 Outdoor Bottom 2xRJ45 Jacks	REDLINE	5 / EACH/NUMBER	LP-POE-ALPU-01	NIL	REDLINE COMMUNICATION, 302 Town Centre Blvd, Toronto, Ontario Canada, +19054798344, +186663366699, www.rdlcom.com, info@rdlcom.com	REDLINE COMMUNICATIONS		<u>TECHNICAL SPECIFICATION -</u> <u>GENERAL SPECIFICATION -</u>	
22	DNF57965	LCB (ES9-12) /HRL1234W	6140661592934 / Battery, 12V, 9ah (34W)	Weccdis UPS	18 / EACH/NUMBER	EATON, EX1500	0	5F.-1, NO 36, NANJING W RD, TAIPEI CITY	CSB BATTERY CO. LTD		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
23	DNF60439	S4600-28P-SI /CSS326-24G-2SRM/J9776A	7025145837789 / Switch Unit 24 PORT WITH 4SFP with Accessories	Local Area Network (LAN) (Intranet)	2 / EACH/NUMBER		0	1 AV DU CANADA LES ULIS LES ULIS	HEWLETT-PACKARD CENTRE COMPETENCE FRANCE		<u>TECHNICAL SPECIFICATION - DCN S4600-28P-SI LAYER-2 24 PORT WITH 4SFP</u> <u>GENERAL SPECIFICATION - DCN S4600-28P-SI LAYER-2 24 PORT WITH 4SFP</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
24	DNC58845	ELEC-0366	6510795174459 / PLASTIC CABLE TIES	H/CRAFT	227 / EACH/NUMBER	H/CRAFT 8100TD		GRIFFON HOVER WORK UK	GRIFFON HOVER WORK		<u>TECHNICAL SPECIFICATION - GRIFFON HOVER WORK UK</u> <u>GENERAL SPECIFICATION - GRIFFON HOVER WORK UK</u>	
25	DNC60434	ELEC-0366	6510795174459 / PLASTIC CABLE TIES	H/CRAFT	500 / EACH/NUMBER	H/CRAFT 8100TD		GRIFFON HOVER WORK UK	GRIFFON HOVER WORK		<u>TECHNICAL SPECIFICATION - GRIFFON HOVER WORK UK</u> <u>GENERAL SPECIFICATION - GRIFFON HOVER WORK UK</u>	
26	DNC58056	ELEC-0366	6510795174459 / PLASTIC CABLE TIES	H/CRAFT	430 / EACH/NUMBER	H/CRAFT 8100TD		GRIFFON HOVER WORK UK	GRIFFON HOVER WORK		<u>TECHNICAL SPECIFICATION - GRIFFON HOVER WORK UK</u> <u>GENERAL SPECIFICATION - GRIFFON HOVER WORK UK</u>	
27	DNF60618	SUA 10001 APC	6130725140393 / APC UPS 1KVA 230VAC WITH 2X BATTERIES 12V 12AH	BERQ PROJECT	1 / EACH/NUMBER	APC BRAND		GE	ROHDE&SCHWARZ INTL GMBH GERMANY		<u>TECHNICAL SPECIFICATION - ONE PC average voltage consumption in 250 Watts Battery backup time of said UPS is: Backup Time = AH *12V*N*Efficiency of Battery / Load in watts Where: AH= Ampere hour Capacity of battery (12AH) N= Number of 12 batteries attached (2) Efficiency of Battery = 0.8 12AH*12v*2*0.8/250 = 0.9216 hours Approx. : 30 minutes 230VAC WITH@X BATTERIED 12V 12AH</u> <u>GENERAL SPECIFICATION - ONE PC average voltage consumption in 250 Watts Battery backup time of said UPS is: Backup Time = AH *12V*N*Efficiency of Battery / Load in watts Where: AH= Ampere hour Capacity of battery (12AH) N= Number of 12 batteries attached (2) Efficiency of Battery = 0.8 12AH*12v*2*0.8/250 = 0.9216 hours Approx. : 30 minutes 230VAC WITH@X BATTERIED 12V 12AHM</u>	
28	DNG50501	32GB-500-182-EE	5998715136087 / PRODIALOG CARD WITH SOFTWARE	CHILLED WATER PLANT / 60 TONS AC PLANT	1 / EACH/NUMBER	NO DATA AVAILAB LE		US	CARRIER USA		<u>TECHNICAL SPECIFICATION - -</u> <u>GENERAL SPECIFICATION - -</u>	
29	DNF60620	DHI-NVR4216-16P-4KS2/L/	6760785207846 / 16 CHANNEL PRO	CCTV System NVR5216-4KS2 CHINA	1 / EACH/NUMBER	DHI-NVR4216-16P-4KS2/L/D	NA	NO.1199 bin'an road , binjiang district hangzhou , china, 310053 tel: +86-571-87688883	MS NETWORK		<u>TECHNICAL SPECIFICATION - Main Processor Quad-core embedded processor Operating System Embedded LINUX Display</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		DHI-NVR4216-16P-4KS2	NETWORK VIDEO RECORDER			HI-NVR4216-16P-4KS2					Interface 1 HDMI, 1 VGA Resolution 3840x2160, 1920x1080, 1280x1024, 1280x720, 1024x768 Multi-screen Display 1/4/8/9/16 OSD Camera title, Time, Video loss, Camera lock, Motion detection, Recording <u>GENERAL SPECIFICATION - Main Processor Quad-core embedded processor Operating System Embedded LINUX Display Interface 1 HDMI, 1 VGA Resolution 3840x2160, 1920x1080, 1280x1024, 1280x720, 1024x768 Multi-screen Display 1/4/8/9/16 OSD Camera title, Time, Video loss, Camera lock, Motion detection, Recording</u>	
30	DNF60716	P-0190000	5140785167178 / EQUIPMENT BOX (650x750x250) MM PORTABLE MATERIAL, Stainless Steel, grade 316L	PSS	1 / EACH/NUMBER			M/s CETC International Co., Ltd. CETC Mansion, No.5 Wulutong North Street, Xicheng District, Beijing, China 100120.	M/s CETC International Co., Ltd.		<u>TECHNICAL SPECIFICATION - EQUIPMENT BOX METAL (650x750x250) MM PORTABLE material: STAINLESS STEEL GRADE: 316L M/s CETC International Co., Ltd. CETC Mansion, No.5 Wulutong North Street, Xicheng District, Beijing, China 100120. Box: DP Box for Energizer</u> <u>GENERAL SPECIFICATION - EQUIPMENT BOX METAL (650x750x250) MM PORTABLE material: STAINLESS STEEL GRADE: 316L M/s CETC International Co., Ltd. CETC Mansion, No.5 Wulutong North Street, Xicheng District, Beijing, China 100120. Box: DP Box for Energizer</u>	
31	DNF58593	121468/5P X300 OIRTNG2/MLM-203 /DH2024	613072517106 1 / UPS 3 KVA	N/A	1 / EACH/NUMBER	MLM-203 /DH2024		GERMANY	GERMANY		<u>TECHNICAL SPECIFICATION - MODEL MLM-203 /DH2024 BACK UP REQUIREMENT 4-8 HOURS POWER SUPPLY 220/230/240 VOLT PLUS MINUS 10 PERCENT</u> <u>GENERAL SPECIFICATION - MODEL MLM-203 /DH2024 BACK UP REQUIREMENT 4-8 HOURS POWER SUPPLY 220/230/240 VOLT PLUS MINUS 10</u>	



S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											PERCENT	
32	DNF60441	BRAPDU-C001	7125735223890 / RACK, PDU, Cables	C Band DVBS	1 / EACH/NUMBER	BayLan		M/S NSSL Technopolis building ROLFSBUKTVEIEN 4B, 1364 FORNEBU OSOLO NORWAY	M/S NSSL		TECHNICAL SPECIFICATION - ζ PDU19" RM 1U 7 Way Multi Extension socket type Power Distribution Unit (PDU). ζ Single phase 220-240AV 50-60 Hz. ζ Maximum load 16 Amp/7840 Watts. GENERAL SPECIFICATION - ζ PDU19" RM 1U 7 Way Multi Extension socket type Power Distribution Unit (PDU). ζ Single phase 220-240AV 50-60 Hz. ζ Maximum load 16 Amp/7840 Watts.	
33	DNZ58521	KH-H10G	4820785138064 / HIGH PRESSURE BALL VALVE DN10	2500M3 TRAILING SUCTION DREGER	4 / EACH/NUMBER	NO DATA AVAILAB LE		CH	SHANG HAI MINGZHU HYDRAULIC & MACHINE CO LTD CHINA		TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
34	DNF57476	3BA23274 AB	5805745207082 / INTIP-3 (IP INTERFACE BOARD)	PN NAVCOMM SWITCHES OXE FRANCE	1 / EACH/NUMBER	INTIP-3	Nil.	Immeuble Cyteo, 147 Avenue, Paul Doumer 92500, Rueil-MALMAISON FRANCE	M/s Alcatel Lucent France		TECHNICAL SPECIFICATION - Board used in Navcomm Switches. GENERAL SPECIFICATION - Board used in Navcomm Switches.	
35	DNQ58644	SOLO A10-001	1290735226270 / SOLO A10 150ML (SMOKE DETECTOR TESTER)	SMOKE DETECTOR	4 / EACH/NUMBER	SOLO A10	NIL	EDISON HOUSE 163 DIXONS HILL ROAD WELHAM GREEN HERTFORDSHIRE AL9 7JE UNITED KINGDOM.	NO CLIMB PRODUCTS LTD		TECHNICAL SPECIFICATION - IPC ATTACHED, MODEL SOLO A10, NON FLAMMABLE AND SILICON FREE SOLUTION GENERAL SPECIFICATION - IPC ATTACHED, MODEL SOLO A10, NON FLAMMABLE AND SILICON FREE SOLUTION	
36	DNM44713	1000152	3439715231696 / SIPHONE PLUG AND NOZZLE RESEAL KIT	16E SPRAY GUN	5 / EACH/NUMBER	16E-H SPRAY GUN	NA	SULZER METCO (US)INC. 1101 PROSPECT AVENUE WESTBURY, NY 11590 USA TEL:+15163341300 FAX:+15163382414	SULZER METCO USA		TECHNICAL SPECIFICATION - OEM: SULZER METCO US INC 1101 PROSPECT AVENUE WESTBURY NY 11590 USA MANUFACTURE SULZER METCO GENERAL SPECIFICATION - OEM: SULZER METCO US INC 1101 PROSPECT AVENUE WESTBURY NY 11590 USA MANUFACTURE SULZER METCO	
37	DNS57956	201018	4310FT1007141 / Air Filter	J.P Sauer & Sohn LPAC	1 / EACH/NUMBER	SC22-8-MA60	N/A	BRAUNER BERG 15, KIEL, 24159, ALMANYA, TEL:	SAUER, J.P. &		TECHNICAL SPECIFICATION - AS PER TPIGENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			Element	SC22-8-MA60 Germany	UMBER			+49 (0) 7562 975 540	SOHN MASCHIN ENBAU GMBH		<u>SPECIFICATION - AS PER TPI</u>	
38	DNS586 60	D8103 ITEM 16	533099893600 1 / MECHANICAL SEAL (B50X50HC 2- POLE SEWEGE PUMP)	HAMWORTHY SUPER TRIDENT SEWAGE TREATMENT ST6A UK	1 / EACH/N UMBER	ST-6A		HAMWORTHY KSE WATER SYSTEMS LIMITED FLEETS CORNER, POOLE, DORSET, BH17 0JT, ENGLAND Tel : +44 (0)1202 662600 Fax : +44 (0)1202 668793 Email/URL : info@hamworthy.com	HAMWOR THY KSE WATER SYSTEM S LIMITED ENGLAN D		<u>TECHNICAL SPECIFICATION -</u> Length 70mm Stationary dia 70mm Stationary Thickness 14 mm Stationary Bore 52 mm Bellow bore 50 mm Bellow dia 69 mm <u>GENERAL</u> <u>SPECIFICATION - Length 70mm</u> Stationary dia 70mm Stationary Thickness 14 mm Stationary Bore 52 mm Bellow bore 50 mm Bellow dia 69 mm	
39	SNJ3900 4	12892- 93J10- 235/12892- 93J00-235	536576522236 8 / SHIM, TAPPET (T: 2350)	SUZUKI DF300AP 300 HP OBM	12 / EACH/N UMBER	DF300AP	30002P- 712896	SUZUKI MOTOR CO LTD JAPAN	SUZUKI JAPAN		<u>TECHNICAL SPECIFICATION -</u> MAKE: PAK SUZUKI CO LTD <u>GENERAL SPECIFICATION -</u> MAKE: PAK SUZUKI CO LTD	
40	DNQ531 19	FP-30-001	492070516159 9 / CAST IRON FRONT COVER	FF TRG PUMP	1 / EACH/N UMBER		006	MERAJ LIMITED HEAD OFFICE: PLOT NO 11 SECTOR 15 KORANGI INDUSTRIAL AREA KARACHI 74900 PAKISTAN TEL: 5050145-6 FAX: 92-21-5060663 E-MAIL:meraj@cyber.net. pk UAN: 111163725 URL: www.meraj.net.pk	MERAJ LIMITED		<u>TECHNICAL SPECIFICATION - cast</u> iron front cover <u>GENERAL</u> <u>SPECIFICATION - cast iron front</u> cover	
41	DNQ531 17	FP-30-008	492070516160 5 / CAST IRON BACK COVER	FF TRG PUMP	1 / EACH/N UMBER		006	MERAJ LIMITED HEAD OFFICE: PLOT NO 11 SECTOR 15 KORANGI INDUSTRIAL AREA KARACHI 74900 PAKISTAN TEL: 5050145-6 FAX: 92-21-5060663 E-MAIL:meraj@cyber.net. pk UAN: 111163725 URL: www.meraj.net.pk	MERAJ LIMITED		<u>TECHNICAL SPECIFICATION -</u> CAST IRON BACK COVER <u>GENERAL SPECIFICATION</u> -CAST IRON BACK COVER	
42	DNQ531 18	FP-30-010	492070516160 7 / CAST IRON SEAL COVER	FF TRG PUMP	1 / EACH/N UMBER		006	MERAJ LIMITED HEAD OFFICE: PLOT NO 11 SECTOR 15 KORANGI INDUSTRIAL AREA	MERAJ LIMITED		<u>TECHNICAL SPECIFICATION -</u> CAST IRON SEAL COVER <u>GENERAL SPECIFICATION</u> -CAST IRON SEAL COVER	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
								KARACHI 74900 PAKISTAN TEL: 5050145-6 FAX: 92-21-5060663 E-MAIL:meraj@cyber.net. pk UAN: 111163725 URL: www.meraj.net.pk				
43	SNJ5484 5	09168- 10034	533076522182 1 / GASKET (95X165X2)	SUZUKI DF300AP 300 HP OBM	92 / EACH/N UMBER	DF300AP	30002P- 712896	SUZUKI MOTOR CO LTD JAPAN	SUZUKI JAPAN		<u>TECHNICAL SPECIFICATION - NIL</u> <u>GENERAL SPECIFICATION - NIL</u>	
44	SNJ5484 2	09160- 10082	531076522250 9 / WASHER (105X19X2)	SUZUKI DF300AP 300 HP OBM	20 / EACH/N UMBER	DF300AP	30002P- 712896	SUZUKI MOTOR CO LTD JAPAN	SUZUKI JAPAN		<u>TECHNICAL SPECIFICATION - NIL</u> <u>GENERAL SPECIFICATION - NIL</u>	
45	DNJ5240 6	09202- 06031	531576522211 6 / PIN (6X12)	SUZUKI DF300AP 300 HP OBM	6 / EACH/N UMBER	DF300AP	30002P- 712896	SUZUKI MOTOR CO LTD JAPAN	SUZUKI JAPAN		<u>TECHNICAL SPECIFICATION - NIL</u> <u>GENERAL SPECIFICATION - NIL</u>	
46	DNJ5192 8	09202- 06031	531576522211 6 / PIN (6X12)	SUZUKI DF300AP 300 HP OBM	2 / EACH/N UMBER	DF300AP	30002P- 712896	SUZUKI MOTOR CO LTD JAPAN	SUZUKI JAPAN		<u>TECHNICAL SPECIFICATION - NIL</u> <u>GENERAL SPECIFICATION - NIL</u>	
47	SNF5180 8	CAT-6 (cat-6a or cat-7a s/ftp)	593074514115 3 / ETHERNET CABLE 4 PAIR CAT-6 SHIELDED COPPER CONDUCTOR	WECDIS SYSTEM	600 / METER	belden/r& m		FR	M/S SODENA SAS 30 EVANUE DE L AMIRAL LEMONIE R 78160 MARLY LE ROI- FRANCE. TEL#(33) 1 30 08 97 00, FAX#+33 (0) 1 30 08 97 01		<u>TECHNICAL SPECIFICATION - OEM ADD/SOURCE OF AVAILIBILITY:M/S SODENA SAS 30 EVANUE de l Amiral Lemonier 78160 Marly le Roi-FRANCE.TEL#(33)1 30 08 97 00,FAX#+33(0)1 30 08 97 01</u> <u>GENERAL SPECIFICATION - OEM ADD/SOURCE OF AVAILIBILITY:M/S SODENA SAS 30 EVANUE de l Amiral Lemonier 78160 Marly le Roi-FRANCE.TEL#(33)1 30 08 97 00,FAX#+33(0)1 30 08 97 01</u>	
48	SNS5506 2	288-0422	533001565461 2 / Seal-Oil (Front)	Caterpillar Emergency DG Marine Genset C 4.4 USA	2 / EACH/N UMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPI LLAR INC. DBA CATERPI LLAR DIV GOVERN MENTAL AND		<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									DEFENSE PRODUCTS			
49	SNS55043	238-8288	5330015719727 / Gasket-Inlet	Caterpillar Emergency DG Marine Genset C 4.4 USA	2 / EACH/NUMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPILLAR INC. DBA CATERPILLAR DIV GOVERNMENTAL AND DEFENSE PRODUCTS		<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	
50	DNS58574	471 063	2940982066710 / LUB OIL FILTER ELEMENT	WARTSILA MAIN ENGINE 9L20C3 FINLAND	19 / EACH/NUMBER			Wartsila Finland OY Tarhaajantie 2, FIN-65101 Vaasa Finland Tel: + 358 10 709 0000 Fax (Spare Parts): +358 10 709 1426	WARTSILA		<u>TECHNICAL SPECIFICATION - PATT VIDE:PNMIT LETTER PNMIT/331/CLASS SPARES/480 DT 26/4/11</u> <u>GENERAL SPECIFICATION - PATT VIDE:PNMIT LETTER PNMIT/331/CLASS SPARES/480 DT 26/4/11</u>	
51	DNF45819	PAE/L1SB/1500	6130705129497 / 1-KVA-PMC-UPS-WITH DRY SEALED BATTERIES-30-MINT BACK UP TIME	COMPUTER	4 / EACH/NUMBER	PAE/L1SB/1500		PK	UNI COMPUTER BANK 1ST FLOOR AAMIR TRADE CENTRE 233/1-A BLOCK-2 P.E.C.H.S KARACHI		<u>TECHNICAL SPECIFICATION - input: 140 V~280V output: 220 V~50 hz 1KVA (WITH 30 MINUTE BACKUP TIME)</u> <u>GENERAL SPECIFICATION - input: 140 V~280V output: 220 V~50 hz 1KVA (WITH 30 MINUTE BACKUP TIME)</u>	
52	SNF54632	PAE/L1SB/1500	6130705129497 / 1-KVA-PMC-UPS-WITH DRY SEALED BATTERIES-30-MINT BACK UP TIME	COMPUTER	5 / EACH/NUMBER	PAE/L1SB/1500		PK	UNI COMPUTER BANK 1ST FLOOR AAMIR TRADE CENTRE 233/1-A BLOCK-2 P.E.C.H.S		<u>TECHNICAL SPECIFICATION - input: 140 V~280V output: 220 V~50 hz 1KVA (WITH 30 MINUTE BACKUP TIME)</u> <u>GENERAL SPECIFICATION - input: 140 V~280V output: 220 V~50 hz 1KVA (WITH 30 MINUTE BACKUP TIME)</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									KARACHI			
53	DNF59979	DCC/HFB M/EL/004	5995705214358 / DAFS UNIT	DF RACK 100C2ZL PAK	1 / EACH/NUMBER	100C2ZL	NA	Data Communication and Control Pvt. Ltd. 409 Clifton Center, Block 5 Clifton, Khi 021-35363212	DCC		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
54	DNF60627	DCC/HFB M/EL/004	5995705214358 / DAFS UNIT	DF RACK 100C2ZL PAK	1 / EACH/NUMBER	100C2ZL	NA	Data Communication and Control Pvt. Ltd. 409 Clifton Center, Block 5 Clifton, Khi 021-35363212	DCC		<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
55	DNM56295	10000-66719	2940795208378 / Oil Filter	ENGINE	10 / EACH/NUMBER	perkins/fg wilson	1106A-70TA	F G WILSON ENGG LTD (UK)	F G WILSON ENGG LTD (UK)	OEM/ Authorized dealer COC will be required.	<u>TECHNICAL SPECIFICATION - brand: perkins/fg wilson</u> <u>GENERAL SPECIFICATION - brand: perkins/fg wilson</u>	
56	SNS55044	2257738 / 225-7738	5331015277569 / O-ring	Caterpillar Emergency DG Marine Genset C 4.4 USA	3 / EACH/NUMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPILLAR INC. DBA CATERPILLAR DIV GOVERNMENTAL AND DEFENSE PRODUCTS		<u>TECHNICAL SPECIFICATION -</u> <u>GENERAL SPECIFICATION -</u>	
57	SNS55077	2258019	5330015277572 / Gasket	Caterpillar Emergency DG Marine Genset C 4.4 USA	2 / EACH/NUMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPILLAR INC. DBA CATERPILLAR DIV GOVERNMENTAL AND DEFENSE PRODUCTS		<u>TECHNICAL SPECIFICATION -</u> <u>GENERAL SPECIFICATION -</u>	
58	SNS55078	225-7741	5935015234811 / Connection As	Caterpillar Emergency DG Marine Genset C 4.4 USA	2 / EACH/NUMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPILLAR INC. DBA CATERPILLAR DIV GOVERNMENTAL		<u>TECHNICAL SPECIFICATION -</u> <u>GENERAL SPECIFICATION -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
									AND DEFENS E PRODUC TS			
59	SNS55071	2255962/25-5962	5306015277557 / Bolt (M8X1.25X30-mm)	Caterpillar Emergency DG Marine Genset C 4.4 USA	7 / EACH/NUMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPI LLAR INC. DBA CATERPI LLAR DIV GOVERN MENTAL AND DEFENS E PRODUC TS		<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	
60	SNS55067	225-5502	5306015239777 / Bolt (M15X1.5X162-mm)	Caterpillar Emergency DG Marine Genset C 4.4 USA	3 / EACH/NUMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPI LLAR INC. DBA CATERPI LLAR DIV GOVERN MENTAL AND DEFENS E PRODUC TS		<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	
61	SNS55068	225-5501	5306015239775 / Bolt (M15X1.5X137-mm)	Caterpillar Emergency DG Marine Genset C 4.4 USA	7 / EACH/NUMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPI LLAR INC. DBA CATERPI LLAR DIV GOVERN MENTAL AND DEFENS E PRODUC TS		<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	
62	SNS55079	230-8996	4720015237627 / Tube As (Cyl No.2)	Caterpillar Emergency DG Marine Genset C 4.4 USA	2 / EACH/NUMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPI LLAR INC. DBA CATERPI LLAR DIV		<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
									GOVERNMENTAL AND DEFENSE PRODUCTS			
63	SNS55074	0676006/067-6006	5365014715617 / Plug	Caterpillar Emergency DG Marine Genset C 4.4 USA	12 / EACH/NUMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPILLAR INC. DBA CATERPILLAR DIV GOVERNMENTAL AND DEFENSE PRODUCTS		<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	
64	SNS55076	0337849	5365014713999 / Plug	Caterpillar Emergency DG Marine Genset C 4.4 USA	4 / EACH/NUMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPILLAR INC. DBA CATERPILLAR DIV GOVERNMENTAL AND DEFENSE PRODUCTS		<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	
65	SNS55054	232-3666	5310015239820 / Washer-Thrust	Caterpillar Emergency DG Marine Genset C 4.4 USA	2 / EACH/NUMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPILLAR INC. DBA CATERPILLAR DIV GOVERNMENTAL AND DEFENSE PRODUCTS		<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	
66	SNS55066	232-3274	5306015239819 / Bolt (M8X1.25X48.1-mm)	Caterpillar Emergency DG Marine Genset	12 / EACH/NUMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPILLAR INC. DBA		<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
				C 4.4 USA					CATERPI LLAR DIV GOVERN MENTAL AND DEFENS E PRODUC TS			
67	SNS55055	232-3149	531001523981 8 / Washer (8.35X16.85X1.55-mm thk)	Caterpillar Emergency DG Marine Genset C 4.4 USA	6 / EACH/N UMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPI LLAR INC. DBA CATERPI LLAR DIV GOVERN MENTAL AND DEFENS E PRODUC TS		<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	
68	SNS55057	124-0506	533001506564 4 / Seal	Caterpillar Emergency DG Marine Genset C 4.4 USA	2 / EACH/N UMBER	Marine Genset C 4.4	N/A	14009 OLD GALENA RD TC-A, MOSSVILLE, IL, 61552-7547, U.S.A	CATERPI LLAR INC. DBA CATERPI LLAR DIV GOVERN MENTAL AND DEFENS E PRODUC TS		<u>TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -</u>	
69	SNF54684	AP4138	055979000413 8 / BELL ELECTRIC BRAKET M/S		4 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - NO DATA AVAILABLE</u> <u>GENERAL SPECIFICATION - NO DATA AVAILABLE</u>	
70	DPC55498		047450474008 2 / CUPREX 1 BLOCK (PACKING 1 KG)	4FI SSDG SEA WATER PUMP	88 / KILOGR AMME						<u>TECHNICAL SPECIFICATION - packing 1 kg</u> <u>GENERAL SPECIFICATION - packing 1 kg</u>	
71	SGD27674	NO DATA AVAILABL E	003550000045 1 / UTENSILS COOKINGALU		5 / EACH/N UMBER						<u>TECHNICAL SPECIFICATION - Material Aluminium Alloy Food Grade,100% Free from lead (PB) and</u>	



S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			M O/D5.35" H2.5" TH 18 SWG WITH COVER								Cadmium (CD) <u>GENERAL SPECIFICATION - Material</u> Aluminium Alloy Food Grade,100% Free from lead (PB) and Cadmium (CD)	
72	DNF60713	CW0-56	0561795198763 / WIRE WINDING COPPER ELECT COND DIA 0.560MM O/DIA 0.656 MM GRADE-3 CLASS-180	WIRE WINDING..	15 / KILOGRAMME						<u>TECHNICAL SPECIFICATION - DEF 61-12, Part 14 Issue 2; BS 4665 Part 1 of 1971 Grade-3 copper purity percentage wire winding : 99.98%</u> <u>GENERAL SPECIFICATION - DEF 61-12, Part 14 Issue 2; BS 4665 Part 1 of 1971 Grade-3 copper purity percentage wire winding : 99.98%</u>	
73	DNF53753	35SWG-5A	0561790019346 / WIRE FUSE 5AMPS 35SWG	ELECTRIC USE	6 / KILOGRAMME						<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
74	SNF54627	R51d-12	0584799951110 / LAMP FILAMENT CAP TYPE MESC6V 0.04A 11X23MM CLEAR G SHP B,V		25 / EACH/NUMBER	R51D-12					<u>TECHNICAL SPECIFICATION - MESC6V 0.04A 11X23MM CLEAR G SHP B,V (R51D-12)</u> <u>GENERAL SPECIFICATION - MESC6V 0.04A 11X23MM CLEAR G SHP B,V (R51D-12)</u>	
75	DNF57896	BS EN 60317-8	0561795253580 / WIRE, WINDING COPPER ELECT COND	WIRE FOR WINDING	5 / KILOGRAMME	GHAZILE X					<u>TECHNICAL SPECIFICATION - DIA : 1.320MM O/DIA : 1.423MM (CLASS-180) DEFSTAN 61-12 ISSUE-2 OF 2008(PART-14) BS-4665 PART-1 BSEN60317-8 GRADE-2</u> <u>GENERAL SPECIFICATION - DIA : 1.320MM O/DIA : 1.423MM (CLASS-180) DEFSTAN 61-12 ISSUE-2 OF 2008 (PART-14) BS-4665 PART-1 BSEN60317-8 GRADE-2</u>	
76	DNF60626	N250 PLUS EXIDE / OSAKA OR EQUIVALENT	0562795620006 / BATTERY LEAD ACID 12V 200AH	DG USED	2 / EACH/NUMBER	N250 PLUS EXIDE / OSAKA					<u>TECHNICAL SPECIFICATION - BATTERY LEAD ACID 12V 200AH EXIDE / OSAKA</u> <u>GENERAL SPECIFICATION - BATTERY LEAD ACID 12V 200AH EXIDE / OSAKA</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
77	DNA44334	0400-2998	2990725006910 / STOP RING DEUTZ BA12H716 0400-2998	DEUTZ DIESEL GENERATOR 350KW	2 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
78	DNJ51765	A31121200 / ITEM-NO3200-13	5310765043438 / NUT-STEEL-I/D-10MM-HEX-SIZE18MM-THICK-9MM	CYLINDER-HEAD-3200	33 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
79	DNF59731	CW-770	5995715118130 / POWER CABLE 3 CORE FOR CCTV SYSTEM		350 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
80	DNF60615	CW-770	5995715118130 / POWER CABLE 3 CORE FOR CCTV SYSTEM		50 / METER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
81	SNF12605	PM100 (5965-98-204-2848)	5965705054986 / PUSH TO TALKMICROPHONEIMPEDANCE150 OHM (PM-100) TOA JAPAN	INSTALLATION OF TWO WAY COMMUNICATION SY	4 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
82	DNG60616	275447-1	5970004327371 / TAPE INSULATION ELECTRICAL	CIWS	4 / ROLL						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
83	DNF57650	SOGO / PHILIPS	6230765059400 / LIGHT EMERGENCY WITH TWO HEAD RECHARGEABLE I/P110/220V-O/P6V		38 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
84	DNF59391	210883-1	6655001622479 /	LEANDER CLASS DEPOT	8 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabilty	Tender Remarks	TECH / GEN SPECS	Dimension
			EXPENDABLE BATHY PROBE T7	PACKAGE	UMBER						SPECIFICATION - NO DATA AVAILABLE	
85	DNF58550	210883-1	6655001622479 / EXPENDABLE BATHY PROBE T7	LEANDER CLASS DEPOT PACKAGE	8 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
86	DPC59859	CAT ELC TM (2056612 or 2056611)	6810705084532 / CAT ELC TM EXTENDED LIFE COOLANT FOR RADIATOR OF CATERPILLAR (Packing 20 LITER or 05 Liter Can)	CP AIR COMP	300 / LITER						TECHNICAL SPECIFICATION - TDS & IPC Enclosed GENERAL SPECIFICATION - TDS & IPC Enclosed	
87	DGD29826		7340705101874 / Cruests Complete Small	MESS UTENSILS, OFFICER WARD PNS SHIFA	26 / EACH/NUMBER						TECHNICAL SPECIFICATION - As per existing Stock, Make/Brand is Regal China with Blue Shell & PN Crest embossed on item GENERAL SPECIFICATION - As per existing Stock, Make/Brand is Regal China with Blue Shell & PN Crest embossed on item	
88	SGD27685	NO DATA AVAILAB E	0035500000452 / UTENSILS COOKINGALUM (O/D10.5", H 4.5", TH 12 SWG) WITH COVER		80 / EACH/NUMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - Food Grade Aluminum Alloy 100% Free from Lead (Pb) and Cadmium (cd) GENERAL SPECIFICATION - Food Grade Aluminum Alloy 100% Free from Lead (Pb) and Cadmium (cd)	
89	DGD44349		0035500000457 / UTENSIL COOKING ALUMINUM ALLOY WITH COVER (O/D 20", HEIGHT 10.25",		4 / EACH/NUMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - FOOD GRADE ALUMINUM ALLOY 100% FREE FROM LEAD (PB) AND CADMIUM (CD), ALUMINUM GRADE 3003. NO BREAKAGE/ BENT. GENERAL SPECIFICATION - FOOD GRADE ALUMINUM ALLOY 100% FREE FROM LEAD (PB) AND CADMIUM (CD), ALUMINUM	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			THICKNESS 9 SWG								GRADE 3003. NO BREAKAGE/ BENT.	
90	DGD29807	NO DATA AVAILAB LE	0035500000454 / UTENSIL COOKING ALUMINIUM WITH COVER O/D 16-17", INNER WIDTH 14", HEIGHT 7" TO 8", THICKNESSS 10 SWG		2 / EACH/N UMBER	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION - Aluminium Alloy Food Grade,100% Free from lead (PB) and Cadmium (CD)</u> <u>GENERAL SPECIFICATION - Aluminium Alloy Food Grade,100% Free from lead (PB) and Cadmium (CD)</u>	
91	DGD27353	NO DATA AVAILAB LE	0035500000454 / UTENSIL COOKING ALUMINIUM WITH COVER O/D 16-17", INNER WIDTH 14", HEIGHT 7" TO 8", THICKNESSS 10 SWG		3 / EACH/N UMBER	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION - Aluminium Alloy Food Grade,100% Free from lead (PB) and Cadmium (CD)</u> <u>GENERAL SPECIFICATION - Aluminium Alloy Food Grade,100% Free from lead (PB) and Cadmium (CD)</u>	
92	DGD39871	NO DATA AVAILAB LE	0035500000454 / UTENSIL COOKING ALUMINIUM WITH COVER O/D 16-17", INNER WIDTH 14", HEIGHT 7" TO 8", THICKNESSS 10 SWG		14 / EACH/N UMBER	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION - Aluminium Alloy Food Grade,100% Free from lead (PB) and Cadmium (CD)</u> <u>GENERAL SPECIFICATION - Aluminium Alloy Food Grade,100% Free from lead (PB) and Cadmium (CD)</u>	
93	DGD40697	NO DATA AVAILAB LE	0035500000454 / UTENSIL COOKING ALUMINIUM WITH COVER O/D 16-17", INNER WIDTH 14", HEIGHT 7" TO 8", THICKNESSS		8 / EACH/N UMBER	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION - Aluminium Alloy Food Grade,100% Free from lead (PB) and Cadmium (CD)</u> <u>GENERAL SPECIFICATION - Aluminium Alloy Food Grade,100% Free from lead (PB) and Cadmium (CD)</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
			10 SWG									
94	DGD39332	NO DATA AVAILAB LE	0035500000456 / UTENSIL COOKING ALUMINUM WITH COVER O/D:18.5", H: 10", THICKNESS 10 SWG, Cover Thickness: 10 SWG		8 / EACH/NUMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - ALUMINIUM ALLOY FOOD GRADE, 100% FREE FROM LEAD (PB) AND CADMIUM (CD). Aluminum Grade: 3003 GENERAL SPECIFICATION - ALUMINIUM ALLOY FOOD GRADE, 100% FREE FROM LEAD (PB) AND CADMIUM (CD). Aluminum Grade: 3003	
95	DGD35658	NO DATA AVAILAB LE	0035500000456 / UTENSIL COOKING ALUMINUM WITH COVER O/D:18.5", H: 10", THICKNESS 10 SWG, Cover Thickness: 10 SWG		3 / EACH/NUMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - ALUMINIUM ALLOY FOOD GRADE, 100% FREE FROM LEAD (PB) AND CADMIUM (CD). Aluminum Grade: 3003 GENERAL SPECIFICATION - ALUMINIUM ALLOY FOOD GRADE, 100% FREE FROM LEAD (PB) AND CADMIUM (CD). Aluminum Grade: 3003	
96	DGD27329	local made	0035546000536 / KETTLE TEA ALU 4 QTS DIA 237.7 MM CIRCLE 750MM O/A HIGHT175MM WEIGHT 1.5 LAB		6 / EACH/NUMBER						TECHNICAL SPECIFICATION - Specification Aluminum (food grade lead free) GENERAL SPECIFICATION - Specification Aluminum (food grade lead free)	
97	DGD30226	local made	0035546000536 / KETTLE TEA ALU 4 QTS DIA 237.7 MM CIRCLE 750MM O/A HIGHT175MM WEIGHT 1.5 LAB		6 / EACH/NUMBER						TECHNICAL SPECIFICATION - Specification Aluminum (food grade lead free) GENERAL SPECIFICATION - Specification Aluminum (food grade lead free)	
98	DGD31694	local made	0035546000536 / KETTLE TEA ALU 4		2 / EACH/NUMBER						TECHNICAL SPECIFICATION - Specification Aluminum (food grade lead free) GENERAL	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			QTS DIA 237.7 MM CIRCLE 750MM O/A HIGHT175MM WEIGHT 1.5 LAB								SPECIFICATION - Specification Aluminum (food grade lead free)	
99	DGD30229		003554600061 4 / POT ALU 15/7" WITH COVER		8 / EACH/NUMBER						TECHNICAL SPECIFICATION - Aluminum grade (as food grade and lead free)GENERAL SPECIFICATION - Aluminum grade (as food grade and lead free)	
100	DGD31702		003554600061 4 / POT ALU 15/7" WITH COVER		4 / EACH/NUMBER						TECHNICAL SPECIFICATION - Aluminum grade (as food grade and lead free)GENERAL SPECIFICATION - Aluminum grade (as food grade and lead free)	
101	DGD30230		003554600061 5 / Pot Aluminum 18/9" With COVER		2 / EACH/NUMBER						TECHNICAL SPECIFICATION - 18 Gauge Aluminum Pot having Capacity of 250 lbs Aluminum grade (as food grade and lead free) GENERAL SPECIFICATION - 18 Gauge Aluminum Pot having Capacity of 250 lbs Aluminum grade (as food grade and lead free)	
102	DGD27333		003554600061 5 / Pot Aluminum 18/9" With COVER		2 / EACH/NUMBER						TECHNICAL SPECIFICATION - 18 Gauge Aluminum Pot having Capacity of 250 lbs Aluminum grade (as food grade and lead free) GENERAL SPECIFICATION - 18 Gauge Aluminum Pot having Capacity of 250 lbs Aluminum grade (as food grade and lead free)	
103	DGD30232		003554600063 3 / POT TEA ALU 2 QTS		6 / EACH/NUMBER						TECHNICAL SPECIFICATION - Specification/ Material Aluminum 99.9% (lead free) . food grade and 100% free from lead (Pb) and cadmium (cd).GENERAL SPECIFICATION - Specification/ Material Aluminum 99.9% (lead free) . food grade and 100% free from lead (Pb) and cadmium (cd).	
104	DGD35748		003554600063 3 / POT TEA ALU 2 QTS		22 / EACH/NUMBER						TECHNICAL SPECIFICATION - Specification/ Material Aluminum 99.9% (lead free) . food grade and 100% free from lead (Pb) and	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											cadmium (cd). <u>GENERAL SPECIFICATION - Specification/ Material Aluminum 99.9% (lead free) . food grade and 100% free from lead (Pb) and cadmium (cd).</u>	
105	SNF56575	DPSI 8-16X40	0552780000245 / BINOCULAR WITH CASE	SELF & USE	3 / EACH/NUMBER	DPSI OLYMPUS					<u>TECHNICAL SPECIFICATION - PART NO.8-16X40 MAKE-OLYMPUS MODEL DPSI OEM-KOREA SOURCE OF AVAILABILITY-BS ENTERPRISES. R-429 MOZZANINE FLOOR SHAH ARCADE GULSHAN IQBAL 13-D/1 BLOCK KARACHI. OLYMPUS KOREA CO LTD.9fHYUNDAI MARINE BLDG,646 YEOKSAM. DONG KANGNAMGU SEOUL 135-080.TEL:080-777-3200 OR 3201 (TOLL FREE)GENERAL SPECIFICATION - PART NO.8-16X40 MAKE-OLYMPUS MODEL DPSI OEM-KOREA SOURCE OF AVAILABILITY-BS ENTERPRISES. R-429 MOZZANINE FLOOR SHAH ARCADE GULSHAN IQBAL 13-D/1 BLOCK KARACHI. OLYMPUS KOREA CO LTD.9fHYUNDAI MARINE BLDG,646 YEOKSAM. DONG KANGNAMGU SEOUL 135-080.TEL:080-777-3200 OR 3201 (TOLL FREE)</u>	
106	DNO59693	511-7975	4310715701972 / PUMP GP-FUEL INJECTION		1 / EACH/NUMBER	C9.3					<u>TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null</u>	
107	DNZ58922	E-00-10	5340785277667 / FRONT COVER O-RING		1 / EACH/NUMBER	MCH18-Standard Super silent breathing air compressor.					<u>TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null</u>	
108	DNZ58924	E-03-14	5331785277651 / O-RING		1 / EACH/NUMBER	MCH18-Standard Super					<u>TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
						silent breathing air compress or.						
109	DNQ54618	GOMTEX Ø 30310003800	473070526970 9 / hose assy rubber duraline/ gometex lg 100 ft id 1-1/2"		4 / EACH/NUMBER	HOSE ASSY RUBBER DURALIN E/ GOMETE X LG 100 FT ID 1-1/2"					TECHNICAL SPECIFICATION - specially formulated rubber, i extruded through a circular woven. low pressure drop thanks to its smooth inner wall, high thermal resistance.GENERAL SPECIFICATION - specially formulated rubber, i extruded through a circular woven. low pressure drop thanks to its smooth inner wall, high thermal resistance.	
110	SNF52832	MCTX-CAT6	5915705248710 / CAT 6		1000 / EACH/NUMBER	MCTX-CAT6					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
111	DN058663	G860022-02 / ZRACR-065-SEW	6115FP1050065 / ANTI-CORROSIVE ZINC ROD		6 / EACH/NUMBER	1FR6 506-4SA42-2					TECHNICAL SPECIFICATION - ANTI-CORROSIVE ZINC RODGENERAL SPECIFICATION - ANTI-CORROSIVE ZINC ROD	
112	DNZ58925	E-03-11	5331785277652 / O-RING		1 / EACH/NUMBER	MCH18-Standard Super silent breathing air compress or.					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
113	DNZ58923	E-02-07	5315785277642 / O-RING		2 / EACH/NUMBER	MCH18-Standard Super silent breathing air compress or.					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	
114	DN056124	ZBACR-040-SEW/XTSLQ-100-05/ZBACR	4330FP2410040 / Anti-corrosion zinc slab		18 / EACH/NUMBER	XTSLQ-100-05					TECHNICAL SPECIFICATION - nullGENERAL SPECIFICATION - null	



S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		-040-SEW										
115	DNF60711	WINXP (SP3 ONWARD S) /VIST/WIN7/ WIN8 WIN10/MAC/LINUX	5998705277567 / SVAS SECURE 4G DATA WINGLES/jazz (DEVICE)		8 / EACH/NUMBER	NA					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
116	DNJ50934	853720A6	2910765236454 / CARBURETOR 1		3 / EACH/NUMBER	E40XMHL					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
117	DNF58520	ds-1ln6-uu	5995131182007 / hikvision utp cable		4 / METER	ds-1ln6-uu					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
118	DNF56432	SBC2406	6130715235131 / Sonet static battery charger 24v,06a		1 / EACH/NUMBER	sbc2406					TECHNICAL SPECIFICATION - Make/Model/Brand: SONET ENGINEERING GENERAL SPECIFICATION - Make/Model/Brand: SONET ENGINEERING	
119	DNZ58911	E-01-03	5365785277624 / PRIMARY PISTON RING		1 / EACH/NUMBER	MCH18-Standard Super silent breathing air compressor.					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
120	DN058606	A20113010101002	4620FP1050038 / REFINED QUARTZ SAND		2 / KILOGRAMME	CM-FST-1-20					TECHNICAL SPECIFICATION - REFINED QUARTZ SAND GENERAL SPECIFICATION - REFINED QUARTZ SAND	
121	DNF58858	HID RP40	5810715279711 / HID ICLASS R40 SE reader		3 / EACH/NUMBER	hid					TECHNICAL SPECIFICATION - ¿ RFID card reader ¿ HID iClass SE reader ¿ R40/ U90 GENERAL SPECIFICATION - ¿ RFID card reader ¿ HID iClass SE reader ¿ R40/ U90	
122	DNF56376	307-7542	5998015658374 / Display GP Monitor (MARINE		1 / EACH/NUMBER	307-7542					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			POWER DISPLAY)									
123	DN053266	HF150NB-PP0300-09UEC/A20112020406008 / 201-FIL 5M-ATE	4620FP1050047 / SECURITY FILTER		7 / EACH/NUMBER	A20112020406008 / 201-FIL 5M-ATE					<p><u>TECHNICAL SPECIFICATION - 5 MICRON FILTER FOOD GRADE MESH MAKE/BRAND: MS CSTC CHINA, MS COBETTER USA, MS ASSISTECH ENTERPRISES PAKISTAN OEM: MS COBETTER USA OEM: ZHEJIANG CHIMEY ENVIRONMENT SCIENCE &amp; TECHNOLOGY CO LTD CHINA OEM: (COBETTER USA PART NO)</u></p> <p><u>GENERAL SPECIFICATION - 5 MICRON FILTER FOOD GRADE MESH MAKE/BRAND: MS CSTC CHINA, MS COBETTER USA, MS ASSISTECH ENTERPRISES PAKISTAN OEM: MS COBETTER USA OEM: ZHEJIANG CHIMEY ENVIRONMENT SCIENCE &amp; TECHNOLOGY CO LTD CHINA OEM: (COBETTER USA PART NO)</u></p>	
124	DN058609	HF150NB-PP0300-09UEC/A20112020406008 / 201-FIL 5M-ATE	4620FP1050047 / SECURITY FILTER		2 / EACH/NUMBER	A20112020406008 / 201-FIL 5M-ATE					<p><u>TECHNICAL SPECIFICATION - 5 MICRON FILTER FOOD GRADE MESH MAKE/BRAND: MS CSTC CHINA, MS COBETTER USA, MS ASSISTECH ENTERPRISES PAKISTAN OEM: MS COBETTER USA OEM: ZHEJIANG CHIMEY ENVIRONMENT SCIENCE &amp; TECHNOLOGY CO LTD CHINA OEM: (COBETTER USA PART NO)</u></p> <p><u>GENERAL SPECIFICATION - 5 MICRON FILTER FOOD GRADE MESH MAKE/BRAND: MS CSTC CHINA, MS COBETTER USA, MS ASSISTECH ENTERPRISES PAKISTAN OEM: MS COBETTER USA OEM: ZHEJIANG CHIMEY ENVIRONMENT SCIENCE &amp; TECHNOLOGY CO LTD CHINA OEM: (COBETTER USA PART NO)</u></p>	
125	SNF52816	hhc70/2-1	5945705246099 / 4xrelays 24v		12 / EACH/NUMBER	HHC70/2-1					<p><u>TECHNICAL SPECIFICATION - null</u></p> <p><u>GENERAL SPECIFICATION - null</u></p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
126	SNF52817	iec/en 60034-1	6105705246080 / 3-phase motor		4 / EACH/NUMBER	IEC/EN 60034-1					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
127	DN058494	ZH1-30-1 / MLXCW30-SEW	5340785269874 / SEA WATER PUMP MECHANICAL SEAL		1 / EACH/NUMBER	CLS-350					TECHNICAL SPECIFICATION - SEA WATER PUMP MECHANICAL SEAL GENERAL SPECIFICATION - SEA WATER PUMP MECHANICAL SEAL	
128	DNF55847	A074A915	5998795284987 / LCD CONTROL BOARD		1 / EACH/NUMBER	A074A905					TECHNICAL SPECIFICATION - Power Supply: 14 V 3.5 Amp AC GENERAL SPECIFICATION - Power Supply: 14 V 3.5 Amp AC	
129	DN058608	HF150NB-PP0300-09UEC , A2011202 0406007 / 200-FIL 3M-ATE	4620FP1050043 / Precision filter (HF 150 Large flow filter element )		4 / EACH/NUMBER	A2011202 0406007 / 200-FIL 3M-ATE					TECHNICAL SPECIFICATION - 3 MICRON FILTER FOOD GRADE MESH MAKE/BRAND: MS CSTC CHINA, MS COBETTER USA, MS ASSISTECH ENTERPRISES PAKISTAN OEM: MS COBETTER USA OEM: ZHEJIANG CHIMEY ENVIRONMENT SCIENCE & TECHNOLOGY CO LTD CHINA / OEM: (COBETTER USA PART NO) GENERAL SPECIFICATION - 3 MICRON FILTER FOOD GRADE MESH MAKE/BRAND: MS CSTC CHINA, MS COBETTER USA, MS ASSISTECH ENTERPRISES PAKISTAN OEM: MS COBETTER USA OEM: ZHEJIANG CHIMEY ENVIRONMENT SCIENCE & TECHNOLOGY CO LTD CHINA / OEM: (COBETTER USA PART NO)	
130	DNF58612	v1000	5999705246106 / controller (master)		1 / EACH/NUMBER	V1000					TECHNICAL SPECIFICATION - ¿ Platinum HID Physical Access Controller ¿ Power LED audio/ visual indications. ¿ Ethernet/ RS-485 (half duplex) ports. ¿ UL94 polycarbonate material. ¿ AC-HID-Vertex EVO network controller GENERAL SPECIFICATION - ¿ Platinum HID Physical Access Controller ¿ Power LED audio/ visual indications. ¿ Ethernet/ RS-485 (half duplex) ports. ¿ UL94 polycarbonate material. ¿ AC-HID-Vertex EVO network	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											controller	
131	DNF58853	v1000	5999705246106 / controller (master)		1 / EACH/NUMBER	V1000					<p><u>TECHNICAL SPECIFICATION</u> - ¿ Platinum HID Physical Access Controller ¿ Power LED audio/ visual indications. ¿ Ethernet/ RS-485 (half duplex) ports. ¿ UL94 polycarbonate material. ¿ AC-HID-Vertex EVO network controller</p> <p><u>GENERAL SPECIFICATION</u> - ¿ Platinum HID Physical Access Controller ¿ Power LED audio/ visual indications. ¿ Ethernet/ RS-485 (half duplex) ports. ¿ UL94 polycarbonate material. ¿ AC-HID-Vertex EVO network controller</p>	
132	DNF60718	lx3v-0806mt-a1	5998705246116 / 1xplc		1 / EACH/NUMBER	LX3V-0806MT-A1					<p><u>TECHNICAL SPECIFICATION</u> - WECON TECHNOLOGY CO LTD</p> <p><u>GENERAL SPECIFICATION</u> - WECON TECHNOLOGY CO LTD CHINA</p>	
133	SNF52835	cob 61	5930705246094 / push button		10 / EACH/NUMBER	COB 61					<p><u>TECHNICAL SPECIFICATION</u> - null</p> <p><u>GENERAL SPECIFICATION</u> - null</p>	
134	DNF56824	6fm80-x	6140785241092 / dry battery 12 vdc 80ah for ups		1 / EACH/NUMBER	6FM80X					<p><u>TECHNICAL SPECIFICATION</u> - null</p> <p><u>GENERAL SPECIFICATION</u> - null</p>	
135	SNF52840	MCTX-NTLNK	5915705248706 / ODF 8 PORTS		12 / EACH/NUMBER	MCTX-NTLNK					<p><u>TECHNICAL SPECIFICATION</u> - BRAND: NETLINK MODEL: MCTX - NTLNK</p> <p><u>GENERAL SPECIFICATION</u> - BRAND: NETLINK MODEL: MCTX - NTLNK</p>	
136	DNF58468	501-9486	2920715278007 / REGULATOR voltage (AVR CARD 600 kva cat dg)		1 / EACH/NUMBER	de65e0 (c-18)					<p><u>TECHNICAL SPECIFICATION</u> - null</p> <p><u>GENERAL SPECIFICATION</u> - null</p>	
137	SNF57087	Drop Wire 1.00mm	7045705249626 / Drop Copper Cable Drop Wire 1mm		500 / METER	Drop Wire 1.00mm					<p><u>TECHNICAL SPECIFICATION</u> - COMPLETE DETAILS REGARDING ALL TYPE OF COPPER CABLES ARE AVIALABLE ON THE PAGE NO 16 &amp;17 IN THE PROVIDED BROCHURE NAMED PTCL</p>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											PRODUCT CATALOGUE -COPPER TELECOM CABLES" NOTE: 1MM IS THE OUTER DIAMETER SIZE FOR FURTHER DETAILS KINDLY CONCERN ABOVE MENTIONED BROCUHERGENERAL SPECIFICATION - COMPLETE DETAILS REGARDING ALL TYPE OF COPPER CABLES ARE AVIALABLE ON THE PAGE NO 16 &17 IN THE PROVIDED BROCHURE NAMED PTCL PRODUCT CATALOGUE -COPPER TELECOM CABLES" NOTE: 1MM IS THE OUTER DIAMETER SIZE FOR FURTHER DETAILS KINDLY CONCERN ABOVE MENTIONED BROCUHER	
138	DNF5806 2	Drop Wire 1.00mm	704570524962 6 / Drop Copper Cable Drop Wire 1mm		500 / METER	Drop Wire 1.00mm					TECHNICAL SPECIFICATION - COMPLETE DETAILS REGARDING ALL TYPE OF COPPER CABLES ARE AVIALABLE ON THE PAGE NO 16 &17 IN THE PROVIDED BROCHURE NAMED PTCL PRODUCT CATALOGUE -COPPER TELECOM CABLES" NOTE: 1MM IS THE OUTER DIAMETER SIZE FOR FURTHER DETAILS KINDLY CONCERN ABOVE MENTIONED BROCUHERGENERAL SPECIFICATION - COMPLETE DETAILS REGARDING ALL TYPE OF COPPER CABLES ARE AVIALABLE ON THE PAGE NO 16 &17 IN THE PROVIDED BROCHURE NAMED PTCL PRODUCT CATALOGUE -COPPER TELECOM CABLES" NOTE: 1MM IS THE OUTER DIAMETER SIZE FOR FURTHER DETAILS KINDLY CONCERN ABOVE MENTIONED BROCUHER	
139	DNJ5736 3	17400- 96J021/17 400-96J04	433076526512 1 / WATER PUMP REPAIR		1 / EACH/N UMBER	F150FET X					TECHNICAL SPECIFICATION - OEM: SUZUKI MOTOR CORPORATION COUNTRY OF	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			KIT								ORIGIN : JAPAN GENERAL SPECIFICATION - OEM: SUZUKI MOTOR CORPORATION COUNTRY OF ORIGIN : JAPAN	
140	DNJ56136	17400-96J021/17400-96J04	433076526512 1 / WATER PUMP REPAIR KIT		1 / EACH/NUMBER	F150FET X					TECHNICAL SPECIFICATION - OEM: SUZUKI MOTOR CORPORATION COUNTRY OF ORIGIN : JAPAN GENERAL SPECIFICATION - OEM: SUZUKI MOTOR CORPORATION COUNTRY OF ORIGIN : JAPAN	
141	DNF58978	ADZBQ7421	534074529221 6 / key SOFTWARE USB of wecdis		1 / EACH/NUMBER	PRO 325-61 (ADZBQ7421)					TECHNICAL SPECIFICATION - The subject USB should be based on HASP Language Technology. Moreover, the Key Software USB is to be compatible with already held WECDIS system software (i.e. GECDIS 0062, Version 5.1.3) GENERAL SPECIFICATION - The subject USB should be based on HASP Language Technology. Moreover, the Key Software USB is to be compatible with already held WECDIS system software (i.e. GECDIS 0062, Version 5.1.3)	
142	DNZ58910	E-01-02	281578527762 0 / FIRST STAGE PISTON		1 / EACH/NUMBER	MCH18-Standard Super silent breathing air compressor.					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
143	DNF59591	a3-06-2449-1	614071528485 7 / BATTERY PACK 9 v lithium		6 / EACH/NUMBER	LIMNO2					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
144	DNZ58915	E-02-05	534078527763 8 / SECONDARY PISTON CIRCLIP		2 / EACH/NUMBER	MCH18-Standard Super silent breathing air compressor.					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
145	DGT58578	NO DATA AVAILAB LE	010050000004 9 / TEAK WOOD BURMESE GRADE-I SLEEPER	SPECE/IM. 2763 (A)	6 / CUBIC FOOT	NO DATA AVAILAB LE					<u>TECHNICAL SPECIFICATION - P-SG/730 (B) SIZE: LENGTH=12-16 FT, WIDTH=09-18 INCH, THICKNESS=8-10 INCH.</u> <u>GENERAL SPECIFICATION - P-SG/730 (B) SIZE: LENGTH=12-16 FT, WIDTH=09-18 INCH, THICKNESS=8-10 INCH.</u>	
146	DNJ59902	38100- 96J01	610576526521 1 / MOTOR ASSY PTT		3 / EACH/N UMBER	F150FET X					<u>TECHNICAL SPECIFICATION - Engine Type: Suzuki 4 stroke outboard Technical Specification: 12 Volts Tilt - Trim Motor</u> <u>GENERAL SPECIFICATION - Engine Type: Suzuki 4 stroke outboard Technical Specification: 12 Volts Tilt - Trim Motor</u>	
147	DN053035	10408 / AAZN- 7893-SEW	534078526789 3 / Zinc anode Alamarine 288 Jet		4 / EACH/N UMBER	ZINC ANODE ALAMARI NE 288 JET					<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
148	DN053961	10408 / AAZN- 7893-SEW	534078526789 3 / Zinc anode Alamarine 288 Jet		10 / EACH/N UMBER	ZINC ANODE ALAMARI NE 288 JET					<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
149	DNF60757	ub500	635078524635 9 / WALK THROUGH GATE WITH MONITOR & FACE CAPTURE CAMERA model no: ub500		1 / EACH/N UMBER	ub500					<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
150	DN053960	10470 / APBZN- 7892-SEW	534078526789 2 / Zinc LEAD Alamarine 288 Jet		10 / EACH/N UMBER	ZINC ANODE ALAMARI NE 288 JET					<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	
151	DN053036	10470 / APBZN- 7892-SEW	534078526789 2 / Zinc LEAD Alamarine 288 Jet		4 / EACH/N UMBER	ZINC ANODE ALAMARI NE 288					<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
						JET						
152	DNF60771	v1000	5999705246106 / controller (master)		1 / EACH/NUMBER	V1000					<u>TECHNICAL SPECIFICATION -</u> Platinum HID Physical Access Controller Power LED audio/ visual indications. Ethernet/ RS-485 (half duplex) ports. UL94 polycarbonate material. AC-HID-Vertex EVO network controller <u>GENERAL SPECIFICATION -</u> Platinum HID Physical Access Controller Power LED audio/ visual indications. Ethernet/ RS-485 (half duplex) ports. UL94 polycarbonate material. AC-HID-Vertex EVO network controller	
153	DN054576	01.14.21.1.11 / ZACWP-014-SEW	4420FP2100014 / Zinc anode for condenser MODEL NO. 75*35*30		24 / EACH/NUMBER	75*55*30					<u>TECHNICAL SPECIFICATION -</u> null <u>GENERAL SPECIFICATION -</u> null	
154	DN053963	10467 / AAZN-7895-SEW	5340785267895 / Zinc PLUG Alamarine 288 Jet		10 / EACH/NUMBER	10467					<u>TECHNICAL SPECIFICATION -</u> null <u>GENERAL SPECIFICATION -</u> null	
155	DN053962	10441 / AZN-7894-SEW	5340785267894 / Zinc anode D30		10 / EACH/NUMBER	ZINC ANODE D30					<u>TECHNICAL SPECIFICATION -</u> null <u>GENERAL SPECIFICATION -</u> null	