

TENDER BULLETIN

DATE & TIME 6/4/25 3:05 PM INVITATION TO TENDER TO BE OPENED ON 6/18/2 10:00 AM AND ITEM REQ BY

- CONDITIONS**
- NON REGISTERED FIRMS/SUPPLIERS ARE REQUIRED TO FORWARD BANK DRAFT/PAY ORDER EQUAL TO 5% TOTAL VALUE OF QUOTATION IN FAVOUR OF COMMANDER LOCAL PURCHASE DIVISION ALONGWITH THEIR BIDS.
 - FOR ANY AMPLIFIED DETAILS INTERESTED FIRM MAY CONTACT LOCAL PURCHASE DIVISION IN PERSON OR THROUGH TELEPHONE DELIVERY TIME OF LOCALLY AVAILABLE ITEMS IS 15 DAYS AND 45 DAYS FOR IMPORTED ITEMS.
 - LAB TESTING CHARGES IF ANY WILL BE BORNE BY FIRM.

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabi ty	Tender Remarks	TECH / GEN SPECS	Dimension
1	DGP814 28	HP A3 LaserJet CP5225dn	7435705137718 / PRINTER COLOUR HP LASER JET CP-1215 /HP CP 1518 AS PER APPROVED SPECIFICATIO N	COMPUTER	1 / EACH/N UMBER	HP A3 LaserJet CP5225dn		PK		PAKISTA N	TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
2	DGP810 99		3610705045303 / POSITIVE PLATE ROLAND OFFSET size: 925X740X0.3MM(BRND FUJI)		150 / EACH/N UMBER						TECHNICAL SPECIFICATION - SIZE- 925X740X0.3MM(BRND FUJI) GENERAL SPECIFICATION - SIZE: 925X740X0.3MM(BRND FUJI)	
3	DGP831 82	CORE i5	7025705246091 / PERSONAL COMPUTER (CORE: i5)		2 / SET	CORE i5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz; 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical)	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation, GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or	
4	DGP827 15	CORE i5	702570524609 1 / PERSONAL COMPUTER (CORE i5)		2 / SET	CORE i5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO):</u> 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
5	DGP82763	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabilty	Tender Remarks	TECH / GEN SPECS	Dimension
											LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
6	DGP82370		743573527485 1 / dell desktop pc CORE i7		2 / PCS						TECHNICAL SPECIFICATION - DELL PC optiplex 5040 INTEL CORE i7 10700 CPU 2.90 GHZ SSD 512 RAM 8GB GENERAL SPECIFICATION - DELL PC optiplex 5040 INTEL CORE i7 10700 CPU 2.90 GHZ SSD 512 RAM 8GB	
7	DGP82187	hpe dlo380 gen 10	70257352/481 7 / hp server		1 / PCS	hpe dlo380 gen 10					TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
8	DGP82453		046154600451 8 / TARGET PAPER		2500 / EACH/NUMBER						TECHNICAL SPECIFICATION - size: 21 inches x 21 inches (width x length) GSM: 125 GSM GENERAL SPECIFICATION - size: 21 inches x 21 inches (width x length) GSM: 125 GSM	
9	DGP81434		743570512805 1 / KYOCERA HEAVY DUTY PRINTER/COP IER VIDE AUTHORITY (SEE F.8)	PRINTER	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
10	DGP82845	NO DATA AVAILABLE	005050000011 4 / PAPER, TYPING, LARGE, GSM40±5% WHITE, REAM OF 500S, REEF SIZE A-04 210X297MM		65 / REAM	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
11	DGP82872	NO DATA AVAILABLE	0050500000159 / REGISTER RULED WHITE 01-QR		617 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION:- GSM70±5% 96 PAGES, SIZE: A-4, 210X297MM, 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 2.5±0.5MM THICKNESS CARD BOARD HARD & FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS. GENERAL SPECIFICATION - GSM70±5% 96 PAGES, SIZE: A-4, 210X297MM, 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 2.5±0.5 MM THICKNESS CARD BOARD HARD & FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.	
12	DGP72051	GC420-100520-000	6780145899597 / GC420 BaRCODE TENDER LABEL PRINTER / PRINTER, AUTOMATIC DATA PROCESSING		8 / EACH/NUMBER	gc420t					TECHNICAL SPECIFICATION - ZEBRA GC420T to print barcode stickers GENERAL SPECIFICATION - ZEBRA GC420T to print barcode stickers	
13	DGP80662	nil	7520705258580 / PERSONEL FOLDER FOR RECORD KEEPING OF of pn civilians		300 / EACH/NUMBER	nil					TECHNICAL SPECIFICATION - 1 SIZE OF FOLDER A. LENGTH: 365 MM $\pm$ 1 MM B. WIDTH: 260 MM $\pm$ 1 MM C. WIDTH OF FOLDING PORTION: 35 MM $\pm$ 1 MM 2 MATERIAL: A. OUTER AND INNER COVER: TEXTURED RAXIN BEST QUALITY (NOT COMMERCIAL QUALITY) THICK 1 MM B. POCKETS: TRANSPARENT POLYTHENE THICK 0.1 MM C. INNER LINING OF BACK SIDE OF COVER: CARD BOARD HARD THICK 4.5 MM $\pm$ 0.2 MM D. INNER LINING OF FRONT SIDE OF COVER: CARD BOARD HARD THICK 4.5 MM $\pm$ 0.2 MM E. FILE FASTNER COVER WITH LINING	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											TEXTURED REXIN THICK 1 MM F. FILE FASTNER INNER LINING: CARD BOARD THICK 2.5 MM $\pm$ 0.1 MM G. EYELETS: BLACK ALUMINIUM H. TAG COTTON: LENGTH 280 MM ALONG WITH IRON TIP WITH BLACK ENAMEL 3. NO OF POCKETS: A. FRONT SIDE 02 POCKET: LENGTH WIDTH I. FOR NAME TALLEY: 40 MM 65 MM I. FOR PHOTOGRAPH: 70 MM 65 MM B. INNER POCKET LEFT HAND SIDE: 215 MM 280 MM C. INNER POCKET RIGHT HAND SIDE: 130 MM 260 MM D. BACK SIDE POCKET: 340 MM 260 MM E. SIDE POCKET ON FOLDING PORTION: 65 MM 35 MM 4. STITCHES BY : BY HEAT MACHINE 5. PRINTING I. PRINTING BY: BY FOIL PRINTING II. PRINTING COLOUR, WORD TITLE AND LOGO : AS PER APPROVAL BY CIVILIAN AUTHORITY 6. COLOUR OF REXIN : NAVY BLUE <u>GENERAL SPECIFICATION</u> - 1. SIZE OF FOLDER A. LENGTH: 365 MM $\pm$ 1 MM B. WIDTH: 260 MM $\pm$ 1 MM C. WIDTH OF FOLDING PORTION: 35 MM $\pm$ 1 MM 2. MATERIAL: A. OUTER AND INNER COVER: TEXTURED RAXIN BEST QUALITY (NOT COMMERCIAL QUALITY) THICK 1 MM B. POCKETS: TRANSPARENT POLYTHENE THICK 0.1 MM C. INNER LINING OF BACK SIDE OF COVER: CARD BOARD HARD THICK 4.5 MM $\pm$ 0.2 MM D. INNER LINING OF FRONT SIDE OF COVER: CARD BOARD HARD THICK 4.5 MM $\pm$ 0.2 MM E. FILE FASTNER COVER WITH LINING: TEXTURED REXIN THICK 1 MM F. FILE FASTNER INNER LINING: CARD BOARD THICK 2.5	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											MM ± 0.1 MM G. EYELETS: BLACK ALUMINIUM H. TAG COTTON: LENGTH 260 MM ALONG WITH IRON TIP WITH BLACK ENAMEL 3. NO OF POCKETS: A. FRONT SIDE 02 POCKET: LENGTH WIDTH L. FOR NAME TALLEY: 40 MM 65 MM I. FOR PHOTOGRAPH: 70 MM 65 MM B. INNER POCKET LEFT HAND SIDE: 215 MM 260 MM C. INNER POCKET RIGHT HAND SIDE: 130 MM 260 MM D. BACK SIDE POCKET: 340 MM 260 MM E. SIDE POCKET ON FOLDING PORTION: 65 MM 35 MM 4. STITCHES BY : BY HEAT MACHINE 5. PRINTING I. PRINTING BY: BY FOIL PRINTING II. PRINTING COLOUR, WORD TITLE AND LOGO : AS PER APPROVAL BY CIVILIAN AUTHORITY 6. COLOUR OF REXIN NAVY BLUE TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 8 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3rd Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/	
14	DGP82877	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE I5)		2 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above). Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical	
15	DGP823 64	CORE i5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		3 / SET	CORE i5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. <u>GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO):</u> 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 8 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation.	
16	DGP823-61	UE43NU7020	702570513168 2 / 43" LED TV OR EQUIVALENT (SONY)	LED TV 36	1 EACH/NUMBER	UE43NU7020W				PAKISTAN	<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			BRAVIA/TCL/ SAMSUNG/ LG)									
17	DGP82018	CS-WDC09-655-BAA/CMW 9U	712570514141 8 / 9U WALL MOUNT 19" CABINET	NET WORKING	1 / EACH/NUMBER	NO DATA AVAILABLE		CH	M/S RAISECO M SUITE NO.401A PANURA MA CENTRE 2 RAJA GHAZAN FAR ALI ROAD SADDAR KARACHI PHON NO. 021-35661550-1		TECHNICAL SPECIFICATION - CONTECH BRAND GENERAL SPECIFICATION - CONTECH BRAND	
18	DGP72707	CS-WDC09-655-BAA/CMW 9U	712570514141 8 / 9U WALL MOUNT 19" CABINET	NET WORKING	1 / EACH/NUMBER	NO DATA AVAILABLE		CH	M/S RAISECO M SUITE NO.401A PANURA MA CENTRE 2 RAJA GHAZAN FAR ALI ROAD SADDAR KARACHI PHON NO. 021-35661550-1		TECHNICAL SPECIFICATION - CONTECH BRAND GENERAL SPECIFICATION - CONTECH BRAND	
19	DGP83299		753570513302 1 / LAPTOP COMPUTER (AS PER NHO APPROVED MODEL HP/DELL/LENOVO)	COMPUTER	5 / EACH/NUMBER	1a1082wm		PK	VIDE NHO LETTER ST: S/3200/81 98 DT 23/07/08		TECHNICAL SPECIFICATION - HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ) 2. SYSTEM MEMORY 8 GB DDR3/DDR4 or above 3. DISPLAY 15.6" LED. 4.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL @ HD/HD GRAPHICS/6gb nvidia graphic card 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION). <u>GENERAL SPECIFICATION -</u> HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL@ CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL @ HD/HD GRAPHICS/6gb nvidia graphic card 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION).	
20	DGP833 04	tcl-40s6500 inch lcd	773070515254 9 / 40 inch lcd	PSS VIGIL SYSTEM	1 / EACH/NUMBER	KDL-43W800G		PK		SONY	<u>TECHNICAL SPECIFICATION -</u> 40 inch lcd full hd smart tv <u>GENERAL SPECIFICATION -</u> 40 inch lcd full hd smart tv	
21	DGP829 78	tcl-40s6500 inch lcd	773070515254 9 / 40 inch lcd	PSS VIGIL SYSTEM	1 / EACH/NUMBER	KDL-43W800G		PK		SONY	<u>TECHNICAL SPECIFICATION -</u> 40 inch lcd full hd smart tv <u>GENERAL SPECIFICATION -</u> 40 inch lcd full hd smart tv	
22	DGP829 76	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	1 / EACH/NUMBER	HP Scanner 20G05A/P ro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS. BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO 021-34536441		HP	<u>TECHNICAL SPECIFICATION -</u> SCANNER TYPE FLATBED, ADF. SCAN RESOLUTION UP TO 600DPI. COLOR AND MONOCHROME ADF. UPTO 1200DPI. DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL. LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 <u>GENERAL SPECIFICATION -</u> SCANNER TYPE FLATBED, ADF SCAN	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											RESOLUTION UP TO 600DPI COLOR AND MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
23	DGP828 54	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	1 / EACH/N UMBER	HP Scanner 20G05A/P ro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR,BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIQ ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO 021-34536441	HP		TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME,ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
24	DGP823 58	NIL	743570514000 6 / MULTIMEDIA PROJECTOR (4000 LUMENS)	MULTIMEDIA PROJECTOR	1 / EACH/N UMBER	PANASO NIC PT- VW360 (4000 LUMENS PROJECT OR) OR ABOVE		PK	PAKISTA N		TECHNICAL SPECIFICATION - - GENERAL SPECIFICATION - -	
25	DGP828 74	19000SR-2	743576520522 0 / 2D BARCODE READER (SCANNER)	SVAS SYSTEM NY-SVAS-08 CHINA	1 / SET	NY- SVAS-08	NA	HONEYWELL INTERNATIONAL INC. 101 COLUMBIA ROAD MORRISTOWN, NJ 07962. PHONE: (073) 455-2000. CHINA	INDIGEN OUSLY DEVELO PED		TECHNICAL SPECIFICATION - 2D Barcode Reader, (Honeywell Xemon 1900) NADRA compatible Biometric reader SecGen Hamster plus Fingerprint scanner and data SIM including one year Data charges GENERAL SPECIFICATION - 2D Barcode Reader, (Honeywell Xemon 1900) NADRA compatible Biometric reader SecGen Hamster plus Fingerprint scanner and data SIM including one year Data charges	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabilty	Tender Remarks	TECH / GEN SPECS	Dimension
26	DGP83079	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	1 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION:- Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION:- Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
27	DGP82863	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	1 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION:- Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both GENERAL SPECIFICATION:- Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Paraller and USB Port Both	
28	DGP82360	50DU7000/ 50AU7000/ 46EH5000	773070517439 1 / SAMSUNG/CH ANGHONG RUBA LED TV 46/49/50 INCH	LED TV	1 / EACH/N UMBER	46EH5000		SAMSUNG		SAMSUN G	TECHNICAL SPECIFICATION:- SAMSUNG/CHANGHONG RUBA LED TV 46/49/50 INCH GENERAL SPECIFICATION:- SAMSUNG/CHANGHONG RUBA LED TV 46/49/50 INCH	
29	DGP82982	KLV32R302E/ P-0114000	773078516676 7 / LED TV SONY 32 INCH	PSS VIGIL SYSYTEM	1 / EACH/N UMBER	SONY KLV32R302E		M/s CETC Mansion, No. 5 Wulutong North Street, Xicheng District, Beijing, China		M/s CETC International CO., LTD	TECHNICAL SPECIFICATION:- BRAVIA SONY 32BX350 or Equivalent GENERAL SPECIFICATION:- BRAVIA SONY 32BX350 or Equivalent	
30	DGP82833	32D2900	582073520849 6" 32 INCH LED DISPLAY WITH HDMI &	CCTV System	4 / EACH/N UMBER	32D2900		TCL Electronics Australia Pty Ltd. Address: 797 Springvale Rd. Mulgrave VIC 3170		M/s TCL Australia	TECHNICAL SPECIFICATION:- NO DATA AVAILABLE GENERAL SPECIFICATION:- NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			VGA / P									
31	DGP83077	E2722H/M 27FW	743570521488 5 / LCD MONITOR 27 inch	Instructor Console	2 / EACH/NUMBER	E2417H (24") fe2722h/F 22P MCR Simulator	NOT KNOWN	PLOT NO: C-4/A, S.I.T.E. Karachi, Pakistan. Tel: +92(21)32571111-2 Fax: +92(21)32553111	DELL		TECHNICAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA & 2 HDMI WEIGHT -3.68 KGS (UNPACKED) GENERAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA & 2 HDMI WEIGHT -3.68 KGS (UNPACKED)	
32	DGP8303	KD55X7000F/UHD 4K Smart TV AU7000	773070521489 2 / SMART LED TV 55"	F-22P SIMULATOR	1 / EACH/NUMBER	LE55K6600UG/KD55X7000F/UHD 4K Smart TV AU7000	NOT KNOWN	PLOT NO: C-4/A, S.I.T.E. Karachi, Pakistan. Tel: +92(21)32571111-2 Fax: +92(21)32553111	SONY		TECHNICAL SPECIFICATION - a Item : Smart LED b. Company Name: Haier/SONY c. Model No: LE55K6600UG/KD55X7000F/UHD 4K Smart TV AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9 GENERAL SPECIFICATION - a Item : Smart LED b. Company Name: Haier/SONY c. Model No: LE55K6600UG/KD55X7000F/UHD 4K Smart Ty AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9	
33	DGP81145		046150000845 0 / TARGETS PAPER BLACK		525 / SHEET						TECHNICAL SPECIFICATION: SIZE LENGTH 50 INCH WIDTH 26 INCH WEIGHT GSM 85 + 5%	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			85 GSM+- 5% SIZE 28"X50"								PAPER COLOUR: BLACK PACKING: 1000 SHEET PER REAM GENERAL SPECIFICATION - SIZE: LENGTH: 50 INCH WIDTH: 26 INCH WEIGHT: GSM 85 + 5% PAPER COLOUR: BLACK PACKING: 1000 SHEET PER REAM	
34	DGP829 84		361070511791 2 / SHREDDING MACHINE (HEAVY DUTY)	SHREDDER MACHINE	1 / EACH/N UMBER	ST- 12C/ST- 12CD					TECHNICAL SPECIFICATION - ST- 12C/ST-12CD GENERAL SPECIFICATION - ST-12C/ST-12CD	
35	DGP830 76		361070511791 2 / SHREDDING MACHINE (HEAVY DUTY)	SHREDDER MACHINE	2 / EACH/N UMBER	ST- 12C/ST- 12CD					TECHNICAL SPECIFICATION - ST- 12C/ST-12CD GENERAL SPECIFICATION - ST-12C/ST-12CD	
36	DGP829 85	G2102560 EU	361070509130 4 / SHREDDING MACHINE, GBC DUO (SHRED MASTER)		1 / EACH/N UMBER						TECHNICAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HxWxD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and CDs. GENERAL SPECIFICATION - TECHNICAL SPECS/FEATURES/BENEFITS: 1. SHRED SIZE: 4 x 45mm Confetti Cut, 2. SHRED SPEED: 2.5/M.MIN, 3. DIN Security Level S3 for medium security, 4. DIMENSIONS (HxWxD): 400X365X257MM, 5. WORKING WIDTH: 220MM, 6. Maximum 11 sheets (70g) of paper in a single pass, 7. Compact size for use under desk, 8. Bin window alerts user when bin needs emptying, 9. Shred staples, paper clips, credit cards and	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											CDs.	
37	DGP80680	NO DATA AVAILABLE	773070508858 3 / SONY/lcd LED TV 32" INCH	TELEVISION	2 / EACH/NUMBER	td					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
38	DGP82870	NO DATA AVAILABLE	005150000068 7 / F(NS)68 FILE COVER BLUE (PAKISTAN NAVY)		10400 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - 1. GSM OF CARD 300±5% 2. FILE COVER SIZE LENGTH: 355MM (MIN) WIDTH: 235MM (MIN) HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FALPER FOLD 355 MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD. CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C. I. LENGTH: 355MM (MIN) II. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO.EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTING 7. PACKING I. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. II. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG, THEN FURTHER PACKED IN CARD BOARD BOX. AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD. GENERAL SPECIFICATION - 1. GSM OF CARD 300±5% 2. FILE COVER SIZE LENGTH: 355MM (MIN) WIDTH: 235MM (MIN) HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FALPER FOLD 355 MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD. CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C. I. LENGTH: 355MM (MIN) II. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO. EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTING 7. PACKING I. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. II. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG, THEN FURTHER PACKED IN CARD BOARD BOX. AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD.	
39	DGF77868	NO DATA AVAILABLE	0051500000509 / FORM F (MD)54 X RAY COVER SIZE 15" X 18"		1500 / EACH/NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SIZE : width: 15" length: 18" COLOR : BROWN PRINTING INK : BLACK ON FRONT SIDE GSM :275 ± 5 % Item Specification :F(MD)-54 COVER FOR X-RAY FILMS GENERAL SPECIFICATION - SIZE : width: 15" length: 18" COLOR : BROWN PRINTING INK : BLACK ON FRONT SIDE GSM :275 ± 5 % Item Specification :F(MD)-54 COVER FOR X-RAY FILMS	
40	DGP76105	20DSA	6910705040956 / TELEVISION COLOURED 20" ORION MODEL 20DSA (LOCAL ASSEMBLED)		1 / SET						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
41	DGP83078		7490705041308 / PLAIN PAPER COPIER STANDARIZED MEDIUM DUTY	OFFICE MACHINE	2 / EACH/NUMBER	CPM 25					TECHNICAL SPECIFICATION - TOSHIBA DIGITAL PHOTO-COPIER MODEL : e-Studio 2523A--- (25 Copies Per Minute, Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%), COMPANY NAME: TOSHIBA e-STUDIO GENERAL SPECIFICATION - TOSHIBA	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											DIGITAL PHOTO-COPIER MODEL: e-Studio 2523A— (25 Copies Per Minute. Built-in GDI Printer, Color Scanner, Electronic Sorting, 250 Sheets x1 Drawer, 100 Sheets Stack Feed By- Pass, 256 MB Memory, Copy Size A3, Multiple Copying 1-999 & Zoom 25%-400%). COMPANY NAME: OSHIBA eSTUDIO	
42	DGP82981		7435715054905 / HP SCAN JET SCANNER A4 SIZE	SCANNING MACHINE	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
43	DGP82957	CORE I5	7025705246091 / PERSONAL COMPUTER (CORE I5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3rd Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel @ Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel@ Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel @ Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/	
44	DGP83271	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE I5)		2 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical	
45	DGP83890	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE I5)		2 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED: HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 8 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED: HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or	
46	DGP/ES/85	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE I5)		1 SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
47	DGP83034	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED) 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
48	DGP83354	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE i5)		3 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO) 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel ® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
49	DGP83432	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: I5)		2 / SET	CORE I5 12 GEN						

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 16.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC. b. Authorized Dealer/ OEM COC. c. Certificate of genuineness. d. Online PC verification. e. PC without modification/ upgradation.	
50	DCW67199		843050010053 1 / BOOT ANTISKID BLACK SIZE 12		60 / PAIR						TECHNICAL SPECIFICATION - BOOT ANTISKID BLACK SIZE 12 GENERAL SPECIFICATION - BOOT ANTISKID BLACK SIZE 12	ITEM PER REQUIRED AS SPECIFICATION
51	DCC83948		840550069258 1 / OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-IV		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-IV GENERAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-IV	THE ITEM IS PROCURED AGAINST TENDER SAMPLE AS PER SPECIFICATION

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
52	DCW84039		843070124101 0 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 11		180 / PAIR						<u>TECHNICAL SPECIFICATION - null</u> <u>GENERAL SPECIFICATION - null</u>	The item is procured against as per Tender Sample
53	DCW67198		843050010053 3 / BOOT ANTI SKID BLACK SIZE 11		60 / PAIR						<u>TECHNICAL SPECIFICATION - BOOT ANTI SKID BLACK SIZE 11</u> <u>GENERAL SPECIFICATION - BOOT ANTI SKID BLACK SIZE 11</u>	ITEM PER REQUIRED AS SPECIFICATION
54	DCW67196		843050010070 0 / BOOT ANTI SKID BLACK SIZE 10		60 / PAIR						<u>TECHNICAL SPECIFICATION - BOOT ANTI SKID BLACK SIZE 10</u> <u>GENERAL SPECIFICATION - BOOT ANTI SKID BLACK SIZE 10</u>	ITEM PER REQUIRED AS SPECIFICATION
55	DCW84043		843050040092 2 / SHOES JOGGERS FOR CPO/SAILORS SIZE-7		150 / PAIR						<u>TECHNICAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-7</u> <u>GENERAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-7</u>	The item is procured against as per Specification
56	DCW73089		843070066368 3 / SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 8		40 / PAIR						<u>TECHNICAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 8</u> <u>GENERAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 8</u>	
57	DCW67201		843050010096 1 / BOOT ANTI SKID BLACK SIZE-14		60 / PAIR						<u>TECHNICAL SPECIFICATION - BOOT ANTI SKID BLACK SIZE-14</u> <u>GENERAL SPECIFICATION - BOOT ANTI SKID BLACK SIZE-14</u>	item per requird as specification
58	DGP84000	MFP M479	743571523491 2 / HP COLOR LASER JER PRO MFP M479 SERIES		1 / EACH IN UMBER	HP COLOR LASER JET PRO MFP M479FD W					<u>TECHNICAL SPECIFICATION - AS PER ATTACHEMETN</u> <u>GENERAL SPECIFICATION - AS PER ATTACHEMETN</u>	
59	DCCK3947		840550069258 0 / OVERALL BLUE PANTONE COLOUE		120 / EACH IN UMBER						<u>TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUE SHADE 19-3920 TC 100%</u> <u>COTTON SIZE-III</u> <u>GENERAL SPECIFICATION - OVERALL BLUE</u>	THE ITEM IS PROCURE D AGAINST TENDER

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			SHADE 19-3920 TC 100% COTTON SIZE-III								PANTONE COLOUE SHADE 19-3920 TC 100% COTTON SIZE-III	SAMPLE, AS PER SPECIFICATION.
60	DCW84035		8430701241007 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 8		180 / PAIR						TECHNICAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 8 GENERAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 8	The item is procured against as per Tender Sample
61	DCW67200		8430500100960 / BOOT ANTI SKID BLACK SIZE-13		60 / PAIR						TECHNICAL SPECIFICATION - BOOT ANTI SKID BLACK SIZE-13 GENERAL SPECIFICATION - BOOT ANTI SKID BLACK SIZE-13	ITEM PER REQUIRED AS SPECIFICATION
62	DCC83273		8440703049673 / SCARF WHITE POLYESTER		2000 / EACH/NUMBER						TECHNICAL SPECIFICATION - Material: 100% Polyester color: white length: 275 mm width: 185 mm Neck Band length: 480 mm neck band width: 40 mm velcro length: 70 mm velcro width: 24 mm fused bukram inside of cloth band: 38 mm stitching thread: 100% polyester GENERAL SPECIFICATION - Material: 100% Polyester color: white length: 275 mm width: 185 mm Neck Band length: 480 mm neck band width: 40 mm velcro length: 70 mm velcro width: 24 mm fused bukram inside of cloth band: 38 mm stitching thread: 100% polyester	the item is procured against stock sample
63	DCW84026		8430500000034 / BOOT DMS (WITH FABRIC LACE 160CM) SIZE 9S		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 9S GENERAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 9S	The item is procured against as per Specification
64	DCW84040		8430701241011 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 12		180 / PAIR						TECHNICAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 12 GENERAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 12	The item is procured against as per Tender Sample
65	DCD84071		8440500100396 / CAP		500 / EACH/N						TECHNICAL SPECIFICATION - COLOR PANTONE SHADE BLACK	THE ITEM IS

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			A-Z SIZE 4 FITED 26 FLAGS									end user acceptance
69	DCW84036		843070124100 8 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 9		180 / PAIR						TECHNICAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 9 GENERAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 9	The item is procured against as per Tender Sample
70	DCW84050		843050040092 7 / SHOES JOGGERS FOR CPO/SAILORS SIZE-12		150 / PAIR						TECHNICAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-12 GENERAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-12	The item is procured against as per Specification
71	DCW84042		843050040092 1 / SHOES JOGGERS FOR CPO/SAILORS SIZE-6		150 / PAIR						TECHNICAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-6 GENERAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-6	The item is procured against as per Specification
72	DGP82157	NO DATA AVAILABLE	005050000009 6 / PAPER-DRAWING-AMMONIA SENSITIZED SZ 1.016MX18.288M GSM75+-5%		2 / ROLL	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
73	DGP83732	NO DATA AVAILABLE	005050000011 7 / PAPER PRINTING WHITE 56GSM +5% SIZEA2 420MMX594MM		200 / REAM	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10. GENERAL SPECIFICATION - SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10.	
74	DGP83596	NO DATA AVAILABLE	005050000011 7 / PAPER PRINTING WHITE 56GSM +5% SIZEA2 420MMX594MM		200 / REAM	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10. GENERAL SPECIFICATION - SPECIFICATION: 500 SHEETS IN EACH REAM.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			M.								SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10.	
75	DGP83783	NO DATA AVAILAB E	0050500000117 / PAPER PRINTING WHITE 56GSM +5% SIZEA2 420MMX594M M.		200 / REAM	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10. GENERAL SPECIFICATION - SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10.	
76	DGP83974	NO DATA AVAILAB E	0050500000117 / PAPER PRINTING WHITE 56GSM +5% SIZEA2 420MMX594M M.		200 / REAM	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10. GENERAL SPECIFICATION - SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10.	
77	DGP83900	NO DATA AVAILAB E	0050500000117 / PAPER PRINTING WHITE 56GSM +5% SIZEA2 420MMX594M M.		200 / REAM	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10. GENERAL SPECIFICATION - SPECIFICATION: 500 SHEETS IN EACH REAM. SPECS ADDED VIDE LETTER GSD/STY/GEN/1/122 DT 05 OCT 10.	
78	DGP82165	NO DATA AVAILAB E	0050500000118 2 / REGISTER RULED WHITE 04-QR		602 / EACH/NUMBER	NO DATA AVAILAB LE					TECHNICAL SPECIFICATION - GSM 70±5% 384 PAGES, SIZE: A-4 210X297MM 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON. COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 3.5±0.5MM THICK CARD BOARD HARD& FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD. WITH DISBANDING CLOTH. 6. FOUNTAIN	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADD	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS. GENERAL SPECIFICATION - GSM 70±5% 384 PAGES, SIZE: A-4 210X297MM 1. PN CREST AS PER DRAWING TO BE PRINTED ON FRONT SIDE. 2. CONTRACT NUMBER & DATE TO BE PRINTED ON BACK SIDE OF EACH REGISTER. 3. BINDING CLOTH 100% COTTON, COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C TO BE USED. 4. 3.5± 0.5 MM THICK CARD BOARD HARD & FIRM IN TEXTURE TO BE USED. 5. INCLUDING TWO SHEETS PASTED ON CARD BOARD, WITH DISBANDING CLOTH. 6. FOUNTAIN INKPRINT SHOULD NOT BE SEEN OR APPEARED ON BACK SIDE. 7. FOUNTAIN INK SHOULD NOT BE SPREAD ON PAGE. 8. BLANK PAPER (WITHOUT LINES) SHOULD NOT BINDED. 9. BINDING THREAD 100% COTTON OF COUNT 3/7 & BREAKING STRENGTH 08 LBS TO BE USED AND STITCHED BY HAND WITH CUT BOUND. 10. COTTON CLOTH STRIP 2.5 INCH-WIDE WITH SUITABLE LENGTH PASSED THROUGH BENEATH THE REGISTER AND PASSED ON BOTH CARD BOARDS.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
79	DGP84003	NO DATA AVAILABLE	005050000021 3 / PAPER PRINTING COMPUTER WHITE 1 PLY 9	ON BOTH SIDES, 60GSM±5% SIZE 241X305M (MIN)	4400 / SHEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM (MIN) WEIGHT: 50 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM (MIN) WEIGHT: 50 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX	
80	DGP83581	NO DATA AVAILABLE	005050000021 3 / PAPER PRINTING COMPUTER WHITE 1 PLY 9	ON BOTH SIDES, 60GSM±5% SIZE 241X305M (MIN)	3100 / SHEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM (MIN) WEIGHT: 50 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM (MIN) WEIGHT: 50 GSM + 5% PACKING: 2000 SHEETS IN EACH BOX	
81	DGP83580	NO DATA AVAILABLE	005050000021 4 / Paper Printing Computer NCR Paper 2 PLY		2010 / SHEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON GENERAL SPECIFICATION - SIZE: LENGTH: 12 INCH WIDTH: 9 INCH WEIGHT: 50 GSM + 5% PACKING: 1000 SHEETS IN EACH CARTON	
82	DGP83572	NO DATA AVAILABLE	005050000021 5 / PAPER PRINTING COMPUTER WHITE NCR PAPER 3PLY FAN FOLDED SPOCKE	FAN FOLDED SPOCKET ON BOTH SIDES	15800 / SHEET	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX GENERAL SPECIFICATION - SIZE: LENGTH: 241 MM WIDTH: 305 MM WEIGHT: GSM 50 + 5% FAN FOLDED SPOCKET ON BOTH SIDES PACKING: 1000 SHEETS IN EACH BOX	
83	DCW64032		843070124100 5 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 6		180 / PAIR						TECHNICAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 6 GENERAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 6	The item is procured against as per Tender Sample

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
84	DCW84046		843050040082 4 / SHOES JOGGERS FOR CPO/SAILORS SIZE-9		150 / PAIR						TECHNICAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-9 GENERAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-9	The item is procured against as per Specification
85	DCW73091		843070066368 4 / SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOALE SIZE 9		46 / PAIR						TECHNICAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOALE SIZE 9 GENERAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOALE SIZE 9	ITEM REQUIRED AS PER SPECIFICATION
86	DCW84031		843050000157 7 / BOOT DMS WITH FABRIC LACE 200 CM SIZE 14 MEDIUM		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS WITH FABRIC LACE 200 CM SIZE 14 MEDIUM GENERAL SPECIFICATION - BOOT DMS WITH FABRIC LACE 200 CM SIZE 14 MEDIUM	The item is procured against as per Specification
87	DCW84038		843070124100 9 / SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 10		180 / PAIR						TECHNICAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 10 GENERAL SPECIFICATION - SANDAL BLACK PESHAWARI RUBBER SOLE SIZE 10	The item is procured against as per Tender Sample
88	DCW84016		843050000002 5 / BOOT DMS (WITH FABRIC LACE 160CM) SIZE 6S		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 6S GENERAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 6S	The item is procured against as per Specification
89	DCF83742		834550571199 1 / FLAG NUMERAL SIZE 4 FITED 10 FLAGS		1 / SET						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	as per tender sample w.r.t end user acceptance
90	DCF81018		834559004073 1 / FLAG ALPHA D RECT NO 4 FITTED S2 5.00X3.75FT		16 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG ALPHA D RECT NO 4 FITTED S2 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA D RECT NO 4 FITTED S2 5.00X3.75FT	
91	DCC83687		844070360162 3 / T-SHIRT GREEN		500 / EACH/NUMBER						TECHNICAL SPECIFICATION - T-SHIRT GREEN ROUND NECK FOR PAK MARINE HALF SLEEVES SIZE	The item is procured as per

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			ROUND NECK FOR PAK MARINE HALF SLEEVES SIZE MEDIUM								MEDIUM GENERAL SPECIFICATION - T-SHIRT GREEN ROUND NECK FOR PAK MARINE HALF SLEEVES SIZE MEDIUM	specification
92	DCF84176		8345595714895 / FLAG NATIONAL PAKISTAN 8 BD FITTED SZ 9.00X6.00FT		19 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG NATIONAL PAKISTAN 8 BD FITTED SZ 9.00X6.00FT GENERAL SPECIFICATION - FLAG NATIONAL PAKISTAN 8 BD FITTED SZ 9.00X6.00FT	
93	DCW84045		8430500400923 / SHOES JOGGERS FOR CPO/SAILORS SIZE-8		150 / PAIR						TECHNICAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-8 GENERAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-8	The item is procured against as per Specification
94	DCW84017		8430500000029 / BOOT DMS (WITH FABRIC LACE 160CM) SIZE 7		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 7 GENERAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 7	The item is procured against as per Specification
95	DCW84049		8430500400926 / SHOES JOGGERS FOR CPO/SAILORS SIZE-11		150 / PAIR						TECHNICAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-11 GENERAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-11	The item is procured against as per Specification
96	DCD84073		8440504100398 / CAP BARRET BLACK FOR CPOs/SAILOR SiFIRE BRIGADE AND PNP STAFF SIZE 7.25 INCH		500 / EACH/NUMBER						TECHNICAL SPECIFICATION - COLOR PANTONE SHADE BLACK: 19-4006 TCX BODY: 100% PURE MERINO WOOL LINING: ARTIFICIAL SILK THREAD OF STITCHING: POLYESTER DIMENSION STABILITY (WOOL SHRINKAGE): 2% MAX BINDING TAPE TEXTILE SILK CORDED 25 MM WIDEGENERAL SPECIFICATION - COLOR PANTONE SHADE BLACK: 19-4006 TCX BODY: 100% PURE MERINO WOOL LINING: ARTIFICIAL SILK THREAD OF STITCHING: POLYESTER DIMENSION	THE ITEM IS PROCURED AGAINST TENDER SAMPLE

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											STABILITY (WOOL SHRINKAGE): 2% MAX BINDING: TAPE TEXTILE SILK CORDED 25 MM WIDE	
97	DCF83740		834550571198 9 / FLAG SPECIAL PENNANT SIZE 4 FITED 22 FLAGS		1 / SET						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	as per tender sample w.r.t end user acceptance
98	DCW84027		843050000004 5 / BOOT DMS (WITH FABRIC LACE 160CM) SIZE 12L		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 12L GENERAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 12L	The item is procured against as per Specification
99	DCW67192		843050010069 7 / BOOT ANTI SKID BLACK SIZE 7		60 / PAIR						TECHNICAL SPECIFICATION - BOOT ANTI SKID BLACK SIZE 7 GENERAL SPECIFICATION - BOOT ANTI SKID BLACK SIZE 7	ITEM PER REQUIRED AS SPECIFICATION
100	DCF81019		834559004063 1 / FLAG ALPHABATIC E SIZE 4 FITTED		12 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG ALPHABATIC E SIZE 4 FITTED GENERAL SPECIFICATION - FLAG ALPHABATIC E SIZE 4 FITTED	
101	DCW84024		843050000003 6 / BOOT DMS (WITH FABRIC LACE 160CM) SIZE 9L		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 9L GENERAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 9L	The item is procured against as per Specification
102	DCF81005		834550000049 5 / FLAG COMPATRON 4BD		10 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG COMPATRON 4BD GENERAL SPECIFICATION - FLAG COMPATRON 4BD	
103	DCW73088		843070066348 2 / SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 7		49 / PAIR						TECHNICAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 7 GENERAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 7	item required as per specification
104	DCW84030		843050000157 8 / BOOT DMS WITH FABRIC		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS WITH FABRIC LACE 200 CM SIZE 14 LARGE GENERAL	The item is procured against as

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			LACE 200 CM SIZE 14 LARGE								SPECIFICATION - BOOT DMS WITH FABRIC LACE 200 CM SIZE 14 LARGE	per Specification
105	DCW84019		843050000003 3 / BOOT DMS (WITH FABRIC LACE 160CM) SIZE 8L		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 8L GENERAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 8L	The item is procured against as per Specification
106	DCW67194		843050010069 9 / BOOT ANTI SKID BLACK SIZE 9		60 / PAIR						TECHNICAL SPECIFICATION - BOOT ANTI SKID BLACK SIZE 9 GENERAL SPECIFICATION - BOOT ANTI SKID BLACK SIZE 9	ITEM PER REQUIRED AS SPECIFICATION
107	DCW84028		843050000157 6 / BOOT DMS WITH FABRIC LACE 200 CM SIZE 13 LARGE		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS WITH FABRIC LACE 200 CM SIZE 13 LARGE GENERAL SPECIFICATION - BOOT DMS WITH FABRIC LACE 200 CM SIZE 13 LARGE	The item is procured against as per Specification
108	DCW84020		843050000003 2 / BOOT DMS (WITH FABRIC LACE 160CM) SIZE 8 M		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 8 M GENERAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 8 M	The item is procured against as per Specification
109	DCW84025		843050000003 5 / BOOT DMS (WITH FABRIC LACE 160CM) SIZE 9 MEDIUM		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 9 MEDIUM GENERAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 9 MEDIUM	The item is procured against as per Specification
110	DCF83741		834550571199 0 / FLAG PENNANT NUMERAL SIZE 4 FITED 10 FLAGS		1 / SET						TECHNICAL SPECIFICATION - null GENERAL SPECIFICATION - null	
111	DCW84047		843050040092 5 / SHOES JOGGERS FOR CPO/SAILORS SIZE-10		150 / PAIR						TECHNICAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-10 GENERAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-10	The item is procured against as per Specification

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
112	DCF81011		834559571594 2 / FLAG ALPHA A BURGEE NO 4 FITTED SZ 5.00X3.75FT		12 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG ALPHA A BURGEE NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA A BURGEE NO 4 FITTED SZ 5.00X3.75FT	
113	DCW67191		843050010053 2 / BOOT ANTI SKID BLACK SIZE 06		60 / PAIR						TECHNICAL SPECIFICATION - BOOT ANTI SKID BLACK SIZE 06 GENERAL SPECIFICATION - BOOT ANTI SKID BLACK SIZE 06	Item per required as specification
114	DCW73092		843070066368 5 / SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 10		40 / PAIR						TECHNICAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 10 GENERAL SPECIFICATION - SAFETY SHOES FOR INDUSTRIAL STAFF RUBBER SOLE SIZE 10	ITEM REQUIRED AS PER SPECIFICATION
115	DCW67193		843050010069 8 / BOOT ANTI SKID BLACK SIZE 8		60 / PAIR						TECHNICAL SPECIFICATION - BOOT ANTI SKID BLACK SIZE 8 GENERAL SPECIFICATION - BOOT ANTI SKID BLACK SIZE 8	ITEM PER REQUIRED AS SPECIFICATION
116	DCC83686		844070360162 2 / T-SHIRT GREEN ROUND NECK FOR PAK MARINE HALF SLEEVES SIZE SMALL		500 / EACH/NUMBER						TECHNICAL SPECIFICATION - T-SHIRT GREEN ROUND NECK FOR PAK MARINE HALF SLEEVES SIZE SMALL GENERAL SPECIFICATION - T-SHIRT GREEN ROUND NECK FOR PAK MARINE HALF SLEEVES SIZE SMALL	the item is procured as per specification
117	DCW84052		843050040096 7 / SHOES JOGGERS FOR CPO/SAILORS SIZE-13		150 / PAIR						TECHNICAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-13 GENERAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-13	The item is procured against as per Specification
118	DCC74157		734050000017 6 / GLASS STAINLESS STEEL FOR NEW ENTRY		1000 / EACH/NUMBER						TECHNICAL SPECIFICATION - Material: Stainless Steel Dia: 2.7 Inch +/- 5% Height: 4 Inch +/- 5% Weight: 118 grams +/- 5% GENERAL SPECIFICATION - Material: Stainless Steel Dia: 2.7 Inch +/- 5% Height: 4 Inch +/- 5% Weight: 118 grams +/- 5%	the item is procured against tender sample

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
119	DCD84072		844050410039 7 / CAP BARRET BLACK FOR CPO/SAILOR S/FIRE BRIGADE AND PNP STAFF SIZE 7 INCH		500 / EACH/NUMBER						TECHNICAL SPECIFICATION - Color Pantone Shade BLACK: 19-4006 TCX Body: 100% Pure Merino Wool Lining: Artificial Silk Thread of Stitching: Polyester Dimension Stability (Wool Shrinkage): 2% Max Binding: Tape Textile Silk Corded 25 mm wide GENERAL SPECIFICATION - Color Pantone Shade BLACK: 19-4006 TCX Body: 100% Pure Merino Wool Lining: Artificial Silk Thread of Stitching: Polyester Dimension Stability (Wool Shrinkage): 2% Max Binding: Tape Textile Silk Corded 25 mm wide	THE ITEM IS PROCURED AGAINST TENDER SAMPLE.
120	DCW84023		843050000003 1 / BOOT DMS (WITH FABRIC LACE 160CM) SIZE 8S		90 / PAIR						TECHNICAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 8S GENERAL SPECIFICATION - BOOT DMS (WITH FABRIC LACE 160CM) SIZE 8S	The item is procured against as per Specification
121	DCC83946		840550069257 9 / OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-II		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-II GENERAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-II	THE ITEM IS PROCURED AGAINST TENDER SAMPLE, AS PER SPECIFICATION.
122	DCC83945		840550069257 8 / OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-I		120 / EACH/NUMBER						TECHNICAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-I GENERAL SPECIFICATION - OVERALL BLUE PANTONE COLOUR SHADE 19-3920 TC 100% COTTON SIZE-I	the item is procured against tender sample as per specification
123	DCF81012		834559571594 6 / FLAG ALPHA B BURGEE NO 4 FITTED SZ 5.00X3 75FT		14 EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG ALPHA B BURGEE NO 4 FITTED SZ 5.00X3 75FT GENERAL SPECIFICATION - FLAG ALPHA B BURGEE NO 4 FITTED SZ 5.00X3 75FT	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
124	DCF81014		834559571562 6 / FLAG ALPHA C RECT NO 4 FITTED SZ 5.00X3.75FT		15 / EACH/NUMBER						TECHNICAL SPECIFICATION - FLAG ALPHA C RECT NO 4 FITTED SZ 5.00X3.75FT GENERAL SPECIFICATION - FLAG ALPHA C RECT NO 4 FITTED SZ 5.00X3.75FT	
125	DCW84053		843050040069 8 / SHOES JOGGERS FOR CPO/SAILORS SIZE-14		150 / PAIR						TECHNICAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-14 GENERAL SPECIFICATION - SHOES JOGGERS FOR CPO/SAILORS SIZE-14	The item is procured against as per Specification
126	DGP69554	780981-01	702501616726 1 / 1.2 TB SSD/ DISK DRIVE UNIT		1 / EACH/NUMBER	1.2 TB SSD					TECHNICAL SPECIFICATION - 1.2 TB SSD GENERAL SPECIFICATION - 1.2 TB SSD	
127	DGP83789	CORE I5	702570524609 1 / PERSONAL COMPUTER (CORE: i5)		3 / SET	CORE I5 12 GEN					TECHNICAL SPECIFICATION - SPECIFICATION OF PC (BRANDED HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3rd Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgradation. GENERAL SPECIFICATION - SPECIFICATION OF PC (BRANDED)	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											HP/DELL/ASUS/LENOVO): 1. CPU Technology= Intel® Core i5 Processor (12th Generation or Above) (Minimum 3 Ghz, 6 MB, 4 Core or above), Intel® Graphic Card (Min 2GB shared/ dedicated), 2. System Memory= Minimum 8 GB DDR4 SDRAM (Pre-installed by OEM (preferable) or Lexar/ Adata/ Transcend), 3. Hard Disk= 1TB SATA/SSD, 4. Keyboard= USB (3d Optical), 5. Mouse= USB (Optical LED), 6. LED= 18.5" (Min) or higher (same brand), 7. LAN= Yes (Built in 10/100/1000), 8. Warranty= Minimum 01 YEAR or as provided by OEM, 9. Operating System= Windows 10 Professional or Above Key Sticker only, 10. Miscellaneous requirements: a. OEM sealed genuine PC, b. Authorized Dealer/ OEM COC, c. Certificate of genuineness, d. Online PC verification, e. PC without modification/ upgrade. TECHNICAL SPECIFICATION:- HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1. CPU TECHNOLOGY: INTEL® CORE i5 (13TH GENERATION OR ABOVE) (MINIMUM 2.3 GHZ), 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED, 4. HARD DISK: 512 gb ssd, 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM YES 7. GRAPHICS: INTEL® HD/HD GRAPHICS/6gb nvidia graphic card 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION) GENERAL SPECIFICATION:- HP/DELL/LENOVO LAPTOP. S NO COMPONENTS SPECIFICATION 1	
128	DGP83464		753570513302 1 / LAPTOP COMPUTER (AS PER NHQ APPROVED MODEL HP/DELL/EN OVO)	COMPUTER	1 / EACH/N UMBER	ta1062wm		PK		VIDE NHQ LETTER ST- S/3200/81 98 DT 23/07/08		

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availabili ty	Tender Remarks	TECH / GEN SPECS	Dimension
											CPU TECHNOLOGY: INTEL® CORE I5 (13TH GENERATION OR ABOVE (MINIMUM 2.3 GHZ). 2. SYSTEM MEMORY: 8 GB DDR3/DDR4 or above 3. DISPLAY: 15.6" LED. 4. HARD DISK: 512 gb ssd. 5 OPTICAL DISK DRIVE: DVD-RW 6. WEBCAM: YES 7. GRAPHICS: INTEL ® HD/HD GRAPHICS/6gb nvidia graphic card 8. WIRELESS CONNECTIVITY: YES 9. BLUETOOTH: YES 10. WARRANTY: 01 YEAR 11. OPERATING SYSTEM: WINDOWS 11 (LICENSED VERSION)	
129	DGP040 04	NIL	773070513890 6 / smart led 40 INCH	LCD 41 INCH SONY	2 / EACH/NUMBER	SONY/TC L/LG		JP		SONY JAPAN	TECHNICAL SPECIFICATION - android smart led tv GENERAL SPECIFICATION - android smart led tv	
130	DGP039 98	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	7 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR, BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIO ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO 021-34536441		HP	TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME, ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME, ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
131	DGP036 88	HP Scanner 20G05A/L2 747A	749070521848 3 / HP SCANNER PRO 2500 F1/2600 F1 FLATBED	HP SERVER Pro 2500 F1	1 / EACH/NUMBER	HP Scanner 20G05A/Pro 2500 F1/PRO 2600 F1	NIL	MS ORA-TECH SYSTEM, FOUR SQUARE PLAZA 4TH FLOOR, BUILDING NO 21-A, H.H FAROOQI ROAD OFF TARIO ROAD, PECHS, BLOCK-II, KARACHI. TELEPHONE NO 021-34535933 FAX NO 021-34536441		HP	TECHNICAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME, ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297 GENERAL SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME, ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SPECIFICATION - SCANNER TYPE FLATBED, ADF SCAN RESOLUTION UP TO 600DPI COLOR AND MONOCHROME, ADF, UPTO 1200DPI, DUTY CYCLE UP TO 1500 PAGES BIT DEPTH 24 BITS EXTERNAL 48 BIT INTERNAL LEVEL OF GRAY SCALE 256 SCAN SIZE 216 X 297	
132	DGP837 44	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	3 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both	
133	DGP840 29	4003DN	743570513863 2 / PRINTER HP LASER JET 2035/HP LASER JET 2055/HP LASER JET Pro 400/M401D/HP 402D/M402DN/ M404DN/ hp laser jetm402N/HP LASER JET PRO M402DNE	COMPUTER	1 / EACH/N UMBER	NO DATA AVAILAB LE		PK		PAKISTA N	TECHNICAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both GENERAL SPECIFICATION - Laser, 266 MHz, RAM 16 MB , 1200 x 12 dpi, 12 ppm(print speed b/w), Pages per month 25000 pages, Paper Type A4/A5/B5/Legal/Envelope, Connectivity Parallel and USB Port Both	
134	DGP840 01	500U7000/ 50AU7000/ 46EH5000	773070517439 1 / SAMSUNG/CH ANGHONG RUBA LED TV 46/49/50 INCH	LED TV	2 / EACH/N UMBER	46EH500 0		SAMSUNG		SAMSUN G	TECHNICAL SPECIFICATION - SAMSUNG/CHANGHONG RUBA LED TV 46/49/50 INCH GENERAL SPECIFICATION - SAMSUNG/CHANGHONG RUBA LED TV 46/49/50 INCH	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
135	DGP834 67	NIL	7435705137719 / PRINTER COLOUR LASER JET 2605DN/ HP 3525	COMPUTER	1 / EACH/NUMBER	JET2605 DN/HP3525.		PK	PAKISTAN		TECHNICAL SPECIFICATION - GENERAL SPECIFICATION -	
136	DGP840 18	E2722H/M 27FW	7435705214885 / LCD MONITOR 27 inch	Instructor Console	2 / EACH/NUMBER	E2417H (24") /e2722h/F 22P MCR Simulator	NOT KNOWN	PLOT NO C-4/A, S.I.T.E. Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111	DELL		TECHNICAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED)GENERAL SPECIFICATION - VX 2781 MH WITH: A) IPS PANEL AND THIN PROFILE. B) FRAMELESS BEZEL WITH UNIQUE TRIANGULAR STAND. C) 75 HZ REFRESH RATE. D) VGA AND HDMI INPUTS. RESOLUTION-1920X1080@60 HZ (FHD) DISPLAY SIZE -27 INCH (DIAGONAL) DISPLAY TYPE -IPS WITH LED LACK LIGHT ANTI-GLARE INPU27 T -1 VGA &2 HDMI WEIGHT -3.68 KGS (UNPACKED)	
137	DGP834 93	KD55X7000F/UHD 4K Smart TV AU71000	7730705214892 / SMART LED TV 55"	F-22P SIMULATOR	1 / EACH/NUMBER	LE55K6600UG/KD55X7000F//UHD 4K Smart TV AU7000	NOT KNOWN	PLOT NO.C-4/A, S.I.T.E. Karachi, Pakistan. Tel: +92921)32571111-2 Fax: +92(21)32553111	SONY		TECHNICAL SPECIFICATION - a. Item : Smart LED b. Company Name: Haier/SONY c. Model No: LE55K6600UG/KD55X70000F/UHD 4K Smart TV AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f. Digital TV system: DVB S2 + T2 g. Aspect Ratio : 16:9GENERAL SPECIFICATION - a. Item : Smart LED b. Company Name: Haier/SONY c. Model No: LE55K6600UG/KD55X70000F/UHD 4K Smart TV AU7000 d. Size : 55 x inches e. Resolution: 3840 x 2160 f.	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											Digital TV system: DVB S2 + T2 g-Aspect Ratio : 16:9	
138	DGP833 57	42 LG31FR / 42 LG50	598078517443 8 / TV LCD TV 42	LG 1080P HDTV	1 / EACH/NUMBER	TCL 42 LG50	NOT KNOWN	LG CHINA	CHINA		TECHNICAL SPECIFICATION - INPUT SUPPLY AC100-240V -50/60HZ 2.3AGENERAL SPECIFICATION - INPUT SUPPLY AC100-240V -50/60HZ 2.3A	
139	DGP820 73		046150461012 0 / TARGET-PAPER 25YD RANGE 6 1/4" X6"		500 / EACH/NUMBER						TECHNICAL SPECIFICATION - GSM 6 1/4"X6" GENERAL SPECIFICATION - GSM 6 1/4"X6"	
140	DGP833 51		046159463844 2 / TARGET PAPER LIGHT GREEN FOR REVOLVER 20YDS		2500 / EACH/NUMBER						TECHNICAL SPECIFICATION - If spec of item not showing full contact to it department Size: "25 x 35" Color: Light Green Material: Paper Sport Type: Pistol shootingGENERAL SPECIFICATION - If spec of item not showing full contact to it department Size: "25 x 35" Color: Green Material: Paper Sport Type: Pistol shooting	Light
141	DGP820 05		046150000845 0 / TARGETS PAPER BLACK 85 GSM+- 5% SIZE 26"X50"		4720 / SHEET						TECHNICAL SPECIFICATION - SIZE: LENGTH: 50 INCH WIDTH: 26 INCH WEIGHT: GSM 85 + 5% PAPER COLOUR: BLACK PACKING: 1000 SHEET PER REAM GENERAL SPECIFICATION - SIZE: LENGTH: 50 INCH WIDTH: 26 INCH WEIGHT: GSM 85 + 5% PAPER COLOUR: BLACK PACKING: 1000 SHEET PER REAM	
142	DGP826 18		005170504435 5 / COVER FOR F(RP)8 GOLDEN EMBOSS WITH STRIP COMPLETE		1000 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	
143	DGP829 99		005170504435 5 / COVER FOR F(RP)8 GOLDEN EMBOSS		1000 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLEGENERAL SPECIFICATION - NO DATA AVAILABLE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			WITH STRIP COMPLETE									
144	DGP82658		0051705044355 / COVER FOR F(RP)8 GOLDEN EMBOSS WITH STRIP COMPLETE		1000 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
145	DGP83322		0575590024922 / TP ROLL 2 PLY COMPLETE WITH ONE TIME CARBON PAPER COMPLETE	TELEPRINTER T1000 S/V	227 / ROLL						TECHNICAL SPECIFICATION - TECHNICAL DATA OF TP ROLL 2 PLY 1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 83 GSM $\pm$ 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: ONE LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM $\pm$ 5%. 7. BRAND OF CARBON PAPER: KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH. 9. LENGTH OF ROLL: 35 METER $\pm$ 01 METER. IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH. 11. DIA OF OUTER CORE SPOOL: 1.20 INCH. 12. LENGTH OF CORE SPOOL: 8.25 INCH. 13. END PROTECTION OF CORE SPOOL BY PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED. END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD. <u>GENERAL SPECIFICATION</u> - TECHNICAL DATA OF TP ROLL 2 PLY 1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM $\pm$ 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: ONE LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM $\pm$ 5%. 7. BRAND OF CARBON PAPER: KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 35 METER $\pm$ 01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD. <u>TECHNICAL SPECIFICATION</u> - TECHNICAL DATA OF TP ROLL 2 PLY 1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/	
146	DGP83575		057559002392 2 / TP ROLL 2 PLY COMPLETE	TELEPRINTER T1000 S/V	500 / ROLL							

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
			WITH ONE TIME CARBON PAPER COMPLETE								STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM $\pm$ 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: ONE LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM $\pm$ 5%. 7. BRAND OF CARBON PAPER: KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 35 METER $\pm$ 01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD GENERAL <u>SPECIFICATION - TECHNICAL DATA OF TP ROLL 2 PLY 1.</u> PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM $\pm$ 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: ONE LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM $\pm$ 5%. 7. BRAND OF CARBON PAPER: KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 35 METER $\pm$ 01 METER. IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORE SPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD.	
147	DGP840 13.	NO DATA AVAILABLE	057559002492 3 / TP ROLL 3-PLY WHITE P-P COMPLETE WITH TWO TIME CARBON PAPER	TELEPRINTER	400 / ROLL						<u>TECHNICAL SPECIFICATION -</u> TECHNICAL DATA OF TP ROLL 3 PLY 1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM $\pm$ 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: TWO LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM $\pm$ 5%. 7. BRAND OF CARBON PAPER: KCR	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 21 METER $\pm$ 01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH 12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD. <u>GENERAL SPECIFICATION - TECHNICAL DATA OF TP ROLL 3 PLY</u> 1. PAPER: PEARL WHITE PRINTING PAPER. 2. QUALITY/ STRENGTH OF PAPER: HIGH/GOOD STRENGTH OF PAPER. 3. GSM OF PAPER: 63 GSM $\pm$ 5%. 4. QUALITY OF CARBON PAPER: HIGH STRENGTH, INCLUSIVE OF COLOUR, CHEMICAL AND WAX QUALITY GIVEN GOOD PRINTING ON OTHER COPY. 5. NO. OF CARBON PAPER: TWO LAYER OF CARBON PAPER. 6. GSM OF CARBON PAPER: 22 GSM $\pm$ 5%. 7. BRAND OF CARBON PAPER: KCR OR EQUIVALENT BRAND. 8. WIDTH OF ROLL: 8.25 INCH 9. LENGTH OF ROLL: 21 METER $\pm$ 01 METER, IN ONE PLACE REQUIRED ONLY. 10. DIA OF INNER CORE SPOOL: 01 INCH 11. DIA OF OUTER CORE SPOOL: 1.20 INCH	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											12. LENGTH OF CORE SPOOL: 8.25 INCH 13. END PROTECTION OF CORE SPOOL BY: PLASTIC COVER ON BOTH END OF CORESPOOL. 14. END INDICATOR TO BE MARKED: END INDICATOR IN RED COLOUR OR GREEN COLOUR. 15. PACKING: EACH TP ROLL WRAPPED/ PACKED IN POLYTHENE BAG & FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 16. TENDER SAMPLE: AS PER SAMPLE TO BE APPROVED BY STATIONERY BOARD. TECHNICAL SPECIFICATION - technical data of tp roll 01 ply 1- paper : pearl white printing paper. 2- quality/strength of paper: high/good STRENGTH OF PAPER. 3- gsm of paper: 63 ± 5%. 4-width of roll: 8.25 inch 5- length of roll: 78 meter ± 01 meter, in ONE PIECE REQUIRED ONLY. 6- dia of inner core spool: 01 inch. 7- DIA OF outer CORE SPOOL: 1.20 INCH. 8- LENGTH OF CORE SPOOL: 8.25 inch. 9- end protection of core spool by: PLASTIC cover on both end of core SPOOL. 10- end indicator to be marked- end INDICATOR in red colour or green COLOUR. 11- packing - each tp roll WRAPPED/PACKED IN POLYTHENE BAG AND FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 12- tender sample- as per sample to be APPROVED BY STATIONARY BOARD. GENERAL SPECIFICATION - technical data of tp roll 01 ply 1- paper : pearl white printing paper. 2- quality/strength of paper: high/good STRENGTH OF PAPER. 3- gsm of paper: 63 ± 5%. 4- width of roll: 8.25 inch 5- length of	
148	DGP83181		057559901339 2/ TP-ROLL 01 PLY	TP ROLL	627 / ROLL							

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											roll: 78 meter $\pm$ 01 meter, in ONE PIECE REQUIRED ONLY. 6- dia of inner core spool: 01 inch. 7- DIA OF outer CORE SPOOL: 1.20 INCH. 8- LENGTH OF CORE SPOOL: 8.25 inch. 9- end protection of core spool by: PLASTIC cover on both end of core SPOOL. 10- end indicator to be marked- end INDICATOR in red colour or green COLOUR. 11- packing - each tp roll WRAPPED/PACKED IN POLYTHENE BAG AND FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 12- tender sample- as per sample to be APPROVED BY STATIONARY BOARD.	
149	DGP830 13		057559901339 2 / TP-ROLL 01 PLY	TP ROLL	656 / ROLL						<u>TECHNICAL SPECIFICATION</u>:- technical data of tp roll 01 ply 1- paper:- pearl white printing paper. 2- quality/strength of paper: high/good STRENGTH OF PAPER. 3- gsm of paper: $63 \pm 5\%$. 4-width of roll: 8.25 inch 5- length of roll: 78 meter $\pm$ 01 meter, in ONE PIECE REQUIRED ONLY. 6- dia of inner core spool: 01 inch. 7- DIA OF outer CORE SPOOL: 1.20 INCH. 8- LENGTH OF CORE SPOOL: 8.25 inch. 9- end protection of core spool by: PLASTIC cover on both end of core SPOOL. 10- end indicator to be marked- end INDICATOR in red colour or green COLOUR. 11- packing - each tp roll WRAPPED/PACKED IN POLYTHENE BAG AND FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 12- tender sample- as per sample to be APPROVED BY STATIONARY BOARD <u>GENERAL</u> <u>SPECIFICATION</u>:- technical data of tp roll 01 ply 1- paper:- pearl white printing paper. 2- quality/strength of paper: high/good STRENGTH OF	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											PAPER. 3- gsm of paper: 63 ± 5%. 4- width of roll: 8.25 inch 5- length of roll: 78 meter ± 01 meter, in ONE PIECE REQUIRED ONLY. 6- dia of inner core spool: 01 inch. 7- DIA OF outer CORE SPOOL: 1.20 INCH. 8- LENGTH OF CORE SPOOL: 8.25 inch. 9- end protection of core spool by: PLASTIC cover on both end of core SPOOL. 10- end indicator to be marked- end INDICATOR in red colour or green COLOUR. 11- packing - each tp roll WRAPPED/PACKED IN POLYTHENE BAG AND FURTHER 12 TP ROLL ARE PACKED IN A CARD BOARD BOX. 12- tender sample- as per sample to be APPROVED BY STATIONARY BOARD	
150	DGP83746	NO DATA AVAILABLE	361070506100 2 / PLAIN PAPER COPIER STANDARDIZED LIGHT DUTY 13CPM/ TOSHIBA E- STUDIO 181	PHOTO STATE MACHINE	1 / EACH NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
151	DGP83491	NO DATA AVAILABLE	773070508858 3 / SONY/led LED TV 32" INCH	TELEVISION	1 / EACH NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
152	DGP83462	SONY/SAMSUNG/ G/TCL 20, 21, 18, 32 INCH	773070505918 2 / LED 32 INCH		1 / EACH NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
153	DGP82449		753070510771 1 / PAPER OFFSET LIGHT BLUE 90 GSM SIZE 18X25 INCH		4 / REAM						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
154	DGP83583	NO DATA AVAILABLE	005150000068 7 / F(NS)68		9350 EACH NUMBER	NO DATA AVAILABLE					TECHNICAL SPECIFICATION - 1 GSM OF CARD 300±5% 2 FILE	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
		E	FILE COVER BLUE (PAKISTAN NAVY)		UMBER	LE					COVER SIZE LENGTH: 355MM (MIN) WIDTH: 235MM (MIN) HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FALPER FOLD 355 MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD, CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C. I. LENGTH: 355MM (MIN) II. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO.EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTING 7. PACKING I. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. II. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG. THEN FURTHER PACKED IN CARD BOARD BOX. AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD. <u>GENERAL SPECIFICATION</u> - 1. GSM OF CARD 300±5% 2. FILE COVER SIZE LENGTH: 355MM (MIN) WIDTH: 235MM (MIN) HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FALPER FOLD 355 MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD, CLOTH COLOUR SHADE OXFORD BLUE NO.105 OF BS-381C. I. LENGTH: 355MM (MIN) II. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO. EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTING 7. PACKING I. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX. II. EACH	

S. No	LPR No	PART NO	NSN / Description	P/Equipment	QTY / DENO	Model	SR NO OF PR	MANUF ADO	Availability	Tender Remarks	TECH / GEN SPECS	Dimension
											BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG. THEN FURTHER PACKED IN CARD BOARD BOX. AS PER SAMPLE TO BE APPROVED BY STATIONARY BOARD.	
155	DGP82074		804070500716 7 / GLUE LIQUID TIP TOP (400 GRAMS) FOR PASTING WOOD/FARMICA.		141 / BOTTLE						TECHNICAL SPECIFICATION - ,h Glue Liquid Tip Top ,h Packing 400 GSM bottle ,h Best quality Glue Liquid Tip Top used for binding of books, file covers and miscellaneous papers will be acceptable GENERAL SPECIFICATION - ,h Glue Liquid Tip Top ,h Packing 400 GSM bottle ,h Best quality Glue Liquid Tip Top used for binding of books, file covers and miscellaneous papers will be acceptable	
156	DGP84006		749070505590 6 / SPIRAL BINDING MACHINE	BINDING MACHINE	1 / EACH/NUMBER						TECHNICAL SPECIFICATION - NO DATA AVAILABLE GENERAL SPECIFICATION - NO DATA AVAILABLE	
157	DGP84058		753070503321 8 / NHQ MAIN FILE COVER F (NS)68 A		2000 / EACH/NUMBER						TECHNICAL SPECIFICATION - 1. GSM OF CARD: 300+5% 2. FILE COVER SIZE: a. LENGTH: 355MM (MIN) b. WIDTH: 235MM (MIN) c. HEIGHT OF FILE: 15MM (MIN) 3. WIDTH OF FLAPPER FOLD: 355MM (MIN) 4. BINDING CLOTH 100% COTTON TO BE PASTED (EQUALITY) ON BOTH SIDE OF CARD. CLOTH COLOUR SHADE: OXFORD BLUE NO.105 OF BS-381C. a. LENGTH: 355MM (MIN) b. WIDTH: 70MM (MIN) 5. THICKNESS OF TRANSPARENT PLASTIC LAMINATION INSIDE FILE CARD 10 MICRON (MIN) 6. 06 NO. EYLETES TO BE FIXED ON CARD FOR (FILLING PURPOSE) PAPER FASTENING 7. PACKING: a. ONLY 200 FILE COVER TO BE PACKED IN A CARD BOARD BOX b. EACH BUNDLE OF 50 FILE COVER WRAPPED IN POLYTHENE BAG.	

MEMORANDUM HOW THE TOTAL OF A CHEQUE IS MADE UP (CHEQUE SLIP)

Auth Sec III Para 80 Sub Para (iii) Office Manual Part-III

1276

Pakistan Military Accountst Department

Office of the CNA Karachi No & Date Of cheque _____ Serial No Of Cheque slip _____

In Payment Of bill No:- 2 dt 07/03/2025

180000.00

Bank A/c No PK17HABB0004540013100701

180000.00

In Words Rs ONE HUNDRED EIGHTY THOUSAND

For C N A

(Signature of Offr Signing the cheque)

Initial

Supdt Audit Sec

Initial

Officer O/C Audit Sec

HBL 'A' BLOCK BRANCH PAK SECRETARIAT, ISLAMABAD ISLAMABAD

To

P.P.R.A

PPRA 1st Floor FBC Building, Near State Bank Sector G-5/2, Islamabad

Copy To

LP Division

2. LAO (NAVY) NSD KARACHI)