SEPARATE QUOTATIONS REQUIRED FOR ATTACHED 16 x IT SPECIFICATIONS

IT NO: IT/51/01/2024-25 IT SPECIFICATIONS - APPLICATION OF PAINT 30 MM GUN - PMSS KASHMIR

1.	Parent Equipment	30 mm Gun
1.	r arent Equipment	30 min Gun
2.	Sub Equipment	30 mm Gun
3.	Make	CHINA
4.	Model	CS/AN3
5.	Quantity	01
6.	Justification i.e PMS/ Failure/ FWT / New Installation etc	FWT: Deteriorated of paint due fair wear and tear
7.	Work Required/ Defect	Application of instrument paint
8.	Detailed scope of work	Application of instrument paint Removal of spots and surface preparation of Gun Application of paint via spray gun by professional Any growth in scope of work will be responsibility of contractor.
9.	Technical Specs	a. Color: Light Grey b. Shelf Life: 12 Month
10.	Eligibility Criteria	Reputable local contractor having work experience with PMSA/ OEM authorized rep will be given preference.
1 1.	EDC/EDD	10 Days
12.	Warranty	12 x Months
13.	Acceptance Criteria	Upon successful completion of paint work
14.	Any Other Relevant Information	Firm must visit onboard for clarification of any query and understanding of requirement before quoting.

IT NO: IT/51/02/2024-25 PMSS KASHMIR

	IT SPECIFICATIONS: REPAIR/ FABRICATION OF HT & LT COOLERS OF SSDGs ///			
1	Ship Name	PMSS KASHMIR		
2	Parent Equipment	SSDGs		
3	System	Fresh Water Cooling System		
4.	Sub system	Cooler (Heat Exchanger)		
ā.	Make — —	Cummins		
6	Model	N/A		
7	Oty			
8	NSN/ Patt	412433 & 30111		
9	Justification			
10	Vroik Reguited/ Defect	Repair/ fabrication of complete tube stuck of Hill and I T coolers		
- 1	Dotalled Scope of Work	a. Dismanting of cooler b. Testing of cooler c. Replacement of inner stacks d. Pressure Testing of tubes e. Installation of coolers f. Trails		
12	Teur du Spec	Cupronicket SC 10 & 70/30		
13	⊆ga ký Ohtera	a. Have experience to work for ship (preferably PMSA SHIP) b. Company must be certified with HO PMSA c. Company must be income and sale tax registered d. company must have good experience of repaining of mechanical parts.		
	E00	02 weeks after confirmation of order		
	ananty	01 x years		
1	ecceptance Criteria (if	a. Copiers should be able to hold 2 bar pressure for atleast 46		
	euk)	hrs b items will be accepted after onboard inspection and satisfactory c 3 Pressure testing of coolers for 24 hrs at 2 bar.		
	Any other relevant	SS contact (Contact: 0521-3000503)		
	information.			

IT NO: IT/51/03/2024-25

IT SPECIFICATION FOR CONDUCT OF MOUT (2004 HOULY) PMS ROUTINES OF GENSE

	B	NO 3 – PMSS ZHOB
	Description	·
<u>-1.</u>	Ship's Name	PMSS 7HOB
2.	Parent equipment	GLNSET No 3
3.	Sub equipment	i
4.	Assembly component	
5.	Model	C9 Marine GENSET
5.	Make	CATERPILLAR (USA)
7	Qty	01
8.	Justification	12000 Hourly PMS routines required (PMS 5-1120-0003 MOP NO 054)
9.	NSN/ Part No	N/A
10.	Work required/Defect	Major overhauling of GENSET No.3
11.	Scope Of Work	a. Detailed health inspection of CENSET through dragnostic tool and
		health assessment of piston rings, thrust bearings, and main bearings
		b. Overhaul considerations must include inspection/ replacement of
		connecting rod bearings, crankshaft seals bearing, vibration dampers,
		engine mounts, hoses, sensors and software update.
		c Inspection/ replacement of the crankshaft for any of the conditions
		i.e deflection, damage to the journals, taper and the profile of
		crankshaft.
		d. Wear patterns on the rod bearing, main bearings and magnetic,
		particle inspection process to check for cracks in the crankshaft and
		camshaft.
		e. Inspection of the camshaft bearing and valve lifters for signs of
		wear or for signs of scuffing.
		f. Test the fuel injection nozzles and fuel injection pump during the
		overhaul.
		 g. Inspection of associated gear driven pumps, turbo charger.
		 Removal and installation of cylinder head, turbo charger, cylinder
		liners, big end bearing, main bearing, rear and front oil seals.
		j Provision and installation of OFM recommended parts only for
\		satisfactory operation and extended life of GENSFT.
		k Satisfactory onboard trials of GENSET after installation on 100%;
		load through load van i.e 192 KW
		PQA of Genset on variable loads.
		m. Sharing of report indicating hidden defects and any unseen
	_	anomaly in the system.
12.	Technical specifications	
13.	Eligibility critena	 Reputable local contractor having working experience of C9 I
- 1		Marine GENSI T related activity in PMSA
		b Firm must visit site for understanding exact nature of work
14.	EDC	20 days
15.	Warranty	1-year
16.	Acceptance Criteria	Work will be carried out through contractor
_		b PQA of GENSF1 on variable loads.
		c. Full Power I rials, HATs & SATs.
		d. Satisfactory onboard trials of GENSET after installation on 100%
	!	load through load van i.e 192 KW
17.	Any other information	Growth Work. Damage/ defect occurred during work is responsibility of
		contractor

IT NO: IT/51/04/2024-25

IT SPECIFICATIONS FOR REPAIR/ REPLACEMENT OF FALSE CEILING INSIDE COMPARTMENTS - PMSS BASOL

S No	Description	
1	Parent Equipment	Ship's Cabins/ Compartments
_ 2 _	Sub Equipment	only's Cabins Compartments
i 3.	Assembly Component	+
4	Model	False Ce'ling and Aluminum Strips
5.	Make	CHINA
5		CHINA
· 0.	Quantity/ Item Details	False Ceiting a ongwith aluminum Strps with following dimensions to be replaced
1		Location False Celling (Sg.ft) Aluminum Strin (ft)
		a (CO Cabin 145
1		b. EXO Cabin 140 100
		c Wardroom 12' 60
1		d. Bridge 250 120
	į	e Ops Room 80 80
	·	f MBO
7	Justification	False ce.ling alongwith aluminum strips have been deteriorated due fair wear and
·	l	
8	Work required/ Defect	Repair/ Replacement of false ceiling and aluminum strips in compartments
	ļ	mentioned above.
9	Scope of work	a Removal of detenorated false coiling alongwith aluminum strips
		Replacement of false ceiling alongwith aluminum strips
	1	c. All in-way accessories be removed by the firm and fitted pack.
		d. To avoid complications on letter that and fitted back.
_	Ĺ	d. To avoid complications on later stage, firm may be directed to visit ship before quoting for understanding repair/ replacement work.
10	Technical Specifications	As per dimensions given.
11.	Eligibility Criteria	Any registered and expert
		Any registered and security wise cleared local contractor having good experience in above mentioned scope of work
		weeks mornioned acobs of work
. 12	EDC	7 days
*3	Warranty	2 Year Warranty
14	Acceptance Criteria	Satisfactory installation of false ceiling along with aluminum strips
15	Any Other Rolevant	SS may be contacted for any requirement/ query
	Information	

IT NO: IT/51/05/2024-25

IT SPECIFICATION FOR INSTALLATION OF BATHROOMS DECK TILES - PMSS ZHOB / B

S:No	Description	
1.	Ship's Name	PMSS ZHOB
2	Parent equipment	Bathroom deck tiles
3.	Sub equipment	Date Work Wild
4.	Assembly component	
12 345	Make	Tosto —
6	Mode	N/A
7.	Qty/ Area — —	102 square ft ,
	C.y 711cu	(14 ft + 88 ft)
8.	NSN/ Part No	N/A
9.	Just fication i.e PMS/	Upon inspection degradation of decks and bulkheads.
٥.	failure/ FWT etc	open it specified degradation of decks and bulkneads.
10	Work required/ Defect	New installation of bathroom decks tiles
11.	Detailed Scope of work	New installation of bathroom decks tiles
· -		a. Firm is to provide new non slippery deck tiles along with all raw material and spares required to undertake said job (final selection of tles would be carried out by SS). b. Dismartling of old tiles and in way accessories (without any damage to surrounding equipment) required for installation of new deck tiles. c. Quality of tiles and workmanship is to be ensured by contractor constitutions of tiles and installation of tiles. a. Firm is to install deck tiles after cleaning & cleaning the surface, i.e. surface is to be prepared properly before tiles installation. E. Any growth work/ damage will be responsibility of the firm.
12.	Technical specifications	N/A
13.	F igibility criteria	Reputable local contractor having working experience of installation/ construction related activity in PMSA.
14	LDC	b. Firm must visit site for understanding exact nature of work.
15.	Warranty	7 days
16.		One year after sat stactory installation of deck tiles.
16.	Acceptance ontena	Seepage free, crack free installation of anti-skid tiles having proper
1.	A	water draining slope
_	Any other information	Growth Work. Damage/ defect occurred during work is responsibility of contractor. Firms must visit site before quoting to fully understand scope.
		of work

IT NO: IT/51/06/2024-25

IT SPECIFICATIONS FOR REPAIR WORK OF GANGWAY - PMSS BASOL

S No

IT SPECIFICATION FOR RENOVATION OF DECKS FRIDGE COMPARTMENT AND JUNIOR RATING DINING HALL - PMSS ZHOB

No	Description — —					
1	Ship's Name	PMSS	ZHOB			
2	Parch! equipment	Ende	compadmer	t & Junior ratino	dining hall floors	
3	Sub eq., proent		voinie Griting	ra sariar ramig	dilling half hoors	
4	Assembly component					
5	Make	N/A				
5	Mode	N/A				
7	Oty/ Area	17 x 1	2 sa ft	Junior rating of	dicina hall	
		20 x 9		Fridge compa		
8	NSN/ Part No	а	5510-01 559	5-2890	Deck and floor coveri compound	ng surface
		b	8010-71-516	8-0587	Epoxy seal coat	
		0	5340-71 516	3-0688	Chips white (Size 1	O . 6.1.40
					25-200 ft2/lb)	ro idi 4-6 partai
		C	5610-01-311	1-2937	Deck covering terrazz	o m x (Epaxy
9	: :: 	l :			undedayaaati	
5	Justification i.e. PMS/ Falure/FWT.etc	1 roqU	ispection ce	gradation of deck	(5	
10	Work required/ Defect	1,,,=				
14.	Scope O' Work	Renov	ation o, tridde	comparinent 1	unior rating dining half	floors
•	ocopa to viola	a venova	alien of mage	compartment &	Junior rating dining ha	il floors
		9	Contractor is	to visit ship and	carry out detailed insp	ection of decks
			a to surrouse	reparation of to	ors and in way acces	sories (without any
		C	O rality of an	ung equipment; r	equired for application	of new epoxy.
		fmishin	a and nom	ral elonu tor w	be ensured by contra- ater drainage during r	ctor i.e. satisfactory
		ероху	9. 200 110111	re-superiorwa	aren ma naçe dunud v	enovation of docks
		d	Contractor is	to apply enexy	after clearing & idean	on the elefani
		surface	is to be prep	ared properly be	fore application	ing the surface, re
		<u>e</u>	<u>A</u> ny growth v	vork/ damage wi.	be responsibility of th	e contractor :
12	Technical specifications	N/A			- 40" . o o b D . i o i o i i i i	C COI (FACIO)
[*] 3	Eirgip lity criteria — —	a .	Recurable to	cal contractor b	aving working experies	
		related	activity in Ph	ASA	aving working expense	nce of construction
		t	Contractor in	ust visc site for it	inder <u>st</u> anding exact na	ture of work
14	EDC	TO Cays				tale of Wo K.
1 <u>5</u> 16.	Warranty	1 year a	after satisfact	ory application of	1 ераху	
16.	Acceptance or teria	Seepag	e free crack	free renovation	of decks having prope	er water craining
Ł		Slube				
~	Any other information	Growth	Work. Dam	lage cefect co	curred during work i	s responsibility of I

IT NO: IT/51/08/2024-25

$\frac{\text{IT SPECIFICATION FOR FABRICATION OF SWIMMER OF THE WATCH (SOW) GANTRIES - PMSS}{\text{HINGOL}}$

S No.	Description	
1.	Parent System	Swimmer of the watch (SOW) gantries
2.	Sub System	Swimmer of the watch (SOW) gantries (Port & Stbd)
3.	Assy.	Complete Structure or both sides
	Component	
4.	Origin	China
_5. 6. 7.	Make	As per Specifications
6.	Model	-
7.	Quantity	02
8.	Technical specs (if any)	Foldable arms on both sides of ships structure as per provided sample
9.	Justification	Gantries required to be replaced due cracks observed during load test
10.	Scope of Work	Removal of defective gantries from ships structure
	-2. — —	5 Fabrication and installation of gantries as per sample
11.	Eligibilities	Reputable local contractor having working experience of working onboard
	l	HINGOL Class MPVs
12	EDC	07 x Days after issuance of work order
13.	Warranty	a One Year warranty after test/ trials
	ı	b Satisfactory operation
		 c. If any safety malfunction during warranty period will be replaced with new.
14.	Acceptance Criteria	Satisfactory operation after successful load test by PND
15.	Any other	a. Damage/ defect occurred to system during work is responsibility of
	Information	contractor.
		b. Dismanting/ assembling/ installation and in way removal work is responsibility of contractor.

IT NO: IT/51/09/2024-25

IT SPECIFICATIONS STORE ITEMS REQUIRED FOR REPAIR/MAINTENANCE OF L&M MESS ROFF - PMSA BASE GWADAR

Specification	Remarks
Ships Name	PMSA NAZIM/PMSA BASE GWADAR
Parent Equipment	Repair/Maintenance Of L&M Mess Roof
Sub Equipment	N/A
	N/A
Make	N/A
Models	N/A
Qty	01
Justilication i.e PMSA/ Failure	The L& M Mess Roof severely defected by heavy rainfall
	in March 2024, Repair/ Maintenance work required.
Work Required/ Defect	Store items required for Repair/Maintenance of I.8.M
,	mess roof.
Details Scope Of Work	Following store items required for Repair/ Maintenance
	of L&M mess roof.
	S No Description Oty
	a. Fiber Cement 160 in number Fiber Sheets
1	Sheets (Dia 06 Ft length 3.5 Ft Width)
	b. Cement Bags 10
Toohsiast Cara	c. Sand 100 Sq. Ft
Technical Spec	Length of 83.6Ft Width 40Ft
	Roof Area 3344 Sq. Ft
Fligible Criteria	Any local/ international well reputed firm having
anglolo olliona	experience for repair/Maintenance of building.
EDC	01 Month
Warranty	01 Year
Acceptance Criteria	Inspection by end user after completion of work.
Any Other Relevant	POC: Lt Shahid Noor PN (OI/C Gwadar Base)
Information	Phone # 0334-5329101
	Ships Name Parent Equipment Sub Equipment Assembly Component Make Models City Justification i.e PMSA/ Failure / FWR etc Work Required/ Defect Details Scope Of Work Technical Spec Eligible Criteria EDC Warranty Acceptance Criteria Any Other Relevant

IT NO: IT/51/10/2024-25 IT SPECIFICATIN COMERCIAL REPAIR CASE - 170329 MS WATER BOWSER

SYSTEM	COMERCIAL REPAIR		
MAKE	WATER BOWSER		
MODEL	. 2017		
VEHICLE NO	170329 MS		
ITEM	Work Description		
DESCRIPTION	Cabin roof fiber coating and paint work		
	2 Water tank non slippery sheet fitting work required (new foot plate)		
	Water tank guard rail replacement with new		
	Water tank 02x doors cover replacement with new		
	Water tank valve connectors replacement with new		
	Dent/Paint work water tank and frame/body		
TECHNICAL	MATERIAL AS PER EXISTING		
SPESIFICATINOS			
PRELIMINARY	D(MT) / MTO STAFF		
INVESTIGATION			
_ELIGIBILITY	REGISTFRED CONTRACTOR		
EDD	30 DAYS		
WARRANTY	WARRANTY 12 MONTHS		
ACCEPTANCE CRITERIA	STACE INSPECTION BY END USER		

IT NO: IT/51/11/2024-25

SPECIFICATION COMERCIAL REPAIR CASE VEHICLE NO 090403 MS SUZUKI HIGHROOF

•	SYSTEM	COMERCIAL REPAIR		
2.	MAKE	SUZUKI HIGH ROOF		
3.	MODEL	2009		
4.	VEHICLE NO	090403 MS		
5.	ITEM DESCRIPTION	Work Description Following items will be repair/replaced:		
	!	S No Work Description		
		Complete body dent paint (All rusted parts are		
		Roof repairing work inner side, new seat covers		
		and repairing of seats		
	1	c Engine major overhaul		
		Replacement of wiring, head light and all indicators		
		Accelerator pedal with cable, clutch wire, wiper motor with wiper blades and hand break cable is to be replaced with new		
		Spark plugs set, leads, ignition coil & distributor		
		Meter penal, steering assembly and dash board replacement with new		
		b Steering system repairing through replacement		
		Generator and self-repairing through replacement		
		: Replacement of ragiator with new		
	i	k Air filter with bottle & hose ,fuel filter & oil filter		
	TECHNICAL —	MATERIAL AS PER EXISTING		
6	SPESIFICATINOS	<u>·_</u>		
7	PRELIMINARY INVESTIGATION BY SHIPS'S STAFF	D(MT) / MTO STAFF		
8	ELIGIBILITY	REGISTERED CONTRACTOR		
9	EDD	30 DAYS		
1	0. WARRANTY	WARRANTY 12 MONTHS		
_ 1	1. ACCEPTANCE CRITERIA	STAGE INSPECTION BY END USER		
1	2. ANY OTHER I RELEVANT	N/A		
l	INFORMATION	<u> </u>		

IT NO: IT/51/12/2024-25

IT SPECIFICATION FOR REPLACEMENT / INSTALLATION OF ANTI BIRD NET IN DEFENDER PARKING HANGAR - 93 PMSA SQUADRON

1.	Ship's Name	93 PMSA SQN
2	Parent Equipment	Parking/ Maintenance Hangar
3.	Sub Equipment	Polyester Weather Resistance Braided Knotted Small
		Mesh Anti Bird Net
4.	Assembly Equipment	N/A
5.	Make	Local
6.	Model	Ņ/A
7.	Quantity	1 Piece Net (Length 110 feet, Width 80 feet)
8.	Justification	Replacement/ installation of Anti Bird Net required n
		Defender parking/ maintenance hangar for protection
		against birds, their nesting and corrosive bird poop/ shit
9.	Work Required/ Defect	
	(Subject to inspection)	feet. Wigth 80 feet)
10.	Detailed Scope of Work	
L	(Req from Repair Agency)	
11.	Technical specs (if any)	Make: Polyester
		Dimension: Length 110 Feet
		Width 80 Feet
		Co'our: Grey
		Rope Type: Braided
	I	Mesh Size: 1 x 1 inch
		Mesh Style: Diamond, Knotted
		Mesh Thickness: 1.5mm
i		Border Rope Dia: 3 mm
12.	EDD/ EDC	04 weeks after award of contract
13.	Acceptance criteria	Satisfactory replacement/ installation of Polyester
	(if any)	Weather Resistance Braided Knotted Small Mesh Anti
		Bird Net in parking/ maintenance hangar of Defender
	1	aircraft
14.	Any other relevant	
İ	information	firm before submission of quotation for any query/ exact
		cost estimation

IT NO: IT/51/13/2024-25 PMSS HINGOL IT SPECIFICATION

S No.	Description					
1.	Ship	PMSS HINGOL — — — — —				
2.	Parent Equipment	FINISS HINGUL				
3.	Sub Equipment	Stairs — — — — — — — —				
4.	Assembly	Handrails — — — — — — — —				
	component	Translatis .				
5.	Make	CHĪNA — — — — — — — — — — — — — — — — — — —				
6.	Model	N/A				
7.	Qty	04				
8.	NSN/ Part Number	Not Applicable — — — — — — — — — — — — — — — — — — —				
9.	Justification	Handrail are required on 4 x Stairs for safety purpose				
10.	Work req / Defect	4 x stairs handrails installation is required				
11.	Detailed Scope of	a. Fabrication and installation of handrails on 4 x stairs as				
	Work	per onboard measurements.				
	<u> </u>	b. Handrail should be of stainless steel.				
12.	Technical specs	As per onboard Sample				
	(if any)	<u> </u>				
13.	Eligibilities	Reputable local contractor having working experience of fitting				
	· ==	or stair nandralis.				
$\frac{14}{15}$ -	_EDC	_5 x <u>Day</u>				
15.	Warranty	One year warranty after satisfactory test/ trials.				
		 Handrail will be replaced if deformity or wear is 				
16.	Acceptance	developed during warranty period				
10.	Criteria	Satisfactory fitting of base nut & bolts.				
17.	Any other	c. Alignment of handrail with opposite handrail.				
	information	a. Contact SS/ visit onboard for clear understanding of scope of work				
	in ormation					
	[b. Damage/ defect occurred to system during work is responsibility of contractor.				
	i I	C Dismontline/ passaultine/ in the				
	1	c. Dismantling/ assembling/ installation and in way removal work is responsibility of contractor.				
		is responsibility of contractor.				

IT NO: IT/51/14/2024-25

S No	Description	Provision of material for re-construction of roof of			
		security	tower	Otv	
1:3.	Requirement/ Scope of Work	SNo		Qty 36 bag	
		d.	SR Cement	550 SFT	
		e.	Sand	400 SFT	
		f.	Crush		
		g.	Steel 1/2 & 1/4	120 Kg	
		in	Binding Wire	3 Kg	
14.	Eligibilities	All reputable GST registered firms/ contractors/ suppliers.			
15.	EDC	05 Days			
16.	Acceptance Criteria	Inspection by end user			
17.	Any other relevant information	In case of any query, contact EXO PMSS INDUS 021-48505455			
18.	Terms of payment	100% After work Completion			

IT NO: IT/51/15/2024-25 IT SPECIFICATION FOR PURCHASE OF NAVAL STORE ITEMS FOR ALL PMSA UNITS

S.No	Description		Make/ Model	Den	Qty Req	
1,	Phenyl Liquid		Finis	Ltr	682	
2.	Mospel		Tiger/ Abbot	Bottle	400	
3.	Tape Transparent 2"		Jhonson	No	200	
4.	Tape Adhesive 2" Blue		Deer	No	200	
5.	Air Freshener		BAKHOOR	Bottle	200	
6.	Harpic		Harpic	Bottle	420	
7.	Mop Refill		As per sample	No	80	
8.	Mop with Handle		As per sample	Sheet	400	
9.	Emery Paper (Cloth Abrasive)		As per sample	No	40	
10.	Cell AA Size		Toshiba/ Energizer	No	746	
11.	Cell AAA Size		Toshiba/ Energizer	No	746	
12.	Aeron Gel		Aeron	No	120	
13.	Coopex Powder		Mortien	No	100	
14.	Cotton Rag/ Cloth Clea	ning	As per sample	Kg	3500	
(1)	Eligibilities	The firm should registered in PMSA and also have NTN/ GST registered.				
(2)	EDD	15 Working Days after issuance of work/ confirmation order.				
(3)	Warranty/ Guarantee	01 Year Warranty After Delivery				
(4)	Acceptance Criteria	Accepted By Warehouse Staff/ end user				

<u>IT NO: IT/51/16/2024-25</u> <u>PMSS KASHMIR</u>

IT SPECIFICATION - REPAIRING OF SATLINK 2910 MODEM

S No.	Description					
1.	Parent Equipment Digital Video Broadcasting System(DVBS)					
2.	Sub Equipment	Modem SATLINK 2910				
3.	Make	China				
4.	Model	Satlink 2910				
5.	Qty	01				
6.	Justification PMS/Failure/FWT	Existing Modem Satlink 2910 is defective and same is required to be repair.				
7,	Work required/ Defect	Repairing of defective modem Satlink 2910 is required.				
8.	Detailed Scope of Work	Repairing of defective modern Satlink 2910 is required.				
9.	Technical specs	a. Modem Satlink 2910 is the satellite modem which handle data link layer processing for both satellite and LAN communication and act as IP router and DHCP sever.it provides an Ethernet 10/100 LAN interface in two way communication via a Satlink satellite network. b. Configuration method: command line interface(CLI) via RS232/TELNET c. Input Voltage: 100 to 240 VAC 50/60 Hz. & 19-36 VDC 6A d. Frequency Band: KU band e. Software version: STM Satlink Boot leader, Version 9.0.0 and latter f. Software Options: following features are available VOIP option as default GRE Tunneling(GRE) TCP/IP Performance Enhancing proxy HTTP Acceleration(PEP-HTTP) g. Status Monitoring: HTTPA,TCP Clients connection, Trans connections and failed connections(Error) status can be monitored h. Ports: TX port (to antenna control unit) RX port(From Antenna Control Unit) Ethernet port. USB port, Com-1 port				
10.	Eligibility Criteria	k. Dimension: 33.5cm * 22.6cm * 4.cm Reputable local contractor having working experience with				
	,	PMSA/ OEM authorized reps will be given preference.				
11	EDC	14 x Days				
12.	Warranty	12 x Months				
	Acceptance Criteria	a. OEM Certified item b. Item will be accepted after satisfactory test/ trials				
		c. OEM Technical documents/ warranty certificate of items required d. Upon scrutiny of items and provided documents i.e. technical specifications along with production certificate and batch No by OEM e. Item must be genuine and OEM packed. Aftermarket and items will not be accepted				
14.	Any other relevant Information	Firm must visit onboard for clarification of any query and understanding of requirement before quoting.				

Note: 100% Payment after completion by CNA

Director General

Pakistan Maritime Security Agency Plot No 34-A, Dockyard Road KARACHI Telephone 021-48509194 Fax 99214625 E-Mail dpcc@pmsa.gov.pk

INVITATION TO TENDER GENERAL INSTRUCTIONS

1. CONDITIONS GOVERNING CONTRACT:

All Procurement / Repairs / Maintenance Contract, Local Purchase Order (LPO) and work ordered made as a result of this IT shall mean the agreement entered into between the parties that is buyer and the supplier will be in accordance with the PPRA rules 2004 or any amendment issued from time to time. Therefore all open tender inquiry will be uploaded on PPRA Website and publish on print media as the case may be.

2. **SUMBISSION OF TENDER:**

Firms shall submit their offers in two separate envelopes clearly marked as "<u>Commercial Offer</u>" and "<u>Technical Offer</u>" for open tender. Both envelops shall be properly sealed bearing the signature of the bidder. Thereafter both these envelopes shall be placed in one bigger envelope. This envelope should bear the address of the D (P&CC).

- a. <u>TECHNICAL OFFER:</u> Should contain all relevant details and specifications as per the IT specifications. Literature / Brochure or any other relevant technical details may also be included in it. Technical offer should not contain the price. Indication of price in technical offer may render it null and void. The word "Technical Offer" should be clearly mentioned alongwith the tender No and date on the envelope containing the technical offer.
- b. <u>COMMERCIAL OFFER:</u> The price be quoted in figures as well as in words alongwith essential Literature / Brochures. The word "Commercial Offer", tender number should be clearly mentioned on the envelope. Taxes, duties, freight / transportation, insurance charges etc if any are to be indicated separately. Total price of the items quoted against the tender os to be clearly mentioned. It should also contain a pay order 2% in the shape of pay order of the offered value as earnest money. Cross cheque or cash is not acceptable in this case. The offer received without earnest money will be rejected.
- c. <u>SPECIAL INSTRUCTIONS</u>: Tender documents and its conditions may please be read point to point and understood properly before quoting. All tender conditions should be responded properly. In case of any deviation due to non-acceptance of tender conditions, the same should be highlighted alongwith changed offer / conditions. Tender may however be liable to be rejected.

PREPARATION OF QUOTATION

Please prepare quotation in this format In case of GST @ 18% or SST @ 15%:

S No	Description	Unit Price	Qty	Total GST @18% or	Total Price
				SST @ 15%	

Please prepare quotation in this format In case of without GST or SST:

Without this format quotation will not be accepted.

3. DATE AND TIME FOR RECEIPT OF TENDER:

Tender must be dropped in tender Box placed at main gate. HQ PMSA will not accept any excuse of delay occurring due to whatsoever reason. Tender received after the time indicated in IT will not be entertained. The tender opening time, however, fall on next working day in case of closed / forced holiday or any other unforeseen event. Only authorized representatives of firm will be allowed toattend tender opening.

The tender received through Fax, E-Mail will not be acceptable.

4. TENDER OPENING:

Technical offer will be opened as per scope of work on the date and time mentioned in the tender. Commercial offer shall be retained with technical officer. It will be opened at a later stage. All technical offers will be scrutinized by a Technical Scrutiny Report (TSR) committee nominated by HQ PMSA. The offers which are not as per the IT specification will be rejected. The firms recommended by TSR Committee will be allowed to attend the commercial opening for which date and time will be intimated separately.

5. VALIDITY OFFER:

The validity period of quotations must be indicated and should invariably be for 90 days extendable to 30 days from the date of opening of Technical offer.

6. **QUOTING OF RATES:**

Unit price of the item, GST/ SST or any other Govt tax and Total price all these should be indicated separately in Pak Rupees in a very clear manner as follows:

S No Description Qty U/Price GST/SST/Taxes Total Price

7. <u>ATL/ GST/ SST/ INCOME TAX NUMBER:</u>

Only registered suppliers, who are on Active Taxpayers List (ATL) of FBR, are eligible to supply goods/ services to Government department. GST/SST and income tax number be clearly indicated on the quotations and all other relevant documents.

8. EARNEST MONEY:

All participating firms are to provide earnest money in form of pay order alongwith bids. Registered firms 2% of complete value (inclusive of all prices and taxes). Non registered firms 5% of complete value (inclusive 5% of all prices and taxes). Firms disqualifying in technical opening/ Commercial opening will be returned their earnest money upon award of work order/ LPO/ Contract to qualifying Firm.

9. <u>TENDER FEE:</u>

Each technical offer must be accompanied with Cash of Rs.5,000/- for two stage and Rs 1,000/- for single stage nonrefundable as tender fee (In favour of IT Sale Account DG PMSA) (Separate Quotations required for each IT Specification).

10. <u>INSPECTION AUTHORITY:</u>

Joint inspection of stores provided and work done will be carried out by committee appointed by HQ PMSA or as per the contract. For provision of stores/ repair or replacement work wherein Two Stage bidding i.e technical opening is required, Inspection of same will be carried out through reputed third party labs i.e SGS, PNCTA and TTI etc. For inspections carried out in two stage bidding, charges for inspection will be borne by supplying firm.

11. CONDITION OF STORES:

Spares, Stores, items and work done will be accepted on Warranty / Guarantee of the firm on Form DPL-15.

12. DOCUMENTS REQUIRED:

Following documents are required to be submitted alongwith the Bills for further processing of the same for payment:

- a. 10% of total amount of Contract, 5% of total amount of LPO/ Work Order.
- b. Certificate of Conformity (CoC) required.
- c. QA/QC certificate required in respect of technical items.
- d. Survey Copy of unserviceable items duly verified/ signed by BSO PMSS INDUS.

13. SECURITY DEPOSIT / BANK GUARANTEE:

To ensure timely and correct supply of stores the firm will furnish an unconditional Bank Guarantee (BG) from a schedule bank for an amount of <u>10%</u> of the contract value and 5% of LPO/ Work Order (excluding taxes, duties / freight handling charges on a stamp paper of the value as per prescribed format in the shape of Bank Guarantee. Format of Bank Guarantee is at Annex "B". Furthermore, it is imperative to mention that deposit of PBG for HMI and Core Exchange cases will be equal to the total value of engine.

14. CURRENT BANK STATEMENT:

For all contracts of Rs 1,000,000/- or more the firm is required to submit current bank statement of the firm.

15. <u>INTEGRITY PACT:</u>

Procurement exceeding Rs 1.00 M shall be subject to an integrity pact, between the Buyer and the Suppliers or Contractors.

16. CORRESPONDENCE:

All correspondence will be addressed to the Buyer. Correspondence with regard to payment or issue of delivery receipt may be addressed to D (P & CC) PMSA Karachi.

17. PRE SHIPMENT INSPECTION:

PMSA may send a team of Officers for the inspection of Major Equipment and Machinery items at OEM premises for inspection before dispatch if required at the Supplier's cost and arrangement.

18. AMENDMENT IN CONTRACT:

Contract may be amended / modified to include fresh clause modify the existing clauses with the mutual agreements by the Supplier and the Buyer such modifications shall form an integral part of the contract.

19. DISCREPANCY:

The Buyer will render a discrepancy report to all concerned within 45 days after receipt of stores for discrepancies found in the consignment. The quantities found short are to be made good by the Supplier free of cost.

20. PRICE VARIATION:

Price offered against IT are to be firm and final.

21. LIQUIDATED DAMAGES (LD):

Liquidated Damages upto 2% per month are liable to be imposed on the Suppliers by the Buyer in accordance with PPRA rules, if the stores supplied after the expiry of the delivery date without any valid reason. Total value of the LD shall not exceed 10% of the contract value.

22. RISK PURCHASE:

In the event of failure on the part of Supplier to comply with the contractual obligations the contract will be cancelled at the Risk and Expense of the Supplier in accordance with PPRA rules.

23. PENALTY:

In case of wrong supply of the item by the Supplier, a penalty of 10% of the contract value may be imposed by this HQ PMSA apart from any other penalties.

24. ALL RIGHTS RESERVED:

HQ PMSA may reject all bids or proposals at any time prior to the acceptance of a bid or proposal as per PPRA Rule 33(I).

25. PAYMENT:

The payment will be released through Controller of Naval Accounts (CNA) Karachi in Pak Rupees after completion of delivery / work.

26. PARTIAL ORDER:

All participating firms are to comply acceptance of partial order. Partial supply as per lowest rates will be awarded to the lowest bidder.

27. <u>DISQUALIFICATION:</u>

Offers are liable to be rejected if:-

- a. Received after time and date specified in the IT.
- b. Offers are found conditional or incomplete in any respect.
- c. There is any deviation from the General / Special / Technical Instructions contained in this tender.
- d. Taxes and duties, Freight, Transportation and Insurance charges not indicated Separately as per required price breakdown mentioned above.
- e. Pay Order with Commercial Offer and Cash with Technical Offer is not received.
- f. Multiple rates quoted against one item.
- g. Manufacture's relevant Brochures and technical details on major equipment, assemblies are not attached in support of specification.
- h. Offers (Technical / Commercial) are containing amendments / corrections / overwriting etc.
- j. National Tax No (NTN) and GST/SST No are not indicated on technical and commercial offer.
- k. If validity of offer is not quoted as required in IT or made subject to confirmation late.